


धादिङ जिल्लाको आ.व. २०८२/२०८३
को ज्याला तथा निर्माण सामग्रीहरूको
स्वीकृत दररेट



२०८२ असार ३१ गते

मिति २०८२ साल असार ३१ गतेका दिन सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ बमोजिम आगामी आ.व. २०८२/०८३ का लागि निर्माण सामाग्री, ढुवानी दररेट, मेशिन तथा उपकरणको भाडा तथा कामदारको ज्याला निर्धारण गर्ने प्रयोजनका लागि जिल्ला दररेट निर्धारण समितिका अध्यक्ष प्रमुख जिल्ला अधिकारी सुमन घिमिरेको अध्यक्षतामा निम्न बमोजिमको उपस्थितिमा बैठक बसी तपशिल बमोजिमका निर्णय गरियो ।

उपस्थिति



प्रमुख जिल्ला अधिकारी श्री सुमन घिमिरे- अध्यक्ष


जिल्ला समन्वय समिति सदस्य श्री राम प्रसाद रिजाल

जिल्ला समन्वय अधिकारी श्री रामाक्षय थापा


प्रमुख कोष नियन्त्रक श्री रोमान पुन

प्रतिनिधि निर्माण व्यवसायी महासंघ श्री राजेन्द्र अधिकारी

प्रतिनिधि धादिङ उद्योग वाणिज्य संघ श्री रामेन्द्र अधिकारी

 आयोजना प्रमुख श्री शशिन्द्र घिमिरे- सदस्य सचिव

आमन्त्रित



स.प्र.जि.अ. श्री मोहन प्रसाद न्यौपाने, जिल्ला प्रशासन कार्यालय धादिङ

प्र.अ. श्री राममणी मिश्र, जिल्ला प्रशासन कार्यालय धादिङ



श्री नीलकण्ठ नगरपालिका कार्यालय, धादिङ श्री विशाल उडेल

श्री धुनिबेसी नगरपालिका कार्यालय, धादिङ श्री



श्री थाक्रे गाउँपालिका कार्यालय, धादिङ श्री


श्री गल्लिछ गाउँपालिका कार्यालय, धादिङ श्री

श्री गजुरी गाउँपालिका कार्यालय, धादिङ श्री

श्री बेनिघाट रोराङ गाउँपालिका कार्यालय, धादिङ श्री

श्री सिद्धलेक गाउँपालिका कार्यालय, धादिङ श्री

श्री ज्वालामुखि गाउँपालिका कार्यालय, धादिङ श्री



श्री त्रिपुरासुन्दरी गाउँपालिका कार्यालय, धादिङ श्री

श्री नेत्रावती डबजोड गाउँपालिका कार्यालय, धादिङ श्री

श्री खनियाबाँस गाउँपालिका कार्यालय, धादिङ श्री

श्री रुबी भ्याली गाउँपालिका कार्यालय, धादिङ श्री विपिन तामा १०

श्री गंगाजमुना गाउँपालिका कार्यालय, धादिङ श्री

श्री जिल्ला प्रहरी कार्यालय धादिङ श्री

श्री शसस्त्र प्रहरी बल नेपाल आश्रित गुल्म धादिङ श्री लक्ष्मी थपलिया (स.प.मी.३)
श्री राष्ट्रिय अनुसन्धान कार्यालय धादिङ श्री

श्री पूर्वाधार विकास कार्यालय श्री मिन बहादुर खड्का, इन्जिनियर

श्री खानेपानी तथा सरसफाई डिभिजन नं. २ धादिङ श्री दिपक खड्का, डि.१५-५

श्री जलस्रोत तथा सिंचाई डिभिजन कार्यालय धादिङ श्री मनिष गजमे, डि.१५७

श्री डिभिजन वन कार्यालय प्रमुख धादिङ श्री दिपक प्रसाद पुडासैनी

श्री जिल्ला जनस्वास्थ्य कार्यालय धादिङ श्री पुष्प श्रेष्ठ (स.स.प.३)

श्री नागदुङ्गा मुग्लिङ सडक योजना (पश्चिम खण्ड) धादिङ श्री

श्री नागदुङ्गा मुग्लिङ सडक योजना (पूर्वी खण्ड) धादिङ श्री

श्री सार्वजनिक निर्माण कार्यान्वयन इकाई गजुरी धादिङ श्री

श्री कृषि विकास कार्यालय धादिङ श्री, गौरीचन्द्र प्रसाद पोखरेल, प्रमुख

श्री नयाँ शहर आयोजना कार्यालय धादिङ श्री

श्री पशु विकास कार्यालय धादिङ श्री डा. खबलु हाकुर (स.प्र.)

श्री नेपाल विद्युत प्राधिकरण शाखा कार्यालय धादिङ श्री

श्री भू-जलाधार व्यवस्थापन कार्यालय, धादिङ श्री विश्वम बाजु (भू.सं.अ.)

श्री नेपाल टेलिकम धादिङ श्री

श्री नेपाल पत्रकार संघ धादिङ श्री

श्री गैर सरकारी संस्था महासंघ श्री

प्रस्ताव तथा निर्णयहरू:

निर्णय नं. १

आ.व. २०८२/२०८३ का लागि मिति २०८२/०४/०१ गते देखि धादिङ जिल्लाभर लागु हुने गरी संलग्न प्रमाणित सूची अनुसारका विभिन्न निर्माण सामग्री र ढुवानीको दररेट, मेशिन तथा उपकरणको भाडा तथा कामदारको ज्याला निर्धारण गर्नका लागि यस जिल्लाको चालु वर्षको जिल्ला दररेट, सिमाना जोडिएका छिमेकी जिल्लाहरूको दररेट, चालु आ.व. मा भएको मुल्यवृद्धि, नेपाल सरकारका विभिन्न कार्यालयहरू/संस्थान/निकायहरूको सिफारिस, जिल्ला भित्र प्रचलित बजार दररेट र नेपाल राष्ट्र बैंकबाट प्रकाशित मूल्य सूचाङ्क (Price Index) का आधार समेतको अध्ययन गरी जिल्ला दररेट निर्धारण समितिको मिति २०८२/३/०५ गतेको बैठकको निर्णय अनुसार गठित उपसमितिले तयार गरी पेश गरेको नयाँ जिल्ला दररेट सम्बन्धी प्रतिवेदन माथि बृहत छलफल गरी परिमार्जन सहित स्वीकृत गरी कार्यान्वयन गर्ने निर्णय गरियो ।

निर्णय नं. २

जिल्ला स्थित गाउँपालिका र नगरपालिकाको केन्द्र वा बजारबाट आयोजना स्थलसम्म दुरीको आधारमा हुन आउने ढुवानी खर्च सम्बन्धित निकायले दररेट विश्लेषण गर्दा ढुवानी भाडा थप गर्न सक्ने निर्णय गरियो ।

निर्णय नं. ३

आ.व. २०८२/८३ को स्वीकृत जिल्ला दररेटमा उल्लेख नभएका निर्माणसँग सम्बन्धित अन्य आवश्यक सामग्रीहरूको हकमा प्रचलित कानून बमोजिम तथा सम्बन्धित विभागीय नर्स, नर्स उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामग्रीहरूको उत्पादक/आधिकारिक बिक्रेताबाट दरभाउपत्र प्राप्त गरी मितव्ययिता कायम हुने गरी कार्य गर्न सकिने निर्णय गरियो ।

The bottom section of the document contains several handwritten signatures and dates. On the right side, there is a signature and the date '२०८२/३/३१'. Below this, there are three more signatures, each with a date '२०८२/३/३१' written below them. The signatures are in black ink and appear to be official approvals.

विषय सुची



क्र. सं.	विषय	पृष्ठ संख्या	
		देखि	सम्म
क	सिभिल (CIVIL)		
१	कामदार		
२	ढुवानी	1	
३	भवन निर्माणमा प्रयोग हुने सामग्री	1	2
	सिमेन्ट/ Concrete / Stainless Steel/ सिसा	3	13
	Plaster of Parish (POP) / मार्बल / ग्रेनाइट / कोटा स्टोन / टाइल्स / रंगरोगनका समान	3	4
	UPVC Profile Door and Window/ Wall partition / False Ceiling	4	9
४	सडक कालो पत्रे गर्ने कामको सामग्री	9	13
		14	
५	विभिन्न किसिमका काठहरू		
६	Wooden Parquet/ Gypsum Board/ CGI Sheets/ UPVC Sheets	14	15
७	माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरू	15	19
८	Cement Concrete Block	20	25
९	फलाम जन्य निर्माण सामग्री	26	
१०	Water Proofing Chemicals & Treatment works	27	30
११	Structural Strengthening & Seismic Retrofitting	31	35
१२	Aluminium Doors and Windows	36	37
१३	छाना छाउने अन्य निर्माण सामग्री	38	40
१४	भ्याल ढोकामा प्रयोगहुने फिक्सचरहरू	41	
१५	Security System	42	44
१६	स्थानीय निर्माण सामग्रीहरू	45	
१७	Non Destructive Test for Forensic Engineering	46	47
१८	Tools and Occupational Health and Safety Equipments	48	49
		50	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

विषय सुची



क्र. सं.	विषय	पृष्ठ संख्या	
		देखि	सम्म
ख	विद्युतिय सामग्रीहरु (ELECTRICAL)		
१	Switch Socket / Junction Box		
२	Distribution Board/ MCB/ RCCB	51	55
३	Dome Lights/ Roadway Luminaries/ Ceiling Fan & Exhaust Fan/ Earthing Material	55	56
४	FTL/ CFL Lights/ Down Lights/ System Sensor/ Luminaries Accessories	56	58
५	Wire & Cable/ Panel Board	58	62
६	Motor Operator/ Earthing materials/ Ligthing Arrestor/ Insulator/ Isolator	62	71
७	LED Lights	71	73
८	Power Controller/ Power Supplies/ UPVC Conduit Pipe/ Fittings	73	81
९	Solar Power & Supplies	81	95
		96	97
ग	SANITARY WORK		
१	Sanitary Ware (Commode/ Bidet/ Urinal/ Wash Basin/ Sink)		
२	Stainless Steel Accessories/ CP Accessories/Geysers	98	99
३	CI Manhole Cover/ Water Tank/ Pumps/ Pump Accessories	99	104
४	Fire Extinguisher/ Bath Tub	104	110
५	PPR Pipes & Fittings	110	112
६	CPVC Pipes & Fittings	112	117
७	MS Pipes/ Underground Piping System	117	120
८	PVC Pipes & Fittings	120	121
९	Rain Water Collection System	122	125
१०	UPVC Drain Waste & Vent System/ Underground Piping System	125	128
११	Multilayer Composite Pipe & Fittings (Cold Water/ Hot Water)	128	131
१२	PVC Pipes for Boring/ RCC Hume Pipe	131	135
१३	HDPE / UPVC / PVC Pipes & Fittings	135	137
१४	GI Pipes & Fittings/ RCC Ring for Well/ Metal Frame & RCC Cover	137	139
१५	Accessories for Deep Boring	139	146
१६	Sanitary Tools	146	147
		147	149
१७	Anaerobic Treatment for Waste Water/ Irrigation Works/ Sprinkler & Accessories	149	151
घ	वायो-ईन्जिनियरिङ्ग एवं अन्य मालसामान सम्बन्धि दर (Bio-Engineering)		
१	भु-संरक्षण सम्बन्धी कार्य (Grass Seeds/ Vegetation/ बन कार्यालयबाट सम्पादन गरिने कार्यहरु)	152	158
२	पशु सेवा कार्यालयबाट सम्पादन गरिने कार्यहरु	158	

Handwritten signatures and initials at the bottom of the page.

यस जिल्लाको स्थानीय स्तरमा उपलब्ध हुने श्रम, सिपको स्तर, श्रमीकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानि आ.व. २०८२/०८३ का लागि कायम गरिएको कामदारको ज्याला दर, ढुवानी दर, मेसिन तथा उपकरणको भाडा दरलाई बजारमा उपलब्ध हुन सक्ने अवस्थाको अध्ययन र विश्लेषण गरी समय सापेक्ष संसोधन गर्नुपर्ने भएकोले आ.व. २०८२/०८३ को लागि निम्न अनुसारको ज्याला दर, ढुवानी र मेसिन उपकरणहरूको भाडा निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	विवरण	ईकाई	आ.व.			कैफियत
			०८०/०८१	०८१/०८२	०८२/०८३	
१	दक्ष कामदार (Skilled Labour)					
क	ब्लाष्टर	प्रति दिन प्रति व्यक्ति	११५०	११५०.००	११५०.००	
ख	रक डिलर/हेमी ड्राईभर /वेल्डर /प्लम्बर /विष्फोटक पदार्थ ढुवानी गर्ने ज्यामी/डकर्मी/नकर्मी/सिकर्मी/बजकर्मी/चित्रकारी/हेमी सिनियर अपरेटर/अटो मेकानिक्स/इल क्लिप्सियन	प्रति दिन प्रति व्यक्ति	११००	११००.००	११५०.००	
२	अर्द्धदक्ष कामदार (Semi Skilled Labour)					
क	अर्द्धदक्ष कामदार (Semi Skilled Labour)	प्रति दिन प्रति व्यक्ति	९००	९००.००	९४५.००	
ख	निर्माण सुपरभाइजर प्राविधिक एस.एल.सि. वा सो सरह	प्रति दिन प्रति व्यक्ति	७००	७७०.००	९५०.००	
३	अदक्ष कामदार (Unskilled Labour)					
क	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर /उत्प्रेरक/ हेमी हेल्पर /सर्भ हेल्पर/अवाले /ईंटा बनाउने/क्याम्पर वर्कर/साधारण हेल्पर/ल्याब व्याय /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	८५०	८६०.००	८८५.००	
ख	मौसम रेकर्डर / हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टप मैन/स्टाफ मैन/हलुका कामदार/हेल्पर (गाडिको)	प्रति दिन प्रति व्यक्ति	६६०	६६०.००	६७५.००	
ग	लेन्थ वर्करहरु (सडकमा काम गर्ने)	प्रति दिन प्रति व्यक्ति	६६०	६६०.००	६७५.००	
घ	निर्माण सुपरभाइजर	प्रति दिन प्रति व्यक्ति	६६०	६६०.००	६७५.००	
ङ	लाईट ड्राईभर	प्रति दिन प्रति व्यक्ति	८००			
च	प्याच वर्कर (Patch Worker)	प्रति दिन प्रति व्यक्ति	७२०	७२०.००	७५०.००	
छ	लेन्थ वर्कर सुपरभाइजर	प्रति दिन प्रति व्यक्ति	७२०	७२०.००	७५०.००	
ज	मेहत्तर / स्वीपर (भाडू लगाउने)	प्रति दिन प्रति व्यक्ति	६००	६००.००	६३०.००	
झ	ल्याब टेक्निसियन (उच्च माध्यमिक तह उरिर्ण गरी ल्याब टेक्निसियनको तालिम प्राप्त/ प्रमाणपत्र तह उत्तिर्ण गरेको)	प्रति दिन प्रति व्यक्ति			१४५०.००	

नोट: माथि उल्लेख नभएका अन्य सबै पद / श्रेणीका ज्यालाधारी कर्मचारी / कामदारहरूको हकमा सम्बन्धित पद/ श्रेणीको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलब मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।

धादिङ्ग जिल्लाको लागि आर्थिक वर्ष ०८२/०८३ मा लागु हुने गरी देहाय अनुसारको मेसिन उपकरण र ढुवानी दर कायम गर्ने निर्णय गरियो ।

ढुवानी ज्याला						
सि.नं.	विवरण	ईकाई	०८०/०८१	०८१/०८२	०८२/०८३	कैफियत
१	जिल्ला भित्र भरिया द्वारा सामान ढुवानी					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईंटा, माटो, बालुवा आदी) घोडा खच्चडबाट	प्रतिकि.मी./ क्वीन्टल	११०	११०.००	११०.००	
	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईंटा, माटो, बालुवा आदी) भरियाबाट	प्रतिकि.मी./ क्वीन्टल	१४५	१४५.००	१४५.००	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई. तथा कालो पाईपहरु, आईरन एडल, ग्याविन बक्स, फलफुल, बिम्बा ग्लास, सटरहरु, ट्रेस, ऐना, बाथरुमका फुटने सामानहरु घोडा खच्चडबाट	प्रतिकि.मी./ क्वीन्टल	१४५	१४५.००	१४५.००	



सि.नं.	विवरण	ईकाई	आ.व.			कैफियत
			०८०/०८१	०८१/०८२	०८२/०८३	
	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई. तथा कालो पाईपहरु, आईरन एडल, ग्याविन बक्स, फलफुल, बिरुवा ग्लास, सटरहरु, ट्रेस, ऐना, बाथरुमका फुटने सामानहरु भरियाबाट	प्रतिकि.मी./ क्वीन्टल	२२०	२४०.००	२६५.००	
ग.	अति असजिलो सामानहरु जस्तै भो.पू. का लठठाहरु, टान्सफर्मर, विजूलिका पोलहरु घोडा खच्चडबाट	प्रतिकि.मी./ क्वीन्टल	२२०	२२०.००	२२०.००	
	अति असजिलो सामानहरु जस्तै भो.पू. का लठठाहरु, टान्सफर्मर, विजूलिका पोलहरु भरियाबाट	प्रतिकि.मी./ क्वीन्टल	३३०	३३०.००	३३०.००	
२	ट्रक वा ट्रयाक्टरबाट ढुवानी (लोड अनलोड बाहेक)					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	३	३.३०	३.४५	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	१०	१०.००	१०.५०	
ग.	ट्रयाक्टर मात्र चल्ने सडकमा ट्रयाक्टर वाट ढुवानी	प्रति कि.मी./ क्वीन्टल	१३	१३.००	१४.००	
३	अति असजिलो सामानहरु जस्तै भो.पू. का लठठाहरु, टान्सफर्मर, विजूलिका पोलहरु ट्रक वा ट्रयाक्टरबाट ढुवानी					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी.	१२०	१२५.००	१२५.००	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी.	२६०	२७०.००	२७०.००	
४	लोड/अनलोड					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा वा सो सरह)	प्रति केजी.	०	०.५०	०.५५	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई. तथा कालो पाईपहरु, आईरन एडल, ग्याविन बक्स, फलफुल, बिरुवा, ग्लास, सटरहरु, ट्रेस, ऐना, बाथरुमका फुटने सामानहरु	प्रति केजी.	१	१.१०	१.१५	
५	ईन्धनको हकमा नेपाल आयल निगमको स्वीकृत दररेटको आधारमा हुनेछ।					
६	गाडी / हेवी ईक्विपमेन्टको स्वीकृत भाडा दररेट (०८२/०८३)				सडक विभागको दर अनुरूप	



धादिङ्ग जिल्लाको लागि आर्थिक वर्ष ०८२/८३ मा लागु हुने गरी देहाय अनुसारको विषयमा तपशिल अनुसारको दर कायम गर्ने निर्णय गरियो ।

भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
१	नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट	ब्याग	७००.००	६६५.००	७००.००	
२	नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट	ब्याग	६००.००	५६५.००	६००.००	
३	सेतो सिमेन्ट (40kg/bag)	ब्याग	१२२५.००	१२२५.००	१२२५.००	
४	Ready Mix Concrete					
	M 15 Grade	घ. मि	१४०००.००	१४०००.००	१४०००.००	
	M 20 Grade	घ. मि	१४५००.००	१४५००.००	१४५००.००	
	M 25 Grade	घ. मि	१५५००.००	१५५००.००	१५५००.००	
	M 30 Grade	घ. मि	१६३००.००	१६३००.००	१६३००.००	
	M 35 Grade	घ. मि	१७६००.००	१७६००.००	१७६००.००	
	M 40 Grade	घ. मि	१८१००.००	१८१००.००	१८१००.००	
५	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	१२२५.००	१२२५.००	१२२५.००	
६	स्टेनलेस स्टील रेलीङ्गको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	१०७०.००	१०७०.००	१०७०.००	
७	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	९७०.००	९७०.००	९७०.००	
८	सादा सेतो सिसा					
	३ मी.मी.	व.फि.	५३.००	५३.००	५३.००	
	३.५ मी.मी.	व.फि.	६०.००	६०.००	६०.००	
	४ मी.मी.	व.फि.	६९.००	६९.००	६९.००	
	५ मी.मी.	व.फि.	७९.००	७९.००	७९.००	
	६ मी.मी.	व.फि.	१०५.००	१०५.००	१०५.००	
	८ मी.मी.	व.फि.	१५६.००	१५६.००	१५६.००	
	१० मी.मी.	व.फि.	१९६.००	१९६.००	१९६.००	
	१२ मी.मी.	व.फि.	२२७.००	२२७.००	२२७.००	
९	बुट्टेदार सिसा					
	३.मी.मी.	व.फि.	५२.००	५२.००	५२.००	
	४ मी.मी.	व.फि.	६०.००	६०.००	६०.००	
१०	पोलि फाईबर ग्लास					
	६ मी.मी.	व.फि.	१६०.००	१६०.००	१६०.००	
११	कालो सिसा					
	३.मी.मी.	व.फि.	१००.००	१००.००	१००.००	
	४ मी.मी.	व.फि.	१०८.००	१०८.००	१०८.००	
	५ मी.मी.	व.फि.	१२५.००	१२५.००	१२५.००	
	६ मी.मी.	व.फि.	१८६.००	१८६.००	१८६.००	



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	८ मी.मी.	व.फि.	२५८.००	२५८.००	२५८.००	
	१० मी.मी.	व.फि.	३६०.००	३६०.००	३६०.००	
	१२ मी.मी.	व.फि.	४११.००	४११.००	४११.००	
१२	Tinted Float glass बाहिर बाट नदेखिने भिन्नबाट देखिने					
	५ मि.मि बाक्लो	व.फि.	१२१.००	१२१.००	१२१.००	
१३	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि.	६३२७.००	६३२७.००	६३२७.००	
१४	विभिन्न रंगको Reflector Glass (शिशा) -५ मी.मी मोटो	व.फि.	१९०.००	१९०.००	१९०.००	
१५	Readymade Plaster of Parish cornice and molding					
	POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००	
	Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००	
	Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००	
	Above 8" wide	र.मि	१६१.००	१६१.००	१६१.००	
१६	Plaster of paris	क्रि.ग्रा.	२३.००	२३.००	२३.००	
१७	Wall putty-Normal	क्रि.ग्रा.	३५.००	३५.००	३५.००	
१८	Wall putty-water proof	क्रि.ग्रा.	६०.००	६०.००	६०.००	
१९	राजस्थानी मार्बल					
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१६५.००	१७८.००	१७८.००	
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	१८०.००	१९४.००	१९४.००	
२०	ग्रेनाइट					
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.	३१५.००	३१५.००	३१५.००	
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३३५.००	३३५.००	३३५.००	
	१८ मी.मी बाक्लो ग्रेनाइट	व.फि.	३७६.००	३७६.००	३७६.००	
२१	कोटा स्टोन					
	1" thick	व.फि.	१४४.००	१५५.००	१५५.००	
	3/4" thick	व.फि.	१३२.००	१४२.००	१४२.००	
२२	Porcelain Glazed Tiles					
	Thai Tiles(cotto tile)	व.फि.	१२६.००	१२६.००	१२६.००	
	Kajaria, Vermura, Somany, Orient Tile or equivalent floor tile	व.फि.	८५.००	९०.००	९०.००	
	Ordinary Floor and Wall tiles	व.फि.	५४.००	५४.००	५४.००	
	Border Tile - 2"x8"	र.फि.	४३.००	४३.००	४३.००	
	Indian Ceramic Wall Tile (31*45cm)	व.फि.	१८०.००	१८०.००	१८०.००	
	Indian Ceramic Floor Tile (31*45cm)	व.फि.	१५०.००	१५०.००	१५०.००	
	24" x 24" GVT	व.फि.	१६५.००	१६५.००	१६५.००	
	24" x 24" GRES Vitrified (Digital Floor)	व.फि.	१४४.००	१४४.००	१४४.००	
	12" x 12" GRES homogenous Verified parking Tile	व.फि.	१०६.००	१०६.००	१०६.००	



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	24" x 24" Vitrified					
	Floor tiles-Kajaria, Vermura, Somany, Orient or equivalent	व.फि.	१११.००	११८.००	११८.००	
	16"X16"	व.फि.	९८.००	९८.००	९८.००	
	12"x12"	व.फि.	८८.००	८८.००	८८.००	
	12"X12" (White / Ivory)	व.फि.	७७.००	७७.००	७७.००	
	24"x24" (Digital)	व.फि.	१२९.००	१२९.००	१२९.००	
	12"x24" (Walls)	व.फि.	१३४.००	१३४.००	१३४.००	
	12"x18"(wall)	व.फि.	१०३.००	१०३.००	१०३.००	
२३	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य					
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	६३५.००	६३५.००	६३५.००	
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	७६.००	७६.००	७६.००	
२४	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२५०.००	
	b) Up to 5" wide	र.मि	२८५.००	२८५.००	३००.००	
	c) Up to 8" wide	र.मि	३९३.००	३९३.००	४१२.००	
	d) Above 8" wide	र.मि	१६१.००	१६१.००	१६९.००	
२४.१	रंगरोगनका सामानहरु					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	१९.००	१९.००	१९.००	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	३६.००	३६.००	३६.००	
	(ग) विभिन्न प्रकारको भारतिय चुन रंगिन	"	३९.००	३९.००	३९.००	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००	७४.००	
	(थ) सिमेन्ट प्राइमर सेतो	"	२६८.००	२६८.००	२८०.००	
	(छ) उड प्राइमर (Wood Primer)	लिटर	३७६.००	३७६.००	३८९.००	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	५२५.००	५२५.००	५४२.००	
	च) नेपाल रेडको म्याट फिनिशिसङ्ग	लिटर	५०६.००	५०६.००	५२३.००	
	(ज) कोरुगेटेड रुफ Paint	"	४७६.००	४७६.००	४९२.००	
	(झ) तयारी अल्मुनियम पेन्ट	"	४५६.००	४५६.००	५००.००	
	(ञ) तयारी वार्नेस	"	४४०.००	४४०.००	४५५.००	
	(ट) तयारी वार्नेर सेन्थेटिक	"	३४०.००	३४०.००	३५०.००	
	(ठ) भारतिय थिनर	"	२३१.००	२३१.००	२३८.००	
	ड) उड एण्ड ग्लास पुटिन	के.जी	१३१.००	१३१.००	१३६.००	
	ढ) मेटल पुटिन	"	१५५.००	१५५.००	१६०.००	
	ण) चुना पेन्ट गर्न राख्ने म्रम	"	२०३.००	२०३.००	२१०.००	



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	त) नेपाली थिनर	लिट्र	२१८.००	२१८.००	२२४.००	
	(द) तारपिन तेल	"	२१४.००	२१४.००	२२०.००	
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	२६२.००	२६२.००	२७०.००	
	(त्र) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२४.००	
	उड प्रिजरभेटिव पेन्ट	लि.			२३६.००	
	ब्लैक जापान	लि.			४९६.००	
	चप्रा	के.जि.			१३४४.००	
	स्प्रीट	लि.			९२.००	
	स्थानीय स्प्रीट	लि.			१२१.००	
	लिनसिड आयल	लि.			२०३.००	
	wood keeper (chapara type)	लि.	५५०.००	५५०.००	५५०.००	
	Bridge	लि.	४६३.००	४६३.००	४६३.००	
	Silk Breathless easy	लि.	१२१६.००	१२१६.००	१२१६.००	
	Road divider (polythene)	गोटा	१६२२.००	१६२२.००	१६२२.००	
	Dust bin (polythene) 165 ltr	गोटा	३०८३.००	३०८३.००	३०८३.००	
	Wall putty Epoxy flooring					
	wall plast wall putty (40kg)	Bag	१३०६.००	१३०६.००	१३०६.००	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	२०८२.००	२०८२.००	२०८२.००	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	३६८८.००	३६८८.००	३६८८.००	
	Epoxy Paint for Operation theater	"	११५०९.००	११५०९.००	११५०९.००	
२४.४	Decorative Painting Material Acro & equivalents					
	Specialized paints(Dr. wallz)					
१	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	१०९९.००	१०९९.००	११५०.००	
२	Acro Elastocrab (Anti carbonisation paint)	"	७६२.००	७६२.००	८००.००	
	Texture paints					
१	Mediterrano	के.जि.	१७६.००	१७६.००	१७६.००	
२	Stucco Veneziano	"	१६३९.००	१६३९.००	१६३९.००	
३	Velvetino	"	४३०५.००	४३०५.००	४३०५.००	
४	Travertino	"	४१२.००	४१२.००	४१२.००	
५	Gtone plaster	"	१२१.००	१२१.००	१२१.००	



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
६	Colorato (Multi color)	"	९२१.००	९२१.००	९२१.००	
७	Pearl skin texture	"	१४९.००	१४९.००	१४९.००	
८	TS 52 Spray white	"	१९९.००	१९९.००	१९९.००	
९	Rustic	"	१५९.००	१५९.००	१५९.००	
१०	Rockart	लिट्र	१५९.००	१५९.००	१५९.००	
११	Manhattan	के.जि	२३८.००	२३८.००	२३८.००	
१२	Sabbia	के.जि	२३८.००	२३८.००	२३८.००	
१३	Sandy Stone	के.जि	१७४.००	१७४.००	१७४.००	
१४	Insulplast	के.जि	२३७.००	२३७.००	२३७.००	
१५	Poly Under White	के.जि	२६४.००	२६४.००	२६४.००	
१६	Antica(Top coat)	के.जि	१२६७.००	१२६७.००	१२६७.००	
१७	T.C 100(Top coat)	के.जि	७२८.००	७२८.००	७२८.००	
१८	Dekorica White	के.जि	२६३१.००	२६३१.००	२६३१.००	
१९	Poly Plaster	के.जि	१०७.००	१०७.००	१०७.००	
२०	Granite tone	के.जि	१६५.००	१६५.००	१६५.००	
२१	Graffiato	के.जि	१५९.००	१५९.००	१५९.००	
२२	Elligance stone	के.जि	१८९.००	१८९.००	१८९.००	
२३	Marmorino Base	के.जि	४१२.००	४१२.००	४१२.००	
२४	Acro fine	लिट्र	१८१.००	१८१.००	१८१.००	
२५	Marmocastro base	के.जि	१३९.००	१३९.००	१३९.००	
२६	Selva Granite	"	२१५.००	२१५.००	२१५.००	
२७	Romart	"	२३९.००	२३९.००	२३९.००	
	Weathercoat paints					
१	Guard	लिट्र	५०३.००	५०३.००	५२०.००	
२	Guard -3x	"	५८८.००	५८८.००	५८८.००	
३	Shield	"	३२२.००	३२२.००	३२२.००	
४	Acrotex matt	"	५१०.००	५१०.००	५१०.००	
५	Ext wall Primer	"	२३८.००	२३८.००	२४५.००	
	Emulsion Paints					
१	Silk Emulsion paints	"	५२२.००	५२२.००	५४५.००	
२	Aqualin Int.Emulsion	"	२८०.००	२८०.००	२८०.००	
३	Pearl Emulsion paints	"	७७२.००	७७२.००	७७२.००	
४	Int. wall Primer	"	१७२.००	१७२.००	१७८.००	
	Acrylic Washable Distemper	"	१४२.००	१४२.००	१५०.००	
	Acro gold Enamel Paint	"	५१२.००	५१२.००	५३०.००	
	Universal primer (wood primer)	"	३१३.००	३१३.००	३२५.००	
	Red oxide metal primer	"	२७६.००	२७६.००	२८५.००	
	Construction Chemical / waterproof coating system					



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	crack sill	"	३८७.००	३८७.००	३८७.००	
	crack fill A+B	"	१७०.००	१७०.००	१७०.००	
	Silicon Bases water repellent impregnation					
	Acropreg	"	४६६.००	४६६.००	४६६.००	
	Acropreg W	"	६१९.००	६१९.००	६१९.००	
	Wall putty	के.जि	३९.००	३९.००	३९.००	
	Wall putty -water proof	के.जि			६३.००	
२४.५	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
१	Acro Spanezia maestro finishes texture					
१.१	Mediterrano texture	ब.फि	१२८.००	१२८.००	१२८.००	
१.२	Travertino texture	"	१९५.००	१९५.००	१९५.००	
१.३	Velvetino texture	"	१६७.००	१६७.००	१६७.००	
१.४	Gtone plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००	
१.५	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००	
१.६	Pearl skin texture	"	१२०.००	१२०.००	१२०.००	
१.७	Marmorino texture	"	१५६.००	१५६.००	१५६.००	
२	Acro texture					
२.१	Acro spray flat/Acro spray dewes texture	"	७५.००	७५.००	७५.००	
२.२	Featherglow/Royal touch/Superfine/Ceratex texture	"	७४.००	७४.००	७४.००	
२.३	Rustic texture	"	९९.००	९९.००	९९.००	
२.४	Rockart texture	"	९३.००	९३.००	९३.००	
२.५	Graffiato texture	"	१०३.००	१०३.००	१०३.००	
२.६	Marmocastro texture	"	९०.००	९०.००	९०.००	
२.७	Marmoplast texture	"	९०.००	९०.००	९०.००	
२.८	Sabbia texture	"	११२.००	११२.००	११२.००	
२.९	Manhattan texture	"	११२.००	११२.००	११२.००	
२.१०	Sandy stone texture	"	१५४.००	१५४.००	१५४.००	
२.११	Selva Granite texture	"	११६.००	११६.००	११६.००	
२.१२	Elligance stone texture	"	१०७.००	१०७.००	१०७.००	
२.१३	Granite tone texture	"	९८.००	९८.००	९८.००	
२.१४	Romaart texture	"	१२४.००	१२४.००	१२४.००	
२.१५	Insulplast texture	"	१३५.००	१३५.००	१३५.००	
३	Acro Bio-guard (Hospital Paint)	"	५४.००	५४.००	५४.००	
४	Acro Ellastocarb(anti carbonisation	"	३८.००	३८.००	३८.००	

Handwritten signatures and stamps at the bottom of the page.



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
१	EXTERIOR SURFACE WEATHERCOAT PAINTS					
	1.ACROGUARD 3X	ब.फि	२३.००	२३.००	२३.००	
	2. ACROGUARD	"	२१.००	२१.००	२१.००	
	3. ACROSHIELD	"	१७.००	१७.००	१७.००	
	4. ACROTEX MATT	"	३१.००	३१.००	३१.००	
२	INTERIOR SURFACE EMULSION PAINTS					
	1. ACROPEARL EMULSION PAINTS	ब.फि	२४.००	२४.००	२४.००	
	2. ACROSILK EMULSION PAINTS	"	२०.००	२०.००	२०.००	
	3. AQUALIN EMULSION PAINTS	"	१६.००	१६.००	१६.००	
	4. AQUALIN ACRYLIC WASHABLE DIS	"	११.००	११.००	११.००	
	5. ACRO GOLD ENAMEL PAINTS	"	१८.००	१८.००	१८.००	
२५	UPVC Profile Door and Window/ Wall partition					
Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.						
UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरु						
i) Single glazing						
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	७३५९.००	७३५९.००	७३५९.००	
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	६७९७.००	६७९७.००	६७९७.००	
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७६४२.००	७६४२.००	७६४२.००	
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७६४२.००	७६४२.००	७६४२.००	
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	८३७८.००	८३७८.००	८३७८.००	
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	८४९४.००	८४९४.००	८४९४.००	

Handwritten signatures and initials at the bottom of the page.



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	९०६९.००	९०६९.००	९०६९.००	
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	९०६९.००	९०६९.००	९०६९.००	
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	८७७८.००	८७७८.००	८७७८.००	
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	१०१९०.००	१०१९०.००	१०१९०.००	
११	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	८७९८.००	८७९८.००	८७९८.००	
११	UPVC 60x64mm white colour casement window with 5mm glass pannele	"	९९९९.००	९९९९.००	९९९९.००	
१२	UPVC 110x64mm x9mmthick board and 5mm tjick glass pannel white colour	"	१०५६०.००	१०५६०.००	१०५६०.००	
१२	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass	"	१०९३९.००	१०९३९.००	१०९३९.००	
१३	UPVC 60x60mm white colour swing door with 5mm glass pannel	"	६८६९.००	६८६९.००	६८६९.००	
	ii) Double glazing					
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	९६२३.००	९६२३.००	९६२३.००	
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	९११३.००	९११३.००	९११३.००	
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	९९१२.००	९९१२.००	९९१२.००	
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	९९१२.००	९९१२.००	९९१२.००	



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०६४७.००	१०६४७.००	१०६४७.००	
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०७५७.००	१०७५७.००	१०७५७.००	
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	११३२५.००	११३२५.००	११३२५.००	
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	११०४९.००	११०४९.००	११०४९.००	
९	Supply & fixing of 80*50 mm white colour casement window	"	९८०३.००	९८०३.००	९८०३.००	
२६	Prefab Panel for wall Partition solid wall					
२६.१	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everst solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partition wall all complete					
	a)40 mm thick	Sqft				
	b)50 mm thick	"	२३६.००	२३६.००	२३६.००	
	c) 75 mm thick	"	२९९.००	२९९.००	२९९.००	
२६.२	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	९२.००	९२.००	९२.००	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	२७६.००	२७६.००	२७६.००	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	२४९.००	२४९.००	२४९.००	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	३०८.००	३०८.००	३०८.००	

Handwritten signatures and marks at the bottom of the page.



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	२७१.००	२७१.००	२७१.००	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	२१५.००	२१५.००	२१५.००	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	२८४.००	२८४.००	२८४.००	
२६.३	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-	
२६.४	Cement board Aerocon C Board CK Birala , Everest or equivalent					
	6 mm thick	Sqft	३३.००	३३.००	३३.००	
	8 mm thick	Sqft	४१.००	४१.००	४१.००	
	10 mm thick	Sqft	५३.००	५३.००	५३.००	
	12 mm thick	Sqft	६३.००	६३.००	६३.००	
२६.५	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	३८८.००	३८८.००	३८८.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	४२०.००	४२०.००	४२०.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	५१९.००	५१९.००	५१९.००	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	१११.००	१११.००	१११.००	

Handwritten signatures and marks at the bottom of the page.



भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	२६०.००	२६०.००	२६०.००	
	75 mm thick	Sqft	३४३.००	३४३.००	३४३.००	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	२७९.००	२७९.००	२७९.००	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२८३.००	२८३.००	२८३.००	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२४७.००	२४७.००	२४७.००	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	३१६.००	३१६.००	३१६.००	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	३५४.००	३५४.००	३५४.००	
२७	Wall Paper					
२७.१	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१२३६.००	
२७.२	Fittings for wall paper	व.फि	७.००	७.००	७.००	
२७.३	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००	

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
१.०	सडक कालो पत्रे गर्ने कामको सामग्रीहरु					
	i) ८०/१०० ग्रेडको विटुमीन					
	Bitumen VG-10	के.जी	११३.६	११३.६	११३.६	
	Bitumen VG-30	के.जी	११८	११८.०	११८.०	
	ii) CRMB-DIGO 55 Bitumen	"	१०४	१०४.०	१०४.०	
	iii) Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	"	१०२.४	१०२.४	१०२.४	
	छिटो जम्ने (RS 65%)	"	१०८.४	१०८.४	१०८.४	
	छिटो जम्ने (RS 70%)	"	११४.५	११४.५	११४.५	
	मध्यम जम्ने (MS 60%)	"	१०३.३	१०३.३	१०३.३	
	मध्यम जम्ने (MS 65%)	"	१०८.८	१०८.८	१०८.८	
	ढीलो जम्ने (SS60%)	"	१०४.६	१०४.६	१०४.६	
	Slurry Seal with 60% bitumen	"	१०७.९	१०७.९	१०७.९	
	i) Cut Back (MC 30)	"	१७९.४	१७९.४	१७९.४	
	ii) Cut Back (MC 70)	"	१५४.४	१५४.४	१५४.४	
	iii) Cut Back (MC 800)	"	१४६.९	१४६.९	१४६.९	
	Hi - seal Readymix	"				
	Polymer Bitumen	"				
	iv) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागि प्रयोग गर्ने सामान Anti stripping agent	"	४१८	४१८.०	४१८.०	
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागि राखिने Rubber Asphalt Modifier	"				
	vi) कालोपत्रे सडक Pot hole टाल्नको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	"	३५	३५.०	३५.०	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	a) B.S. Grade	के.जि	२००	२००.०	२००.०	
	b) Most Grade	"	२२०	२२०.०	२२०.०	
	c) Glass beads	"	१८०	१८०.०	१८०.०	
२.०	विभिन्न किसिमका काठहरु					
२.१	काठ					
	(क) विभिन्न साइजको स्थानीय सालकाठ	घ. फि	४७००	४७००.०	४७००.०	
	(ख) विभिन्न साइजको तराइको (अग्राख) सालकाठ	"	६२००	६२००.०	६२००.०	
	(ग) साज काठ	"	३०००	३०००.०	३०००.०	
	(घ) जामुन काठ	"	३०००	३०००.०	३०००.०	
	(ङ) सल्लाको काठ	"	१०००	१०००.०	१०००.०	
	(च) स्थानीय सिसौ काठ	"	२१००	२१००.०	२१००.०	
	(छ) जंगली सिसौ काठ	"	५२५०	५२५०.०	५२५०.०	
	(ज) उतीस को काठ	"				
	झ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि	१०००	१०००.०	१०००.०	
	(ञ) काठ दाउरा	के.जी	१५	१५.०	१५.०	
२.२	कुदिएको काठको काम तयारी					



नेपाल सरकार
महानगरपालिका कार्यालय
धार्दि एकाई

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	i) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	८५०	८५०.०	८५०.०	
	ii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	"	९००	९००.०	९००.०	
	iii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	७५०	७५०.०	७५०.०	
	iv) भन्याङ्गको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	३३००	३३००.०	३३००.०	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	१०१३९	१०१३८.६	१०१३८.६	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	११५८७	११५८७.०	११५८७.०	
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	४५००	४५००.०	४५००.०	
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम	गोटा	५०६९	५०६९.३	५०६९.३	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१०००	१०००.०	१०००.०	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	"	१२००	१२००.०	१२००.०	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	"	२३००	२३००.०	२३००.०	
	xii) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	"	१५००	१५००.०	१५००.०	
	xii) ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	५५०	५५०.०	५५०.०	
	xiii) कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस विम आदि तयारी गर्ने कार्य	"	१०००	१०००.०	१०००.०	
	xiv) ४"x ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	"	८००	८००.०	८००.०	
३.०	Wooden Parquet Flooring					
	i) Shisam wood 150mm*30mm*8mm	व.फि.	१८०	१८०.०	१८०.०	
	ii) Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	६१०	६१०.०	६१०.०	
४.०	विभिन्न मोटाईको प्लाइउडहरु					
५.०	Commercial					
	(क) ३ मी.मी	व.फि	२०	२०.०	२०.०	
	(ख) ३.५ मी.मी.	"	२३	२३.०	२३.०	
	(ग) ४ मी.मी	"	२५	२५.०	२५.०	
	(घ) ६ मी.मी	"	४०	४०.०	४०.०	
	(ङ) ८ मी.मी	"	४२	४२.०	४२.०	
	(च) १२ मी.मी	"	६२	६२.०	६२.०	
	(छ) १९ मी.मी B/B	"	९४	९४.०	९४.०	
	(ज) १८ मी.मी PLY	"	१००	१००.०	१००.०	
६.०	P/F. Water Proof					



नेपाल सरकार
बृहत् मन्त्रालय
निर्माण सामग्री प्रशासन कार्यालय
धौलागिरी

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	क) ४ मी.मी	व.फि	४२	४२.०	४२.०	
	ख) ६ मी.मी	व.फि	५७	५७.०	५७.०	
	ग) ८ मी.मी.	"	६२	६२.०	६२.०	
	घ) ९ मी.मी.	"	६८	६८.०	६८.०	
	(ङ) १२ मी.मी	"	७९	७९.०	७९.०	
	च) १९ मी.मी PLY		१४०	१४०.०	१४०.०	
	छ) १९ मी.मी B/B	"	११०	११०.०	११०.०	
७.०	Natural Teak Plywood					
	One side lamination					
	(क) ३ मी .मी	व.फि	५६	५६.०	५६.०	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	७५	७५.०	७५.०	
	४ मी. मी (Regular)	"	६५	६५.०	६५.०	
	४ मी. मी (Crown)	"	४४	४४.०	४४.०	
	४ मी. मी (Beri)	"	५०	५०.०	५०.०	
	४ मी. मी (Whitest line)	"	४०	४०.०	४०.०	
	४ मी. मी (Beach)	"	४८	४८.०	४८.०	
	४ मी. मी (Recon 18 No.)	"	३८	३८.०	३८.०	
	(ग) ६ मी.मी	"	०			
८.०	Ready made Door					
८.१	38 mm th. Redimade solid core door					
	Plain	व.फि	२१०	२१०.०	२१०.०	
	One side teak	"	२३०	२३०.०	२३०.०	
	Both side teak	"	२९०	२९०.०	२९०.०	
	One side teak waterProof	"	२६०	२६०.०	२६०.०	
	Both side teak waterProof	"	३३०	३३०.०	३३०.०	
८.२	30 to 32 mm th. Redimade solid core door shutter					
	Plain	व.फि	१९५	१९५.०	१९५.०	
	One side teak	"	२१५	२१५.०	२१५.०	
	Both side teak	"	२६५	२६५.०	२६५.०	
	One side teak waterProof	"	२३०	२३०.०	२३०.०	
	Both side teak waterProof	"	२९५	२९५.०	२९५.०	
८.३	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	१९०	१९०.०	१९०.०	
	Readymade door shutter Recon, Special (1 side teak)	"	२५०	२५०.०	२५०.०	
	If One side water proof ply fitting					
	Readymade door shutter Recon, ordinary (1 side teak)	"	२१०	२१०.०	२१०.०	
	Readymade door shutter Recon, Special (1 side teak)	"	२८१	२८१.०	२८१.०	
८.४	Wooden Listy					
	1/2" wide	र.फि.	१४	१४.०	१४.०	
	3/4" wide	"	१८	१८.०	१८.०	



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	1.5" wide					
	Decorative	"	२९	२९.०	२९.०	
८.५	Infill Material Thai Gypsum, Shera or equivalent	"	४०	४०.०	४०.०	
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	४३९	४३९.०	४३९.०	
	Frame U - Studs(0.55mm*0.75mm*3m)	"	४३९	४३९.०	४३९.०	
	Board 9 mm	"	२५२४	२५२४.०	२५२४.०	
	Roofing Board 6mm (1.5mX.6m)	"	६९५	६९५.०	६९५.०	
	Fiber mess tape (for 90mm/roll)	"	३४०	३४०.०	३४०.०	
	PU sasuage rod	"	२०३९	२०३९.०	२०३९.०	
९	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)					
	(क) सेतो सादा जस्तापाता (G P Sheet)					
	0.2 mm (30 guage light)	बण्डल	४४९३	४४९३.०	४४९३.०	
	0.22 mm (30 guage Medium)	"	४९०७	४९०७.०	४९०७.०	
	0.24 mm (30 guage Heavy)	"	५२६२	५२६२.०	५२६२.०	
	0.26 mm (28 guage light)	"	५४९८	५४९८.०	५४९८.०	
	0.28 mm (28 guage Medium)	"	५९९२	५९९२.०	५९९२.०	
	0.31 mm (28 guage Heavy)	"	६४४४	६४४४.०	६४४४.०	
	0.35 mm (26 guage light)	"	७९५४	७९५४.०	७९५४.०	
	0.38 mm (26 guage Medium)	"	७५३४	७५३४.०	७५३४.०	
	0.41 mm (26 guage Heavy)	"	८२५६	८२५६.०	८२५६.०	
	0.45 mm (24 guage light)	"	८९५७	८९५७.०	८९५७.०	
	0.50 mm (24 guage Medium)	"	९८९४	९८९४.०	९८९४.०	
	0.52 mm (24 guage Heavy)	"	१०९६९	१०९६९.०	१०९६९.०	
	0.75 mm	"	१४६३८	१४६३८.०	१४६३८.०	
	(ख) रंगिन जस्तापाता					
	0.2 mm (30 guage light)	बण्डल	५९२७	५९२७.०	५९२७.०	
	0.22 mm (30 guage Medium)	"	६३९५	६३९५.०	६३९५.०	
	0.24 mm (30 guage Heavy)	"	६६८२	६६८२.०	६६८२.०	
	0.26 mm (28 guage light)	"	७०३८	७०३८.०	७०३८.०	
	0.28 mm (28 guage Medium)	"	७४४७	७४४७.०	७४४७.०	
	0.31 mm (28 guage Heavy)	"	८१६९	८१६९.०	८१६९.०	
	0.35 mm (26 guage light)	"	८७५०	८७५०.०	८७५०.०	
	0.38 mm (26 guage Medium)	"	९२९०	९२९०.०	९२९०.०	
	0.41 mm (26 guage Heavy)	"	१०४६५	१०४६५.०	१०४६५.०	
	0.45 mm (24 guage light)	"	११७९९	११७९९.०	११७९९.०	
	0.50 mm (24 guage Medium)	"	११७२६	११७२६.०	११७२६.०	
	0.52 mm (24 guage Heavy)	"	१२९२५	१२९२५.०	१२९२५.०	
	0.75 mm	"	१७०९९	१७०९९.०	१७०९९.०	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)					
	0.2 mm (30 guage light)	बण्डल	४५०५	४५०५.०	४५०५.०	
	0.22 mm (30 guage Medium)	"	४८८३	४८८३.०	४८८३.०	
	0.24 mm (30 guage Heavy)	"	५२०३	५२०३.०	५२०३.०	
	0.26 mm (28 guage light)	"	५४३९	५४३९.०	५४३९.०	

Handwritten signatures and marks at the bottom of the page.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	0.28 mm (28 guage Medium)	"	५८६०	५८६०.०	५८६०.०	
	0.31 mm (28 guage Heavy)	"	६५९२	६५९२.०	६५९२.०	
	0.35 mm (26 guage light)	"	७११६	७११६.०	७११६.०	
	0.38 mm (26 guage Medium)	"	७६३८	७६३८.०	७६३८.०	
	0.41 mm (26 guage Heavy)	"	८१६१	८१६१.०	८१६१.०	
	0.45 mm (24 guage light)	"	८८६८	८८६८.०	८८६८.०	
	0.50 mm (24 guage Medium)	"	९७५५	९७५५.०	९७५५.०	
	0.52 mm (24 guage Heavy)	"	१०१२२	१०१२२.०	१०१२२.०	
	0.75 mm	"	१४६३६	१४६३६.०	१४६३६.०	
	घाजस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.					
	0.20 mm	बण्डल	१५४०	१५४०.०	१५४०.०	
	0.22 mm	"	१६८१	१६८१.०	१६८१.०	
	0.24 mm	"	१७८९	१७८९.०	१७८९.०	
	0.26 mm	"	१८७५	१८७५.०	१८७५.०	
	0.28 mm	"	२००४	२००४.०	२००४.०	
	0.31 mm	"	२१७६	२१७६.०	२१७६.०	
	0.35 mm	"	२४१४	२४१४.०	२४१४.०	
	0.38 mm	"	२५३२	२५३२.०	२५३२.०	
	0.41 mm	"	२७७०	२७७०.०	२७७०.०	
	ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट					
	1.1 mm	पिस	३१३९	३१३९.०	३१३९.०	
	0.90 mm	"	२५८८	२५८८.०	२५८८.०	
	0.80 mm	"	२३५५	२३५५.०	२३५५.०	
	0.75 mm	"	२१९८	२१९८.०	२१९८.०	
	0.70 mm	"	२०३९	२०३९.०	२०३९.०	
	0.62 mm	"	१८३२	१८३२.०	१८३२.०	
	0.55 mm	"	१६४३	१६४३.०	१६४३.०	
	0.50 mm	"	२०८१	२०८१.०	२०८१.०	
	0.48 mm	"	१४४३	१४४३.०	१४४३.०	
	0.45 mm	"	१३५९	१३५९.०	१३५९.०	
	0.40 mm	"	१२१७	१२१७.०	१२१७.०	
	0.37 mm	"	११४७	११४७.०	११४७.०	
	0.35 mm	"	१०८७	१०८७.०	१०८७.०	
	0.30 mm	"	९५७	९५७.०	९५७.०	
	0.28 mm	"	९०५	९०५.०	९०५.०	
	च) ४ फिट * ८ फिट को रङ्गिन प्लेन सिट					
	0.90 mm	पिस	२८७८	२८७८.०	२८७८.०	
	0.80 mm	"	२५६४	२५६४.०	२५६४.०	
	0.75 mm	"	२४५९	२४५९.०	२४५९.०	
	0.70 mm	"	२३५५	२३५५.०	२३५५.०	

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	0.62 mm	"	२०९३	२०९३.०	२०९३.०	
	0.55 mm	"	१९८८	१९८८.०	१९८८.०	
	0.50 mm	"	१७३८	१७३८.०	१७३८.०	
	0.48 mm	"	१६७४	१६७४.०	१६७४.०	
	0.45 mm	"	१६२२	१६२२.०	१६२२.०	
	0.40 mm	"	१४६५	१४६५.०	१४६५.०	
	0.37 mm	"	१३५९	१३५९.०	१३५९.०	
	0.35 mm	"	१३०७	१३०७.०	१३०७.०	
	0.30 mm	"	११५६	११५६.०	११५६.०	
	0.28 mm	"	१०९९	१०९९.०	१०९९.०	
	GI EXPANDED METAL MESH					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	१२९	१२९.०	१२९.०	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	१८०	१८०.०	१८०.०	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	११०	११०.०	११०.०	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	१५०	१५०.०	१५०.०	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	१००	१००.०	१००.०	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	१५१	१५१.०	१५१.०	
१०	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)					
	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	१४४०	१४४०.०	१४४०.०	
	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	१४९६	१४९६.०	१४९६.०	
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१२८८	१२८८.०	१२८८.०	
	Ridge cover Tile Profile 0.78 R.m.	"	१२८८	१२८८.०	१२८८.०	
	UPVC Clip	गोटा	२६	२६.०	२६.०	
	self tapping screw 3"	"	२६	२६.०	२६.०	
	self tapping screw 2.5"	"	१०	१०.०	१०.०	
	self tapping screw 2"	"	१०	१०.०	१०.०	
	self tapping screw 1.5"	"	८	८.०	८.०	
११	एल्युमिनियम प्लेन सिट					
	(क) २६ गेज	व.फि.	२९	२९.०	२९.०	
	(ख) ३० गेज	"	२७	२७.०	२७.०	

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones scattered across the bottom.

माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरू

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	मठमन्दिरमा प्रयोग हुने ढुङ्गाका विभिन्न सामग्रीहरू					
१	कालो ढुंगाको बुटा सहितको थाम ६" X ९" X ६०"	प्रति गोटा	७००००.००	७००००.००	७००००.००	
२	कालो ढुंगाको बुटा सहितको थाम ६" X ९" X ६.६"	प्रति गोटा	१०५०००.००	१०५०००.००	१०५०००.००	
३	कालो ढुंगाको बुटा सहितको थाम १२" X १२" X ७.६"	प्रति गोटा	२४००००.००	२४००००.००	२४००००.००	
४	४" बाक्लो पेटी ढुंगा (१०" X ४")	फिट	८००.००	८००.००	८००.००	
५	४" बाक्लो नागोल ढुंगा (१०" X ४")	फिट	९००.००	९००.००	९००.००	
६	४" बाक्लो बुटेदारी कसिमो, कार्नेस र फ्यो (१०" X ४")	फिट	३७००.००	३७००.००	३७००.००	
७	कालो साइडल ढुंगा (इल्हो) (३०" X ३०" X १८")	प्रति गोटा	४००००.००	४००००.००	४००००.००	
८	Peti kuna Dhunga(19.9**9**18")	प्रति गोटा	२७२०.००	२७२०.००	२७२०.००	
९	Peti kuna Dhunga(10**10**14")	प्रति गोटा	१९००.००	१९००.००	१९००.००	
१०	Bichako naykha nhu	प्रति गोटा	९५०.००	९५०.००	९५०.००	
११	Dhungey dhara	प्रति गोटा	१३६०.००	१३६०.००	१३६०.००	
१२	Peti Dhunga 4"	प्रति गोटा	२४५०.००	२४५०.००	२४५०.००	
१३	Peti Dhunga 5"	मिटर	२९९०.००	२९९०.००	२९९०.००	
१४	Shree Ganesh/Kumar Dhunga ko Murti	प्रति गोटा	१३६०.००	१३६०.००	१३६०.००	
	ढुंगो धारा	गोटा	११५५.००	११५५.००	११५५.००	
	माटो वाट निर्मित परम्परागत निर्माण सामग्रीहरू					
१	Daachi Appa	गोटा	२५.००	२५.००	२५.००	
२	Daachi kuna	गोटा	३५.००	३५.००	३५.००	
२	Twa Aapa	गोटा	२७.००	२७.००	२७.००	
३	Gol Aapa	गोटा	२७.००	२७.००	२७.००	
४	Ganesh/kumar/tara/Panch Buddha	गोटा	३२०.००	३२०.००	३२०.००	
५	Kalash(4"x6")	गोटा	५३.००	५३.००	५३.००	
६	Kalash(9"x12")	गोटा	१५८.००	१५८.००	१५८.००	
७	Nagol	गोटा	२७.००	२७.००	२७.००	
	Nagol kuna	गोटा	४०.००	४०.००	४०.००	
८	Kashimo	गोटा	२७.००	२७.००	२७.००	
	Kashimo Kuna	गोटा	४०.००	४०.००	४०.००	
९	Sakuli	गोटा	२७.००	२७.००	२७.००	
	Sakuli Kuna	गोटा	४०.००	४०.००	४०.००	
१०	Paan butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
११	Sano Fa butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१२	Thulo Fa butta	गोटा	२७.००	२७.००	२७.००	
	kuna	गोटा	४०.००	४०.००	४०.००	
१३	Naya fa butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१४	Sano ga butta,	गोटा	२७.००	२७.००	२७.००	

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१५	Thulo Ga butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१६	pumha buta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१७	Tinkune swa	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१८	Tinkune Pali	गोटा	२७.००	२७.००	२७.००	
	kuna	गोटा	४०.००	४०.००	४०.००	
१९	Sano swa butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२०	Thulo swa Butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२१	Nag tauko R/L	गोटा	१३२.००	१३२.००	१३२.००	
	Nag Ghati R/L	गोटा	७०.००	७०.००	७०.००	
	Nag Jiu	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
	Thulo Nag tauko R/L	गोटा	१३२.००	१३२.००	१३२.००	
	Nag Ghati	गोटा	७०.००	७०.००	७०.००	
	Thulo Nag Jiu	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
	Nag Male/Female	गोटा	५३०.००	५३०.००	५३०.००	
२२	Khal Nagol	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२३	Khal Fyo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२४	Lahara butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२५	Nagbeli	गोटा	२७.००	२७.००	२७.००	
	kuna	गोटा	४०.००	४०.००	४०.००	
२६	Mikhafushi mathi R/L	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi mathi R/L Kuna	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi mathi Bitch	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi Tal R/L Kuna	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi Tal R/L	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi Tal Bitch	गोटा	३२.००	३२.००	३२.००	
२७	Palifo R/L	गोटा	२७.००	२७.००	२७.००	
	KUNa	गोटा	४०.००	४०.००	४०.००	
	Palifo Bitch	गोटा	४०.००	४०.००	४०.००	
२८	Naya Palifo	गोटा	२७.००	२७.००	२७.००	

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	Kuna	गोटा				
२९	Shida Palifo	गोटा	४०.००	४०.००	४०.००	
	kuna	गोटा	२७.००	२७.००	२७.००	
३०	Thulo Palifo R/L	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
३१	Thulo Palifo Bitch	गोटा	४०.००	४०.००	४०.००	
३२	2" Singh	गोटा	२७.००	२७.००	२७.००	
३३	2" Garud	गोटा	३२.००	३२.००	३२.००	
३४	Dhalimo	गोटा	३२.००	३२.००	३२.००	
३५	3" Singh	गोटा	३२.००	३२.००	३२.००	
३६	3" Garud	गोटा	४२.००	४२.००	४२.००	
३७	3" singh full Jodiyako	गोटा	४२.००	४२.००	४२.००	
३८	3" Astmangal	गोटा	५३.००	५३.००	५३.००	
३९	3" Garud full	गोटा	४२.००	४२.००	४२.००	
४०	4" Singh	गोटा	५३.००	५३.००	५३.००	
४१	4" Garud	गोटा	५३.००	५३.००	५३.००	
४२	Twa fyo	गोटा	५३.००	५३.००	५३.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
४३	4" Astmangal	गोटा	४०.००	४०.००	४०.००	
४४	6" Singh	गोटा	५३.००	५३.००	५३.००	
४५	6" Garud	गोटा	१०५.००	१०५.००	१०५.००	
४६	Chaal butta	गोटा	१०५.००	१०५.००	१०५.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
४७	2" fyo	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
४८	4" fyo	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
४९	tara Butta Puralo	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
५०	Naya tara butta	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
५१	swafo tara	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
५२	Sikri butta	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
५३	Na Sikri	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
५४	Nhaya butta sano	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
५५	Nhaya butta Thulo	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Kuna	गोटा				
५६	Gol Nagol	गोटा	४०.००	४०.००	४०.००	
	kuna	गोटा	२७.००	२७.००	२७.००	
५७	Ga swa butta	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
५८	Chandrama butta	गोटा	४०.००	४०.००	४०.००	
	kuna	गोटा	२७.००	२७.००	२७.००	
५९	Ga tha butta	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
६०	Bajra lahara	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
६१	Simakacha	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
६२	methpau	गोटा	४०.००	४०.००	४०.००	
६३	Chir butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
६४	Thi butta	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
६५	32 No. swa	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
६६	Sano Ribbon	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
६७	Thulo Ribbon	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
६८	Bajra tara butta	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
६९	fa paliha swa	गोटा	४०.००	४०.००	४०.००	
७०	2" Tham	गोटा	६०.००	६०.००	६०.००	
७१	3" Tham	गोटा	५३.००	५३.००	५३.००	
७२	4" Tam	गोटा	६९.००	६९.००	६९.००	
७३	Ga tara butta	गोटा	१०५.००	१०५.००	१०५.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
७४	Full tara butta	गोटा	४०.००	४०.००	४०.००	
	Kuna	गोटा	२७.००	२७.००	२७.००	
७५	Meth	गोटा	४०.००	४०.००	४०.००	
७६	12" Tham Set	गोटा	५००.००	५००.००	५००.००	
७७	6"x6" teliya/ 6*6 tinkune	गोटा	१८९६.००	१८९६.००	१८९६.००	
७८	8*8 teliya	गोटा	२२.००	२२.००	२२.००	
७९	teliya nagol	गोटा	३५.००	३५.००	३५.००	
	kuna	गोटा	२५.००	२५.००	२५.००	
		गोटा	३७.००	३७.००	३७.००	

Handwritten signatures and marks at the bottom of the page.

माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरू



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
८०	Khoshi Kerafo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८१	teliya skating	गोटा	३७.००	३७.००	३७.००	
८२	Naya lahara butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८३	kamal lahara	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८४	Sano kera Fo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८५	Thulo kera fo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८६	Dhalimo	गोटा	३२.००	३२.००	३२.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८८	Illa butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८९	Parda Butta Sano R/L	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
९०	Parda Butta Sano Bitch	गोटा	२७.००	२७.००	२७.००	
९१	Parda butta Thulo R/L	गोटा	४०.००	४०.००	४०.००	
	Parda butta Thulo R/L Kuna	गोटा	२७.००	२७.००	२७.००	
९२	Parda butta Thulo bitch	गोटा	४०.००	४०.००	४०.००	
९३	Pu pali butta	गोटा	४०.००	४०.००	४०.००	
९४	Thulo Singal Palifo	गोटा	६३.००	६३.००	६३.००	
९५	Kalash jhalar	गोटा	६३.००	६३.००	६३.००	
९६	ganesh Gajur Pali	गोटा	६३.००	६३.००	६३.००	
	ganesh Gajur Pali Kuna	गोटा	६३.००	६३.००	६३.००	
९७	60 No. khwabutta	गोटा	१०५.००	१०५.००	१०५.००	
	60 No. khwabutta Kuna	गोटा	२७.००	२७.००	२७.००	
९८	tiki jhaya	गोटा	४०.००	४०.००	४०.००	
९९	bhyafyo apa	गोटा	२७.००	२७.००	२७.००	
१००	Naya Jhalar	गोटा	६९.००	६९.००	६९.००	
१०१	Kuna	गोटा	२७.००	२७.००	२७.००	
१०२	nyakucha	गोटा	४०.००	४०.००	४०.००	
१०३	Jingati	गोटा	२७.००	२७.००	२७.००	
१०४	Lock Dhuri	गोटा	१०.००	१०.००	१०.००	
१०५	Dhuku	गोटा	७५.००	७५.००	७५.००	
१०६	मा आपा	गोटा	७५.००	७५.००	७५.००	
१०७	त्वा आपा	गोटा	१९.००	१९.००	१९.००	
१०८	फ्या अपा	गोटा	२५.००	२५.००	२५.००	
१०९	दची कुला	गोटा	२७.००	२७.००	२७.००	
११०	गोगचा सानो	गोटा	३५.००	३५.००	३५.००	
१११	गोगचा ऋभैला	गोटा	१५०.००	१५०.००	१५०.००	
		गोटा	२५०.००	२५०.००	२५०.००	



माटो तथा ढुङ्गावाढी निर्माण सामग्रीको दम्परागत निर्माण सामग्रीहरू

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
११२	गोंगचा ठूलो	गोटा	३००.००	३००.००	३००.००	
११३	न्याकुचा	गोटा	२२.००	२२.००	२२.००	
११४	श्री गणेश	गोटा	११५५.००	११५५.००	११५५.००	
११५	कुमार	गोटा	११५५.००	११५५.००	११५५.००	
११६	४" X ४" भैरव	गोटा	२०००.००	२०००.००	२०००.००	
११७	५" X ५" भैरव	गोटा	३०००.००	३०००.००	३०००.००	
११८	ठूलो कलश	गोटा	१७३.००	१७३.००	१७३.००	
११९	मसीनो सूकि	के.जी.	१४.००	१४.००	१४.००	
१२०	खस्रो सुकि	के.जी.	८.००	८.००	८.००	
१२१	गड्डा चुन	के.जि.	२३.००	२३.००	२३.००	
१२२	तामा पाता.	के.जी.	१३५०.००	१३५०.००	१३५०.००	
१२३	पित्तल पाता	के.जी.	१०२५.००	१०२५.००	१०२५.००	
१२४	पारो	तोला	३००.००	३००.००	३००.००	
१२५	सूकि इटा कुटि धुलो बनाएको	टन	१३८६.००	१३८६.००	१३८६.००	
१२६	हवा घण्टी ४"	गोटा	४७६.००	४७६.००	४७६.००	

(Handwritten signatures and marks)

(Handwritten signature)



Cement Concrete Block

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
१	Interlocking Cement Concrete Block (Not less than M20 concrete)					
	Curb stone-Not less than M20 concrete	र.मि.	१०२०.००	१०२०.००	१०२०.००	
	25 mm thick C.C. Tile (Grey color)-Burfi , Round , Bobby Checker	व.फि	३९.००	३९.००	३९.००	
	25 mm thick C.C. Tile (Red color)-Burfi , Round , Bobby Checker	व.फि	४१.००	४१.००	४१.००	
	50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४७.००	४७.००	४७.००	
	50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४८.००	४८.००	४८.००	
	60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	४९.००	४९.००	४९.००	
	60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५०.००	५०.००	५०.००	
	70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	५७.००	५७.००	५७.००	
२	60 mm thick CC Block (Ocm or equivalent)					
	Brick type (23*11*6cm)non colour	गोटा	९.००	९.००	९.००	
	Hexagon (22*22 cm) non colour	गोटा	२१.००	२१.००	२१.००	
	Hexagon (22*22 cm) colour	गोटा	२३.००	२३.००	२३.००	
	Squire paver (30*30*4.5cm)non colour	गोटा	२९.००	२९.००	२९.००	
	Squire paver (30*30*4.5cm)colour	गोटा	३२.००	३२.००	३२.००	
	inter block(24*13*6cm)	गोटा	१४.००	१४.००	१४.००	
	Isave paver (20*16*6cm)	गोटा	१५.००	१५.००	१५.००	
३	Concrete Block different items					
	Hollow Block (16**8**6")	गोटा	७३.००	७३.००	७३.००	
	Hollow Block (16**8**4")	गोटा	६४.००	६४.००	६४.००	
	Corner Hollow Block (16**8**6")	गोटा	८२.००	८२.००	८२.००	
	Lintel Block (16**8**6")	गोटा	८२.००	८२.००	८२.००	
	Pavers Block (fish or other shape) 60mm thick	गोटा	१८.००	१८.००	१८.००	
	concrete Brick (9**4**2.5")	गोटा	१२.००	१२.००	१२.००	
४	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting					
	Heritage granular	व.फि	८७.००	८७.००	८७.००	
	Heritage flakes	व.फि	१०७.००	१०७.००	१०७.००	
	Heritage granite finish	व.फि	८७.००	८७.००	८७.००	
	Heritage Top coat (plastic lamination)	व.फि	२२.००	२२.००	२२.००	
५	Concrete block			०.००	०.००	
	Concrete block size (40*15*20) cm	गोटा	३७.००	३७.००	३७.००	
	Concrete block size (40*10*20) cm	गोटा	३२.००	३२.००	३२.००	
	Concrete block size (39*14*19) cm	गोटा	५०.००	५०.००	५०.००	
६	Cellular light weight concrete(CLC) block					
	Cellular light weight concrete(CLC) block -24**8**4"	गोटा	१६२.००	१६२.००	१६२.००	
	Cellular light weight concrete(CLC) block-24**8**6"	गोटा	२९९.००	२९९.००	२९९.००	
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	११४.००	११४.००	११४.००	
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१७१.००	१७१.००	१७१.००	
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२२८.००	२२८.००	२२८.००	

Handwritten signatures and initials at the bottom of the page.



फलाम जन्य निर्माण सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
१	विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	९४.००	९४.००	९४.००	
	b) 10,12,16,20, mm dia	के.जी	९२.००	९२.००	९२.००	
	c) 25 mm dia	के.जी	९४.००	९४.००	९४.००	
	c) 28,32 mm dia	के.जी	९४.००	९४.००	९४.००	
२	विभिन्न साइजको TOR Steel					
	a) 8mm dia TOR steel	के.जी	९३.००	९३.००	९३.००	
	b) 10-25mm TOR steel	के.जी	९२.००	९२.००	९२.००	
	c) 28-32mm TOR steel	के.जी	९५.००	९५.००	९५.००	
३	TOR kari-4.75, 7 mm dia	के.जा	८८.००	८८.००	८८.००	
४	इण्डी बाँध्नेतार	के.जी	११०.००	११०.००	११०.००	
५	एम.एस.सोलिड स्वायर रड	के.जी	९०.००	९०.००	९०.००	
६	विभिन्न साइजको एम.एस. एङ्गल	के.जी	९०.००	९०.००	९०.००	
७	विभिन्न साइजको क्याक पाईप	के.जी	९०.००	९०.००	९०.००	
८	विभिन्न साइजको एम.एस. च्यानल	के.जी	९०.००	९०.००	९०.००	
९	विभिन्न साइजको आइ.विम	के.जी	९०.००	९०.००	९०.००	
१०	विभिन्न साइजको एम.एस. प्लेट	के.जी	१०५.००	१०५.००	१०५.००	
११	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१०५.००	१०५.००	१०५.००	
१२	G.I. Wire					
	i) 8 gauge					
	Medium zinc coated	के.जी	१०८.००	१०८.००	१०८.००	
	Heavy zinc coated	के.जी	११२.००	११२.००	११२.००	
	Light zinc coated	के.जी	१०५.००	१०५.००	१०५.००	
	ii) 10 gauge					
	Medium zinc coated	के.जी	११५.००	११५.००	११५.००	
	Heavy zinc coated	के.जी	१२०.००	१२०.००	१२०.००	
	Light zinc coated	के.जी	१०७.००	१०७.००	१०७.००	
	iii) 12 gauge					
	Medium zinc coated	के.जी	११५.००	११५.००	११५.००	
	Heavy zinc coated	के.जी	१२०.००	१२०.००	१२०.००	
	Light zinc coated	के.जी	१०७.००	१०७.००	१०७.००	
१३	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाकस तयारी BG/10x12/3.0/3.9/2.4/ZN (BG=Box Gabion)	व.मि.				
१४	मेशिनबाट बुनिएका, mechanically selvedged double Twist wire mesh को गेवियन वाकस					
	क) MBG/10x12/3.0/3.9/2.4/ZN	व.मि.	३१२.००	३१२.००	३१२.००	
	१.५×१×०.५/०	गोटा	१७२५.००	१७२५.००	१७२५.००	
	२×१×०.५/०	गोटा	२३४८.००	२३४८.००	२३४८.००	
	३×१×०.५/०	गोटा	३३५१.००	३३५१.००	३३५१.००	
	४×१×५/०	गोटा	४२२८.००	४२२८.००	४२२८.००	
	१.५×१×१/०	गोटा	२५०९.००	२५०९.००	२५०९.००	
	२×१×१/१	गोटा	३३३३.००	३३३३.००	३३३३.००	
	३×१×१/२	गोटा	४७३१.००	४७३१.००	४७३१.००	

फलाम जन्य निर्माण सामग्री



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	४x१x१/३	गोटा	४७३१.००	४७३१.००	४७३१.००	
	ख) MBG/10x12/2.7/3.4/2.2/ZN	ब.मि.	२९२.००	२९२.००	२९२.००	
	१.५x१x०.५०	गोटा	१६०४.००	१६०४.००	१६०४.००	
	२x१x०.५०	गोटा	२१९३.००	२१९३.००	२१९३.००	
	३x१x०.५०	गोटा	३१०५.००	३१०५.००	३१०५.००	
	४x१x०.५०	गोटा	३९१७.००	३९१७.००	३९१७.००	
	१.५x१x१	गोटा	२३१४.००	२३१४.००	२३१४.००	
	२x१x१	गोटा	३१०५.००	३१०५.००	३१०५.००	
	३x१x१	गोटा	४३८४.००	४३८४.००	४३८४.००	
	४x१x१	गोटा	५५२२.००	५५२२.००	५५२२.००	
	ग) MJG/10x12/3.0/3.9/2.4/ZN		०.००			
	३x२x०.५०	गोटा	६९३६.००	६९३६.००	६९३६.००	
	४x२x०.५०	गोटा	८७६१.००	८७६१.००	८७६१.००	
	५x२x०.५०	गोटा	१०८७५.००	१०८७५.००	१०८७५.००	
	६x२x०.५०	गोटा	१२९८८.००	१२९८८.००	१२९८८.००	
	३x२x१	गोटा	९५४१.००	९५४१.००	९५४१.००	
	४x२x१	गोटा	१२००४.००	१२००४.००	१२००४.००	
	५x२x१	गोटा	१४८३५.००	१४८३५.००	१४८३५.००	
	६x२x१	गोटा	१७६४६.००	१७६४६.००	१७६४६.००	
	घ) MJG/10x12/2.7/3.4/2.2/ZN					
	३x२x०.५०	गोटा	५६७३.००	५६७३.००	५६७३.००	
	४x२x०.५०	गोटा	७१७८.००	७१७८.००	७१७८.००	
	५x२x०.५०	गोटा	८८९१.००	८८९१.००	८८९१.००	
	६x२x०.५०	गोटा	११४८.००	११४८.००	११४८.००	
	३x२x१	गोटा	७७९८.००	७७९८.००	७७९८.००	
	४x२x१	गोटा	९८१९.००	९८१९.००	९८१९.००	
	५x२x१	गोटा	१२१२९.००	१२१२९.००	१२१२९.००	
	६x२x१	गोटा	१४४४०.००	१४४४०.००	१४४४०.००	
	ङ) MRM/6x8/2.2/2.7/2.2/ZN	ब.मि.	२४३.००	२४३.००	२४३.००	
	३x२x०.१७	गोटा	३३९८.००	३३९८.००	३३९८.००	
	४x२x०.१७	गोटा	४४०३.००	४४०३.००	४४०३.००	
	५x२x०.१७	गोटा	५३८८.००	५३८८.००	५३८८.००	
	६x२x०.१७	गोटा	६४०९.००	६४०९.००	६४०९.००	
	३x२x०.२३	गोटा	३६९८.००	३६९८.००	३६९८.००	
	४x२x०.२३	गोटा	४७९०.००	४७९०.००	४७९०.००	
	५x२x०.२३	गोटा	५९१७.००	५९१७.००	५९१७.००	
	६x२x०.२३	गोटा	६९५७.००	६९५७.००	६९५७.००	
	३x२x०.३०	गोटा	४०१५.००	४०१५.००	४०१५.००	
	४x२x०.३०	गोटा	५१७७.००	५१७७.००	५१७७.००	
	५x२x०.३०	गोटा	६३९३.००	६३९३.००	६३९३.००	

Handwritten signatures and marks at the bottom of the page.



फलाम जन्य निर्माण सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	६×२×०.३०	गोटा	७५७१.००	७५७१.००	७५७१.००	
	च) WMN/ZN					
	६×८/२.२/२.७	व.मि.				
	१०×१२/२.७/३.४	व.मि.				
	१०×१२/३.०/३.९	व.मि.				
	छ) WMN/ZN/PVC					
	६×८/२.२/२.७	व.मि.				
	१०×१२/२.७/३.४	व.मि.				
	Note:					
	MBG = Maccaferi Box Gabion					
	MJG = Maccaferi Jumbo Gabion					
	MRM = Maccaferi Reno Mattress					
	WMN = Wire Mesh Netting					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
१५	Barbed Wire (काँढितार)					
	12 guage commercial, Medium duty	के.जी	१००.००	१००.००	१००.००	
	U-hook for barbed wire fencing	गोटा	१.००	१.००	१.००	
१६	Fabrication of chain link mesh of size					
	1"x1" 12 guage	बर्ग मी.	७१०.००	७१०.००	७१०.००	
	1"x1" 3 mm	बर्ग मी.	०.००	७१५.००	७१५.००	
	1.5"x1.5" 12 guage	बर्ग मी.	६६५.००	६६५.००	६६५.००	
	1.5"x1.5" 3 mm	बर्ग मी.	०.००	६७०.००	६७०.००	
	2"x2" 10 guage	बर्ग मी.	५२७.००	५२७.००	५२७.००	
	2"x2" 3 mm	बर्ग मी.		५००.००	५००.००	
	3"x3" 10 guage	बर्ग मी.	४३१.००	४३१.००	४३१.००	
	4"x4" 10 guage	बर्ग मी.	३४३.००	३४३.००	३४३.००	
१७	विभिन्न प्रकारको जालीहरु					
	मसिनो खालको Mosquito proof जाली	व.मि.	१२१.००	१२१.००	१२१.००	
	वालुवा चाल्ने जाली	व.मि.	१२६.००	१२६.००	१२६.००	
	कुखुरे जाली (Chicken wire mesh)	व.मि.	७७.००	७७.००	७७.००	
	ब्रास क्रसिङ्ग जाली	व.मि.	१९८.००	१९८.००	१९८.००	
	स्टील जाली (crossing)	व.मि.	१६०.००	१६०.००	१६०.००	
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	२७५.००	२७५.००	२७५.००	
१८	फलामबाट निर्मित सामानहरु					
	विभिन्न साईजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	१४३.००	१४३.००	१४३.००	
	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	१३२.००	१३२.००	१३२.००	
	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५२५.००	५२५.००	५२५.००	

Handwritten signatures and stamps at the bottom of the page.



फलाम जन्त्य निर्माण सामग्री


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	१६-१८ गेजको फलामे रोलिङ सटर बनाई जडान गर्ने	व.फि.	३६७.००	३६७.००	३६७.००	
	फलामे रोलिङ सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	व.फि.	२९४.००	२९४.००	२९४.००	
	फलामे रोलिङ सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	५२५.००	५२५.००	५२५.००	
	१६ गेज पातावाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत	व.फि.	६८२.००	६८२.००	६८२.००	
	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ज्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ज्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	३२००.००	३२००.००	३२००.००	
	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	१२५.००	१२५.००	१२५.००	
	विभिन्न साइजको किला काटी	के.जी.	११२.००	११२.००	११२.००	
	विभिन्न साइजको नट बोल्ट	के.जी.	१६५.००	१६५.००	१६५.००	
	फलामे सामग्रीको फेब्रिक्शन तथा जडान कार्य	के.जी.	४७.००	४७.००	४७.००	
	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	१५५.००	१५५.००	१५५.००	
	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	२०३७.००	२०३७.००	२०३७.००	
१९	स्टेनलेस स्टील पाइप			०.००	०.००	
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	२२९.००	२२९.००	२२९.००	
	१" व्यास भएको १६ गेज मोटाई	मीटर	२८८.००	२८८.००	२८८.००	
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	३६७.००	३६७.००	३६७.००	
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	४४६.००	४४६.००	४४६.००	
	२" व्यास भएको १६ गेज मोटाई	मीटर	६०२.००	६०२.००	६०२.००	

Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones scattered across the page.



Water Proofing Chemicals & Treatment works

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
A	CONCRETE ADMIXTURES (Chemical)					
१	Form Oil	लिट्र	१००.००	१००.००	१००.००	
२	Polymer for M35, M 40 or higher concrete	लिट्र	३५०.००	३५०.००	३५०.००	
३	Epoxy Bonding agent for old and new construction	लिट्र	२०००.००	२०००.००	२०००.००	
४	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट	लिट्र	२३५.००	२३५.००	२३५.००	
५	(Damp proof, Anti Termite , Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)					
	Waterproof Coating With Latex	के.जी.	३५०.००	३५०.००	३५०.००	
	Waterproof Coating with Polymer	के.जी.	४५०.००	४५०.००	४५०.००	
६	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] ASTM C 494 -(Type A,B&D) IS 9103/2645 /1981	के.जी.	१५०.००	१५०.००	१५०.००	
७	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Naphthalene Formldehyde Based] ASTM C 494 -(Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of cement .	के.जी.	२५०.००	२५०.००	२५०.००	
८	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] ASTM C 494 -(Type A,F& G) IS 9103-1999 /1981	के.जी.	४५०.००	४५०.००	४५०.००	
९	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 (Type G) , IS 9103-2007 / IS 2645	के.जी.	३००.००	३००.००	३००.००	
१०	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१०००.००	१०००.००	१०००.००	
११	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991 Part	के.जी.	१०००.००	१०००.००	१०००.००	
१२	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१२५०.००	१२५०.००	१२५०.००	
१३	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part 5	के.जी.	२५०.००	२५०.००	२५०.००	
१४	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	के.जी.	२५०.००	२५०.००	२५०.००	
१५	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	के.जी.	३५०.००	३५०.००	३५०.००	
१६	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३५०.००	३५०.००	३५०.००	
१७	Retarding Superplasticizer for Concrete [Naphthalene Based] ASTM C 494-1981 (TYPE G/D), IS 9103-2007	के.जी.	२५०.००	२५०.००	२५०.००	
१८	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] ASTM C 494-1981 (Type G)	के.जी.	४५०.००	४५०.००	४५०.००	
B	CONCRETE ADMIXTURES (Mineral)					
१	Silica Cement Admixture / Micro Silica for High Performance Concrete ASTM C 1240 -2005 , IS 15388-	के.जी.	३१५.००	३१५.००	३१५.००	
२	Processed FA Based Mineral Additives	के.जी.	८५.००	८५.००	८५.००	
C	FOR JOINT SEALANTS & SYSTEMS					
१	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	१८००.००	१८००.००	१८००.००	
२	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	१८००.००	१८००.००	१८००.००	
३	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	३०००.००	३०००.००	३०००.००	
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२०००.००	२०००.००	२०००.००	


Water Proofing Chemicals & Treatment works

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३०००.००	३०००.००	३०००.००	
६	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	१२००.००	१२००.००	१२००.००	
७	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE A]	के.जी.	३५०.००	३५०.००	३५०.००	
८	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B]	के.जी.	४५०.००	४५०.००	४५०.००	
९	Butyl Tape for various Applications	र. मि.	१२५.००	१२५.००	१२५.००	
१०	Waterproofing Joint Tape [120 mm]	र. मि.	५५०.००	५५०.००	५५०.००	
११	Waterproofing Joint Tape [200 mm]	र. मि.	७५०.००	७५०.००	७५०.००	
१२	NBR based Waterproofing Joint Tape [200 mm]	र. मि.	४०००.००	४०००.००	४०००.००	
१३	Joint Tape Epoxy Adhesive	के.जी.	३०००.००	३०००.००	३०००.००	
१४	Glass Fiber Joint Tape	र. मि.	२७५.००	२७५.००	२७५.००	
१५	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	१५००.००	१५००.००	१५००.००	
१६	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	२७००.००	२७००.००	२७००.००	
१७	Construction Joint Tape [100 mm]	र. मि.	८००.००	८००.००	८००.००	
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	ब. मि.	२४५०.००	२४५०.००	२४५०.००	
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	ब. मि.	४८५०.००	४८५०.००	४८५०.००	
२०	Closed Cell Polymerbased Joint Filler [25 mm]	ब. मि.	८००.००	८००.००	८००.००	
२१	Closed Cell Polymerbased Joint Filler [50 mm]	ब. मि.	१५००.००	१५००.००	१५००.००	
२२	Compressable Resilient Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	ब. मि.	२५००.००	२५००.००	२५००.००	
२३	Compressable Resilient Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	ब. मि.	३५००.००	३५००.००	३५००.००	
२४	Compressable Resilient Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	ब. मि.	४५००.००	४५००.००	४५००.००	
D	INDUSTRIAL FLOORING SOLUTIONS					
१	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	के.जी.	१२०.००	१२०.००	१२०.००	
२	Liquid Concrete Hardener & Dust Proofer	के.जी.	४५०.००	४५०.००	४५०.००	
३	Anti Bacterial Floor & Wall Coating [Epoxy]	के.जी.	२५००.००	२५००.००	२५००.००	
४	Anti Bacterial Floor & Wall Coating [Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००	
५	Anti bacterial Floor & Wall Coating [Acrylic]	के.जी.	२०००.००	२०००.००	२०००.००	
६	Self Levelling Flooring System [Epoxy]	के.जी.	२२००.००	२२००.००	२२००.००	
७	Self Levelling Flooring System [Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००	
८	Self Levelling Cementitious Flooring System	के.जी.	५००.००	५००.००	५००.००	
E	ENGINEERING GROUTS					
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के.जी.	११०.००	११०.००	११०.००	
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	१२५.००	१२५.००	१२५.००	
३	Hard wearing cementitious tile grout	के.जी.	१६०.००	१६०.००	१६०.००	
४	Hard wearing epoxy based tile grout	के.जी.	१०००.००	१०००.००	१०००.००	
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	५००.००	५००.००	५००.००	
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	२५००.००	२५००.००	२५००.००	
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 MI Cartridge]	मिलि लिटर	४५००.००	४५००.००	४५००.००	
८	Low Viscosity Injection Epoxy Grout	के.जी.	७५००.००	७५००.००	७५००.००	



Water Proofing Chemicals & Treatment works

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
९	Low Viscosity Polyurethane Injection Grout	के.जी.	१२५००.००	१२५००.००	१२५००.००	
१०	Low Viscosity Acrylate Gel Injection Grout	के.जी.	८५००.००	८५००.००	८५००.००	
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	१४०००.००	१४०००.००	१४०००.००	
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	९५००.००	९५००.००	९५००.००	
१३	Resin Capsule (32*300mm)	पिस	१३०.००	१३०.००	१३०.००	
१४	Cement Capsule(32*300mm)	पिस	६०.००	६०.००	६०.००	
१५	Microfine Cement (MFC)	के.जी.	२५०.००	२५०.००	२५०.००	
F	BONDING ADHESIVES FOR CONCRETE & MORTAR (Polymer & Epoxy Resin)					
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७५०.००	७५०.००	७५०.००	
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	९५०.००	९५०.००	९५०.००	
३	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	के.जी.	१२००.००	१२००.००	१२००.००	
४	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	के.जी.	१८००.००	१८००.००	१८००.००	
G	FIBERS (Steel & Polypropylene)					
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२००.००	१२००.००	१२००.००	
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१५००.००	१५००.००	१५००.००	
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२०००.००	२०००.००	२०००.००	
४	Loose steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००	
५	Glued Steel Fibers	के.जी.	३५०.००	३५०.००	३५०.००	
६	Crimped Steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००	
H	SURFACE TREATMENT					
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२००.००	१२००.००	१२००.००	
२	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	१३५०.००	१३५०.००	१३५०.००	
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४५००.००	४५००.००	४५००.००	
४	Protective Acrylic Sealer	के.जी.	१५००.००	१५००.००	१५००.००	
५	Protective Polyurethane Sealer	के.जी.	१८००.००	१८००.००	१८००.००	
६	Water Based Fire Retardant Coating	के.जी.	१५००.००	१५००.००	१५००.००	
७	High Performance Water Repellent Paint	लिटर	९००.००	९००.००	९००.००	
८	Concentrated & Emulsified Chemical Mould Release Agent	लिटर	५००.००	५००.००	५००.००	
९	Ready to use Chemical Mould Release Agent	लिटर	५००.००	५००.००	५००.००	
१०	Concrete Curing Aid	के.जी.	४५०.००	४५०.००	४५०.००	
I	CONCRETE REPAIRS					
१	Rust Remover & Passivator	लिटर	१०००.००	१०००.००	१०००.००	
२	Corrosion Inhibitor	के.जी.	१२००.००	१२००.००	१२००.००	
३	Micro Concrete [M60] for Permanant Repairs	के.जी.	१४०.००	१४०.००	१४०.००	
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१७५.००	१७५.००	१७५.००	
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२५०.००	२५०.००	२५०.००	
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२००.००	२००.००	२००.००	
७	Acrylic Based Crack Filling Putty	के.जी.	१२००.००	१२००.००	१२००.००	
J	PREPACKED MORTARS					
१	Tile, Mabrble, Granite etc. Adhesive	के.जी.	८५.००	८५.००	८५.००	


Water Proofing Chemicals & Treatment works

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
२	Marble & Granite etc. Adhesive	के.जी.	३५०.००	३५०.००	३५०.००	
३	Coarse and water resistant Readymix plastering Mortar	के.जी.	८५.००	८५.००	८५.००	
४	High Performance Polymer Based Wall Putty (Skim Coat)	के.जी.	८५.००	८५.००	८५.००	
५	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	के.जी.	९०.००	९०.००	९०.००	
K	WATERPROOFING SYSTEMS					
	INTEGRAL					
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२७५.००	२७५.००	२७५.००	
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७५००.००	७५००.००	७५००.००	
L	LIQUID APPLIED					
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	७००.००	७००.००	७००.००	
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	५००.००	५००.००	५००.००	
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	७५०.००	७५०.००	७५०.००	
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	८५०.००	८५०.००	८५०.००	
५	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	७५०.००	७५०.००	७५०.००	
६	Crystalline Based Waterproofing System	के.जी.	३५०.००	३५०.००	३५०.००	
७	Fast setting plugging compound for stopping running water system	के.जी.	४००.००	४००.००	४००.००	
८	Polyurethane based waterproof coating system	के.जी.	१६५०.००	१६५०.००	१६५०.००	
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१२५०.००	१२५०.००	१२५०.००	
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	६००.००	६००.००	६००.००	
M	PREFORMED					
१	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	ब. मि.	१८००.००	१८००.००	१८००.००	
२	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	ब. मि.	२०००.००	२०००.००	२०००.००	
३	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	१०५०.००	१०५०.००	१०५०.००	
४	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	ब. मि.	१५००.००	१५००.००	१५००.००	
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	ब. मि.	१५००.००	१५००.००	१५००.००	
६	1.2 mm High Polymer PVC Membranes	ब. मि.	२०००.००	२०००.००	२०००.००	
७	PVC Adhesive	के.जी.	२५००.००	२५००.००	२५००.००	
८	1.2 mm EPDM Membranes	ब. मि.	२५००.००	२५००.००	२५००.००	
९	EPDM Adhesive	के.जी.	२५००.००	२५००.००	२५००.००	
१०	EPDM Primer	के.जी.	३०००.००	३०००.००	३०००.००	
११	2mm TPO Membranes	ब. मि.	३५००.००	३५००.००	३५००.००	
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	ब. मि.	८००.००	८००.००	८००.००	
१३	100% Synthetic Rubber Roof Coating	के.जी.	४५००.००	४५००.००	४५००.००	



Water Proofing Chemicals & Treatment works

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
N	SPECIALTY					
१	Antistripping Agent for Bitumen	के.जी.	५५०.००	५५०.००	५५०.००	
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२२५.००	२२५.००	२२५.००	
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	५२५.००	५२५.००	५२५.००	
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६५०.००	६५०.००	६५०.००	
५	Cold Applied Sealing & Calking Compound	के.जी.	१२५०.००	१२५०.००	१२५०.००	
६	ROAD REPAIR PRE-MIX	के.जी.	१०००.००	१०००.००	१०००.००	
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७५०.००	७५०.००	७५०.००	
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०००.००	१०००.००	१०००.००	
९	Anti Termite [Imidacloprid 30.5%]	के.जी.	१२०००.००	१२०००.००	१२०००.००	
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००	
११	WB ADHESIVE Primer for Expanding Waterstop	लिट्र	७५००.००	७५००.००	७५००.००	
१२	Swellable WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००	
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२५००.००	२५००.००	२५००.००	
१४	Nodular Drain with Geotextile Roof Garden	ब. मि.	२५००.००	२५००.००	२५००.००	
१५	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	११०.००	११०.००	११०.००	
१६	XPS - Extruded Polystyrene Boards [25 mm]	ब. मि.	२८००.००	२८००.००	२८००.००	
१७	XPS - Extruded Polystyrene Boards [50 mm]	ब. मि.	३५००.००	३५००.००	३५००.००	



STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
A	STRUCTURAL STRENGTHENING					
१	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८५००.००	८५००.००	८५००.००	
२	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००	
३	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	ब. मि.	८०००.००	८०००.००	८०००.००	
४	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	ब. मि.	१२०००.००	१२०००.००	१२०००.००	
५	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	ब. मि.	१६०००.००	१६०००.००	१६०००.००	
६	Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	ब. मि.	१२०००.००	१२०००.००	१२०००.००	
७	EPOXY PRIMER	के.जी.	३५००.००	३५००.००	३५००.००	
८	SATURANT	के.जी.	३५००.००	३५००.००	३५००.००	
९	LAMINATE ADHESIVE	के.जी.	२५००.००	२५००.००	२५००.००	
१०	EPOXY TOPCOAT	के.जी.	३५००.००	३५००.००	३५००.००	
११	POLYURETHANE TOPCOAT	के.जी.	४५००.००	४५००.००	४५००.००	
१२	TYFO Glass Fiber anchor system 5to 10 mm	र. मि.	२५००.००	२५००.००	२५००.००	
१३	TYFO Carbon Fiber anchor system 5to 10 mm	र. मि.	३५००.००	३५००.००	३५००.००	
१४	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००	
१५	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२०००.००	१२०००.००	१२०००.००	
B	Horizontal Expansion Joint for Slab					
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०४९०.००	१०४९०.००	१०४९०.००	
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२४६०.००	१२४६०.००	१२४६०.००	
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१४७६०.००	१४७६०.००	१४७६०.००	
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१९६८०.००	१९६८०.००	१९६८०.००	
C	Expansion Joint for Basement					
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८०४०.००	१८०४०.००	१८०४०.००	
D	Expansion Joint for Roof					
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१२५८०.००	१२५८०.००	१२५८०.००	
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१४९५५.००	१४९५५.००	१४९५५.००	
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१७७१०.००	१७७१०.००	१७७१०.००	
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२३६१५.००	२३६१५.००	२३६१५.००	
E	Inside Vertical Expansion Joint					
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६५६०.००	६५६०.००	६५६०.००	
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८२००.००	८२००.००	८२००.००	
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	९८४०.००	९८४०.००	९८४०.००	



STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३१२०.००	१३१२०.००	१३१२०.००	
F	Outside Vertical Expansion Joint					
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७५४०.००	७५४०.००	७५४०.००	
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९४३०.००	९४३०.००	९४३०.००	
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	११३१०.००	११३१०.००	११३१०.००	
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१५०८०.००	१५०८०.००	१५०८०.००	

[Handwritten signatures and marks]

[Handwritten signature]

[Handwritten mark]

[Handwritten signature]

Aluminium Doors and Windows



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
102 SERIES WINDOWS						
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	६७०.००	६७०.००	६७०.००	
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	७३७.००	७३७.००	७३७.००	
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८५२.००	८५२.००	८५२.००	
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९३८.००	९३८.००	९३८.००	
90 SERIES WINDOWS						
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87×56×1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	५३९.००	५३९.००	५३९.००	
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६९६.००	६९६.००	६९६.००	
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×65×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	५८२.००	५८२.००	५८२.००	
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६७९.००	६७९.००	६७९.००	
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×25+12×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४३६.००	४३६.००	४३६.००	
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×25+12×1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	५०९.००	५०९.००	५०९.००	
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	९९९.००	९९९.००	९९९.००	

Aluminium Doors and Windows



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
78 SERIES WINDOWS						
१	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'.4'6" or avg area 27 sqft per window)	Sq.ft.	४३९.००	४३९.००	४३९.००	
२	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'.5' or avg area 30 sqft per window)	Sq.ft.	४५६.००	४५६.००	४५६.००	
३	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	Sq.ft.	३९३.००	३९३.००	३९३.००	
४	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'x4'6")	Sq.ft.	१३०.००	१३०.००	१३०.००	
102 SERIES PARTITION						
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	५२९.००	५२९.००	५२९.००	
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	५७४.००	५७४.००	५७४.००	
Aluminium & Steel Door & Window						
१	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88x38x1.20) mm and 5 mm glass.	Sq.ft.	५०९.००	५०९.००	५०९.००	
२	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88x38x1.20) mm and 5 mm glass.	Sq.ft.	५४७.००	५४७.००	५४७.००	
३	Casement double panel aluminum windows with ventilation. Section size (88x45x1.10)mm, (38x34x1.10)mm & 5 mm glass.	Sq.ft.	४९९.००	४९९.००	४९९.००	
४	Casement door of aluminum section in naturally anodized color. Section size (100x38x1.30) mm and 5 mm glass.	Sq.ft.	४५६.००	४५६.००	४५६.००	
५	Siding windows 2 track in naturally anodized color section of (88x38x1.10)mm 5 mm glass.	Sq.ft.	३६४.००	३६४.००	३६४.००	
६	Siding windows 2 track in naturally anodized color section of (88x38x1.30)mm 5 mm glass.	Sq.ft.	४८३.००	४८३.००	४८३.००	
७	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x 45 x 1.2)	Sq.ft.	४८३.००	४८३.००	४८३.००	
८	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	Sq.ft.	४५८.००	४५८.००	४५८.००	
९	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" of 77 sqft / window)	Sq.ft.	५३९.००	५३९.००	५३९.००	
१०	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	Sq.ft.	६०७.००	६०७.००	६०७.००	
११	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	Sq.ft.	४४७.००	४४७.००	४४७.००	
१२	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	Sq.ft.	१४३.००	१४३.००	१४३.००	

Aluminium Doors and Windows



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
१३	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6,sq.ft	Sq.ft.	५१४.००	५१४.००	५१४.००	
१४	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	Sq.ft.	५५८.००	५५८.००	५५८.००	
१५	Providing and fixing swing door of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	Sq.ft.	७१०.००	७१०.००	७१०.००	
64 SERIES PARTITION						
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	३९७.००	३९७.००	३९७.००	
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	४८७.००	४८७.००	४८७.००	
STRUCTURAL GLAZING						
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass.(average panel area 6.00 Sq.ft.)	Sq.ft.	५५८.००	५५८.००	५५८.००	
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	६४८.००	६४८.००	६४८.००	
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	७८८.००	७८८.००	७८८.००	
GLASS DOOR & PARTITION						
१	Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	१२८४.००	१२८४.००	१२८४.००	
२	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	८३३.००	८३३.००	८३३.००	
३	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	१३८१.००	१३८१.००	१३८१.००	
Aluminium Composite Panel (ACP).						
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	३३९.००	३३९.००	३३९.००	
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	४५५.००	४५५.००	४५५.००	



छाना छाउने अन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मुआक बाहेकको दररेट			कैफियत
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	
१	Corrugated/Plain Fiber Glass Sheet					
	०.८ मी. मी. मोटो प्लेन	व.फि.	११२.००	११२.००	११२.००	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१२५.००	१२५.००	१२५.००	
	१.२ मी. मी. मोटो प्लेन	व.फि.	१२५.००	१२५.००	१२५.००	
	१.२ मी. मी. मोटो कोरोगेटेड	व.फि.	१४३.००	१४३.००	१४३.००	
	२ मी. मी. मोटो प्लेन	व.फि.	२१२.००	२१२.००	२१२.००	
	२ मी. मी. मोटो कोरोगेटेड	व.फि.	२५०.००	२५०.००	२५०.००	
	३ मी. मी. मोटो प्लेन	व.फि.	२८७.००	२८७.००	२८७.००	
	३ मी. मी. मोटो कोरोगेटेड	व.फि.	३७५.००	३७५.००	३७५.००	
२	Fiber Glass छानाको लागि Alumunium strip (25 x 1.5) mm	र.मि.	६९.००	६९.००	६९.००	
३	Fiber Glass छानाको लागि Ribet nut	गोटा	७.००	७.००	७.००	
४	विभिन्न साइजको जे-हुक, यु-हुक	केजी	१३७.००	१३७.००	१३७.००	
५	२" साइज रूफिङ्ग नेल्स	गोटा	७.००	७.००	७.००	
६	३" साइज रूफिङ्ग नेल्स	गोटा	१०.००	१०.००	१०.००	

७	Sandwich PUF Roofing Panel -Supply & installation(including all accessories)					
	30mm Thickness	प्रति ब.फि	४४०.००	४१८.००	४१८.००	
	40mm Thickness	प्रति ब.फि	४७०.००	४४७.००	४४७.००	
	50mm Thickness	प्रति ब.फि	४९५.००	४७०.००	४७०.००	
८	Sandwich PUF Wall Panel -Supply & installation(including all accessories)					
	40mm Thickness	प्रति ब.फि	४५०.००	४२८.००	४२८.००	
	50mm Thickness	प्रति ब.फि	४७५.००	४५१.००	४५१.००	
	75mm Thickness	प्रति ब.फि	५५०.००	५२३.००	५२३.००	
	100mm Thickness	प्रति ब.फि	६२०.००	५८९.००	५८९.००	
	125mm Thickness	प्रति ब.फि	७१५.००	६७९.००	६७९.००	
	150mm Thickness	प्रति ब.फि	७८०.००	७४९.००	७४९.००	
९	ZCU Channel					
	CZU(2mm thickness /320mm,360mm,410mm) galvanized	प्रति के.जि	२०५.००	२०५.००	२०५.००	
	CZU(1.8mm thickness /210mm) galvanized	प्रति के.जि	२१०.००	२१०.००	२१०.००	

Handwritten signatures and initials in black ink, including a large signature on the left and several smaller ones across the middle and right.



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	
१	फलामको कब्जा					
	(क) ३" साइज	गोटा	१५	१५	१५	
	(ख) ४" साइज	गोटा	२९	२९	२९	
	(ग) ५" साइज	गोटा	४४	४४	४४	
	(घ) ६" साइज	गोटा	५७	५७	५७	
२	Locking Set (L-drop)					
	300 mm	गोटा	२६५	२६५	२६५	
	225 mm	गोटा	२३२	२३२	२३२	
	150 mm	गोटा	१९९	१९९	१९९	
३	Aluminum Towerbolt (छेस्कीनी)					
	(क) ३" लामो	गोटा	२०	२०	२०	
	(ख) ४" लामो	गोटा	४१	४१	४१	
	(ग) ६" लामो	गोटा	६८	६८	६८	
	(घ) ८" लामो	गोटा	८२	८२	८२	
	(ङ) १०" लामो	गोटा	९६	९६	९६	
	(च) १२" लामो	गोटा	१०९	१०९	१०९	
४	Aluminum Handle (हतकल)			०	०	
	Ordinary	गोटा	३३	३३	३३	
	Special	गोटा	४८	४८	४८	
५	ब्रासको कब्जा					
	2" x 1/2"	गोटा	६४	६४	६४	
	2 1/2" x 3/4"	गोटा	७२	७२	७२	
	3" x 3/4"	गोटा	८९	८९	८९	
	2" x 3/4"	गोटा	७२	७२	७२	
	2 1/2" x 3/4"	गोटा	८१	८१	८१	
	3" x 3/4"	गोटा	८९	८९	८९	
	3" x 1"	गोटा	१९३	१९३	१९३	
	4" x 1"	गोटा	२९०	२९०	२९०	
	5" x 1"	गोटा	३८७	३८७	३८७	
	6" x 1"	गोटा	४६७	४६७	४६७	
६	Brass Towerbolt (छेस्कीनी)					
	(क) ३" लामो	गोटा	१४५	१४५	१४५	
	(ख) ४" लामो	गोटा	१९३	१९३	१९३	
	(ग) ६" लामो	गोटा	२९०	२९०	२९०	
	(घ) ८" लामो	गोटा	३८७	३८७	३८७	
	(ङ) १०" लामो	गोटा	४८२	४८२	४८२	
	(च) १२" लामो	गोटा	५७९	५७९	५७९	
७	Brass Handle (हतकल)					
	6" Brass handle	गोटा	१५३	१५३	१५३	
	8" Brass handle	गोटा	४६७	४६७	४६७	
	10" Brass handle	गोटा	९६६	९६६	९६६	
८	Brass Locking Set (L-drop)					
	(क) ८" लामो	गोटा	९६६	९६६	९६६	
	(ख) १०" लामो	गोटा	१५९३	१५९३	१५९३	
	(ग) १२" लामो	गोटा	१७७०	१७७०	१७७०	
	Special Fittings					

Handwritten signatures and marks at the bottom of the page.

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	
९	एल ड्रप					
	८" लामो	गोटा	१०८३	१०८३	१०८३	
	१०" लामो	गोटा	१२२३	१२२३	१२२३	
	१२" लामो	गोटा	१२७४	१२७४	१२७४	
१०	ह्याण्डल ८" लामो	गोटा	१२७४	१२७४	१२७४	
११	टावर बोल्ट					
	६" लामो	गोटा	२३०	२३०	२३०	
	८" लामो	गोटा	३०६	३०६	३०६	
	१०" लामो	गोटा	३८३	३८३	३८३	
१२	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)					
	एल ड्रप					
	८" लामो	गोटा	९१०	९१०	९१०	
	१०" लामो	गोटा	११५३	११५३	११५३	
	१२" लामो	गोटा	१२७४	१२७४	१२७४	
	ह्याण्डल					
	६" लामो	गोटा	२५५	२५५	२५५	
	८" लामो	गोटा	३८३	३८३	३८३	
	मोर्टिस लक					
	Ordinary	गोटा	६३८	६३८	६३८	
	Chinese	गोटा	४२४	४२४	४२४	
	Indian Godrej Company	गोटा	२६०८	२६०८	२६०८	
	Brass	गोटा	११५३	११५३	११५३	
१३	Door Spring (Door Closer)					
	Ordinary	गोटा	१८२	१८२	१८२	
	hydraulic	गोटा	१९११	१९११	१९११	
	Window I-hook	गोटा	१८	१८	१८	
१४	Gate Hook					
	4" Gate hook	गोटा	३२	३२	३२	
	5" Gate hook	गोटा	३६	३६	३६	
	6" Gate hook	गोटा	४३	४३	४३	
	Brass Gate hook	गोटा	७७	७७	७७	
१५	Door stopper					
	Butterfly	गोटा	१५१	१५१	१५१	
	Bell catch 2" size	गोटा	२००	२००	२००	
	C.P. handle	गोटा	४३४	४३४	४३४	
	Power coated handle	गोटा	४१४	४१४	४१४	
	Brass coated handle	गोटा	८९१	८९१	८९१	
	Door stopper, single brass stopper	गोटा	१०२	१०२	१०२	
	Door stopper double brass stopper	गोटा	१८२	१८२	१८२	
१६	Screw Brass					
	20mm	गोटा	२	२	२	
	25mm	गोटा	३	३	३	
	35mm	गोटा	४	४	४	
	50mm	गोटा	१२	१२	१२	
	75mm	गोटा	१५	१५	१५	
१७	Screw Steel					

Page 43



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	
	20mm	गोटा	१	१	१	
	25mm	गोटा	२	२	२	
	35mm	गोटा	२	२	२	
	50mm	गोटा	७	७	७	
	75mm	गोटा	८	८	८	
१८	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९३	९३	९३	
१९	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९८	९८	९८	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Large handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

Security System



सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८१।८२	
१	Steel Security Gate					
	Metal detector (black Scorpien Company)	गोटा	१६९९५.००	१६९९५.००	१६९९५.००	
	Access Controller (Taiwanese)	गोटा	२८८४०.००	२८८४०.००	२८८४०.००	
	Access Controller (Chainese)	गोटा	१३९०५.००	१३९०५.००	१३९०५.००	
२	Steel Security Door					
	Single leaf :- 50 mm, 70 mm, 100mm	ब. मि.	८६८३.००	८६८३.००	८६८३.००	
	Half leaf :- 50 mm, 70 mm, 100mm	ब. मि.	९९३०.००	९९३०.००	९९३०.००	
	Double leaf :- 50 mm, 70 mm, 100mm	ब. मि.	१०४१९.००	१०४१९.००	१०४१९.००	
३	Security System					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००	
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००	
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००	
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
	vi) Securty from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
४	CCTV System					
	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००	
	Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८९१६.००	५८९१६.००	५८९१६.००	
५	Indoor high speed Dome Integrated CAMERA					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५४३८४.००	५४३८४.००	५४३८४.००	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००	
	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	१५४५०.००	१५४५०.००	१५४५०.००	
	7" Sphirical Shilded with bracket included chip excluded Camera		८३६४.००	८३६४.००	८३६४.००	
	8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	३३९९०.००	३३९९०.००	३३९९०.००	
	6 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५०९८५.००	५०९८५.००	५०९८५.००	
	17" LCD Monitor	सेट	१०८१५.००	१०८१५.००	१०८१५.००	

Page 45

स्थानीय निर्माण सामाग्रीहरू



भु.अ.क बाहेकको दररेट

सि.नं	निर्माण सामाग्री को विवरण	एकाई	भु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
१	ईटा					
१.१	मेशिनबाट उत्पादित ईटा (१-नं.)	प्रति हजार	१६५००.००	१६५००.००	१६५००.००	
१.२	चिमनी भट्टाको ईटा	प्रति हजार	१५०००.००	१५०००.००	१५०००.००	
१.३	स्थानिय चिमनी भट्टाको ईटा	प्रति हजार	११०००.००	११०००.००	११०००.००	
१.४	तराई को १ नं.ईटा	प्रति हजार	१६५००.००	१६५००.००	१६५००.००	
१.५	टुक्रा ईटा	घ.मि.	२६००.००	२६००.००	२६००.००	
१.६	सिमेन्टको ईटा					
	BK108N	प्रति हजार	१६२५०.००	१६२५०.००	१६२५०.००	
	BK118As	प्रति हजार	१७०००.००	१७०००.००	१७०००.००	
१.७	इन्टरलकिङ्ग ब्रिक्स (300*150*100 mm)	प्रति गोटा		४८.००	४८.००	
१.८	Autoclaved Aerated Concrete (AAC) Blocks					
	एएसी ब्लक (600*200*100 mm)	प्रति गोटा			१३७.००	
	एएसी ब्लक (600*200*150 mm)	प्रति गोटा			२०५.००	
	एएसी ब्लक (600*200*200 mm)	प्रति गोटा			२७६.००	
१.९	Compressed Stabilized Earthen Blocks (CSEB)					
	CSEB (230*110*60 mm)	प्रति गोटा			१४.००	
२	खानी तथा खोलाको ढुंगा	घ.फि.	४३.९०	४३.९०	४३.९०	
३	विभिन्न प्रकारको खानी तथा खोलाको को बालुवा	घ.फि.	५३.२४	५३.२४	५३.२४	
४	कसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि	घ.फि.	६६.५५	६६.५५	६६.५५	
५	कसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि	घ.फि.	६६.५५	६६.५५	६६.५५	
६	कसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि	घ.फि.	६६.५५	६६.५५	६६.५५	
७	कसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि	घ.फि.	६६.५५	६६.५५	६६.५५	
८	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामाग्री					
	(क) खोलाको स्क्रिन गरेका ग्राभेल	घ.फि.	४४.००	४४.००	४४.००	
	(ख) खोलाको स्क्रिन नगरेका ग्राभेल	घ.फि.	३०.००	३०.००	३०.००	
	ग) खानीको ग्राभेल	घ.फि.	२०.००	२०.००	२०.००	
	(घ) Crusher Run Sub-Base Material (63mm Down)	घ.फि.	६५.००	६५.००	६५.००	
	(ङ) Crusher Run Base Material (40mm Down)	घ.फि.			७०.००	
	(च) ढुगाको धुलो (Stone dust)	घ.फि.	३०.००	३०.००	३०.००	
१०	छानामा छाउने क्ले टायलहरू					
	मेशिनबाट उत्पादित टायल	गोटा	१८.००	१८.००	१८.००	
	चिमनी भट्टाको टायल	गोटा	१६.००	१६.००	१६.००	
	मेशिनबाट उत्पादित धुरी	गोटा	३२.००	३२.००	३२.००	
	चिमनी भट्टाको धुरी	गोटा	२६.००	२६.००	२६.००	
११	भुईँमा/ कौसीमा छाप्ने क्ले टायलहरू					
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१०.००	१०.००	१०.००	
	चिमनी भट्टाको क्ले टायल	गोटा	९.००	९.००	९.००	
१२	छापे ढुङ्गा (Flag stone)					
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छापे ढुङ्गा	व.फि.	७५.००	७५.००	७५.००	
	१ ^१ / _२ " सम्म बाक्लो सर्फेस ड्रेस गरेको छापे ढुङ्गा	व.फि.	८८.००	८८.००	८८.००	
	२" सम्म बाक्लो ढुङ्गा सर्फेस ड्रेस गरेको छापे ढुङ्गा	व.फि.	१०५.००	१०५.००	१०५.००	
	२.५" सम्म बाक्लो ढुङ्गा सर्फेस ड्रेस गरेको छापे ढुङ्गा	व.फि.	११६.००	११६.००	११६.००	
	२.५"-३" सम्म बाक्लो ढुङ्गा सर्फेस ड्रेस गरेको छापे ढुङ्गा	व.फि.	१४५.००	१४५.००	१४५.००	
१३	भवनको भुईँ कोठामा पुर्न, सोलिङ्गको गर्न प्रयोग गरिने बालुवा	घ.फि.	४०.००	४०.००	४०.००	

Handwritten signatures and marks at the bottom of the page.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
१४	लिउन राख्ने माटो (ट्रक दुवानी बाहेक)	घ.मि.	२९५.००	२९५.००	२९५.००	
१५	सबग्रेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	५१०.००	५१०.००	५१०.००	
१६	भुस	के.जि.	५.५०	५.५०	५.५०	
१७	गोबर	के.जि.	५.००	५.००	५.००	
१८	५०० गेज प्लाष्टिक सिट	व.मी.	३१.००	३१.००	३१.००	
१९	Plastic felt (२०मी. × १मी.)	रोल	२३५५.००	२३५५.००	२३५५.००	
२०	१८-२० फिट लामो बाँस	गोटा	२१०.००	२१०.००	२१०.००	

Handwritten signatures and initials in black ink, including a large signature on the left and several smaller ones across the middle.



NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
१	Surface Hardness	Element	१०००	१०००	१०००	
२	Cover Survey/ Rebar Orientation	Element	४०००	४०००	४०००	
३	Homogeneity	Element	५०००	५०००	५०००	
४	Crack Depth Measurement	Element	५०००	५०००	५०००	
५	E-Modulus Calculation Test	Element	५०००	५०००	५०००	
६	Resistivity	Element	२५००	२५००	२५००	
७	Curing Efficiency Test	Element	२५००	२५००	२५००	
८	Corrosion Mapping	Element	१५०००	१५०००	१५०००	
९	Half Cell Potential	Element	७०००	७०००	७०००	
१०	Sonic Echo/ Void Detection Test	Element	१००००	१००००	१००००	
११	Pulloff Test/ Bond Test	Element	७०००	७०००	७०००	
१२	Concrete Tensile Strength Test	Element	७०००	७०००	७०००	
१३	Moisture Content	Element	४५००	४५००	४५००	
१४	Core Extraction					
	32 mm Dia	Element	७५००	७५००	७५००	
	52 mm Dia	Element	८०००	८०००	८०००	
	75 mm Dia	Element	८५००	८५००	८५००	
	100 mm Dia	Element	१०००	१०००	१०००	
	150 mm Dia	Element	१२५००	१२५००	१२५००	
	200 mm Dia	Element	१५०००	१५०००	१५०००	
	250 mm Dia	Element	१७५००	१७५००	१७५००	
	300 mm Dia	Element	२००००	२००००	२००००	
	350 mm Dia	Element	२५०००	२५०००	२५०००	
१५	Rapid Chloride Penetration Test	Element	१५०००	१५०००	१५०००	
१६	Anchor Pullout Test	Element	२००००	२००००	२००००	
१७	Infrared Thermography	Element	३५००	३५००	३५००	
१८	Low Strain Pile Integrity Test	Element	११०००	११०००	११०००	
१९	High Strain Dynamic Pile Load Test	Element	५०००००	५०००००	५०००००	
२०	Fresh Concrete Resistivity (Smart Box)	Element	४०००	४०००	४०००	
२१	Fine/ Coarse Aggregate Moisture Content	Element	३५००	३५००	३५००	
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३५००	३५००	३५००	
२३	Cross Hole Sonic Logging	Element	१२५००	१२५००	१२५००	
२४	Impulse Echo	Element	१००००	१००००	१००००	
२५	Maturity Meter Test	Element	३५०००	३५०००	३५०००	
२६	Chloride Profile	Element	१२५००	१२५००	१२५००	
२७	Carbonation Depth Detection Test	Element	२५००	२५००	२५००	
२८	Boroscope	Element	३५०००	३५०००	३५०००	
२९	Videoscope	Element	८५०००	८५०००	८५०००	
३०	Ground Penetrating Radar	Element	५००००	५००००	५००००	
३१	CAPO Test	Element	१२५००	१२५००	१२५००	
३२	Permeability Test	Element				

Page 48



NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	Air		३००००	३००००	३००००	
	Water		४००००	४००००	४००००	
३३	Concrete Cutting Services	R. M.	३००००	३००००	३००००	
३४	Wall Cutting Services	R. M.	५००००	५००००	५००००	
३५	Impact Echo	Element	१००००	१००००	१००००	
३६	Mortar Strength Test (Penetrometer)	Element	५०००	५०००	५०००	
३७	ASR Detection Test	Element	१००००	१००००	१००००	
३८	Moisture Content Test					
	Concrete	Element	२०००	२०००	२०००	
	Brick	Element	२०००	२०००	२०००	
	Masonry	Element	२०००	२०००	२०००	
	Wood	Element	२५००	२५००	२५००	



Tools and Occupational Health and Safety Equipments

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
१	Tools and Occupational Health and Safety Equipments					
	Simple Hand Tools					
	Pickaxe 2.5 Kg	No.	४०१	४०१	४०१	
	Shovel	No.	५८९	५८९	५८९	
	Watering Can plastic 5 ltr.	No.	५०३	५०३	५०३	
	Chisel 35mmx225mm (1.5 kg)	No.	४५५	४५५	४५५	
	Wheel Barrow	No.	९५२३	९५२३	९५२३	
	Crowbar (25-32mm. Dia) 7 kgs	No.	१६८५	१६८५	१६८५	
	Sledge Hammer (4kgs)	No.	१०९१	१०९१	१०९१	
	Measuring Tape(5m)	No.	१६१	१६१	१६१	
	Foot Pump	No.	१५९४	१५९४	१५९४	
	Mason Hammer	No.	२५७	२५७	२५७	
	Rake (12 teeth,1.2 m length handle)	No.	७८१	७८१	७८१	
	Curved knife (Hasiya) (400 gms)	No.	३६४	३६४	३६४	
	Kodalo	No.	५४६	५४६	५४६	
	Faruwa (1.8 kg)	No.	९५२	९५२	९५२	
	Trowel	No.	१५०	१५०	१५०	
	Pulling Rope(Nilon)	No.	१३९	१३९	१३९	
२	Personal Protective Safety Equipments (OSH)					
	Safety Helmate (normal type)	No.	२७०	२७०	२७०	
	Safety Helmate (high safety type)	No.	५००	५००	५००	
	Self illumination Jacket With Print	No.	२७५	२७५	२७५	
	GumBoots	pair	५००	५००	५००	
	GumBoots (with steel toe)	pair	८५०	८५०	८५०	
	Set of Flag (2)	pair	२१४	२१४	२१४	
	Mask (with activated carbon breather valve)	No.	४५	४५	४५	
	Hand hard Glove (leather)	pair	२८५	२८५	२८५	
	Goggles (Sun Protective)	No.	३२१	३२१	३२१	
	Raincoat	No.	१५००	१५००	१५००	
	Traffic Cone	No.	१०५९	१०५९	१०५९	



जिला प्रशासन कार्यालय धादिङ

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
१	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	सेट	५९.००	५९.००	५९.००	
	One Gang two way switch	सेट	७०.००	७०.००	७०.००	
	One way bell switch	सेट	७३.००	७३.००	७३.००	
	Two gang one way switch	सेट	९७.००	९७.००	९७.००	
	Two gang one way switch with one bell push	सेट	१०७.००	१०७.००	१०७.००	
	Two gang Full two way switch	सेट	१०९.००	१०९.००	१०९.००	
	Three Gang one way switch	सेट	१२९.००	१२९.००	१२९.००	
	Four gang one way switch	सेट	१६४.००	१६४.००	१६४.००	
	Six gang one way switch (3x5)	सेट	२५८.००	२५८.००	२५८.००	
	Eight gang one way switch	सेट	३१०.००	३१०.००	३१०.००	
	Dimmer single 300 watt	सेट	३१५.००	३१५.००	३१५.००	
	Dimmer single 750 watt	सेट	४६८.००	४६८.००	४६८.००	
	5 Step humming free dimmer	सेट	४१५.००	४१५.००	४१५.००	
	16Amp 3 Pin Plug Top	सेट	१२३.००	१२३.००	१२३.००	
	1 switch with dimmer	सेट	३७५.००	३७५.००	३७५.००	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१५४.००	१५४.००	१५४.००	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	१७२.००	१७२.००	१७२.००	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	३७८.००	३७८.००	३७८.००	
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	२१०.००	२१०.००	२१०.००	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६२३.००	६२३.००	६२३.००	
	Blanking plate single	सेट	४०.००	४०.००	४०.००	
	Telephone socket single	सेट	१२०.००	१२०.००	१२०.००	
	Telephone socket Double	सेट	१७२.००	१७२.००	१७२.००	
	Angle / bottom holder	सेट	३५.००	३५.००	३५.००	
	Ceiling Rose	सेट	३५.००	३५.००	३५.००	
	Buzzer	सेट	९८.००	९८.००	९८.००	
	Musical bell	सेट	२२६.००	२२६.००	२२६.००	
	T.V.antena single Socket	सेट	८३.००	८३.००	८३.००	
	6A 2/3 Pin unshuttered multi switch socket	सेट	१३०.००	१३०.००	१३०.००	
	RJ 45 Computer Socket for modem	सेट	२३८.००	२३८.००	२३८.००	
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	३५.००	३५.००	३५.००	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	६४.००	६४.००	६४.००	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	सेट	९९.००	९९.००	९९.००	
२	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3". ORANGE, or Equivalent					
	10A 1gang 1way Switch	सेट	८४.००	८४.००	८४.००	
	10A 2gang 1way Switch	सेट	१६६.००	१६६.००	१६६.००	
	10A 3gang 1way Switch	सेट	२२०.००	२२०.००	२२०.००	
	10A 4gang 1way Switch	सेट	३५७.००	३५७.००	३५७.००	
	10A 5gang 1way Switch	सेट	३७८.००	३७८.००	३७८.००	
	10A 6gang 1way Switch	सेट	६२९.००	६२९.००	६२९.००	
	10A 1gang 2way Switch	सेट	१४६.००	१४६.००	१४६.००	
	10A 2gang 2way Switch	सेट	२८३.००	२८३.००	२८३.००	
	10A 3gang 2way Switch	सेट	४१५.००	४१५.००	४१५.००	
	10A 4gang 2way Switch	सेट	६२५.००	६२५.००	६२५.००	
	T V Socket outlet	सेट	३०४.००	३०४.००	३०४.००	

Handwritten signatures and marks at the bottom of the page.



नयाँ मन्त्रालय
जिला प्रशासन कार्यालय
धादिङ


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Telephone Socket	सेट	२७३.००	२७३.००	२७३.००	
	13A Universal socket outlet	सेट	४७३.००	४७३.००	४७३.००	
	13A Socket	सेट	२७८.००	२७८.००	२७८.००	
	15A switched Socket outlet	सेट	४५१.००	४५१.००	४५१.००	
	5A Socket	सेट	३४६.००	३४६.००	३४६.००	
	RJ 45 8way Computer Socket	सेट	८४०.००	८४०.००	८४०.००	
	TV and Telephone Socket	सेट	६०३.००	६०३.००	६०३.००	
	7+2 PIN SOCKET OUTLET	सेट	९४५.००	९४५.००	९४५.००	
	3+2 PIN SOCKET OUTLET	सेट	५८८.००	५८८.००	५८८.००	
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	७९८.००	७९८.००	७९८.००	
	SCHUKO SOCKET WITH ONE SWITCH	सेट	५१५.००	५१५.००	५१५.००	
	Bell Press	सेट	२४१.००	२४१.००	२४१.००	
	Blank Plate	सेट	९४.००	९४.००	९४.००	
	400W Light Dimmer W/ Switch	सेट	९२४.००	९२४.००	९२४.००	
	400W Fan Controller / Multi Step Dimmer	सेट	९३५.००	९३५.००	९३५.००	
	5 Step Fan Controller	सेट	९१३.००	९१३.००	९१३.००	
	2 Pin Socket W/ Switch	सेट	४६२.००	४६२.००	४६२.००	
	13A Twin Socket	सेट	६९३.००	६९३.००	६९३.००	
३	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack, Bentex, Premier Rathi, Ohms or eqv.					
	One Gang one way switch	सेट	१०२.००	१०२.००	१०२.००	
	One Gang two way switch	सेट	११४.००	११४.००	११४.००	
	One way bell switch	सेट	११४.००	११४.००	११४.००	
	Two gang one way switch	सेट	१३५.००	१३५.००	१३५.००	
	Two gang one way switch with one bell push	सेट	१४८.००	१४८.००	१४८.००	
	Two gang Full two way switch	सेट	१६१.००	१६१.००	१६१.००	
	Three Gang one way switch	सेट	१७०.००	१७०.००	१७०.००	
	Four gang one way switch	सेट	२०६.००	२०६.००	२०६.००	
	Six gang one way switch	सेट	३१३.००	३१३.००	३१३.००	
	Eight gang one way switch	सेट	३८१.००	३८१.००	३८१.००	
	Dimmer single 300 watt	सेट	४९५.००	४९५.००	४९५.००	
	1 switch with dimmer	सेट	५०८.००	५०८.००	५०८.००	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	२६५.००	२६५.००	२६५.००	
	6/13 Amp , Power sockets with switch , indicator	सेट	२६८.००	२६८.००	२६८.००	
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	३६१.००	३६१.००	३६१.००	
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	३९८.००	३९८.००	३९८.००	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४८३.००	४८३.००	४८३.००	
	Blanking plate single	सेट	६३.००	६३.००	६३.००	
	Telephone socket single	सेट	१५५.००	१५५.००	१५५.००	
	Telephone socket Double	सेट	२५३.००	२५३.००	२५३.००	
	T.V. antenna single Socket	सेट	१४४.००	१४४.००	१४४.००	
	RJ 45 Computer Socket for modem	सेट	२१०.००	२१०.००	२१०.००	
	CAT-6 Computer Socket for modem	सेट	३२७.००	३२७.००	३२७.००	
४	Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent					
	1P - 6A/10A 1 way switch	गोटा	१४१.००	१४१.००	१४१.००	
	1P - 16A/20A 1 way switch	गोटा	२२७.००	२२७.००	२२७.००	



निर्माण प्रशासन कार्यालय
धादिङ

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	1P – 25A 1 way switch	गोटा	३३२.००	३३२.००	३३२.००	
	1P – 6A/10A 2 way switch	गोटा	१७०.००	१७०.००	१७०.००	
	1P – 16A/20A 2 way switch	गोटा	२५८.००	२५८.००	२५८.००	
	1P – 6A push button	गोटा	१८७.००	१८७.००	१८७.००	
	1 gang blanking module	गोटा	४३.००	४३.००	४३.००	
	2 gang blanking module	गोटा	८७.००	८७.००	८७.००	
५	FAN REGULATOR / DIMMER					
	Step type fan regulator	गोटा	६५०.००	६५०.००	६५०.००	
	60 – 500 W dimmer	गोटा	८१२.००	८१२.००	८१२.००	
	1000 W dimmer	गोटा	१५५४.००	१५५४.००	१५५४.००	
६	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	गोटा	२४४.००	२४४.००	२४४.००	
	6/16A twin socket 3 pin (flushed)	गोटा	३३८.००	३३८.००	३३८.००	
	6/16A twin socket 3 pin (projected)	गोटा	३३८.००	३३८.००	३३८.००	
	25A 3 pin socket	गोटा	४०९.००	४०९.००	४०९.००	
	13A 3 pin socket	गोटा	२७५.००	२७५.००	२७५.००	
	RJ 11 telephone jack	गोटा	१६२.००	१६२.००	१६२.००	
	RJ 45 cat.6e computer socket	गोटा	५६८.००	५६८.००	५६८.००	
	TV socket	गोटा	१६४.००	१६४.००	१६४.००	
	HOSPITALITY RANGE					
	250V/110V shaver socket	गोटा	४४४२.००	४४४२.००	४४४२.००	
	Indicator (DO NOT DISTUURB)	गोटा	१८३.००	१८३.००	१८३.००	
	LED yellow night lamp	गोटा	५७९.००	५७९.००	५७९.००	
	LED Blue night lamp	गोटा	५७९.००	५७९.००	५७९.००	
७	FRONT PLATE (COMPATIBLE TO MARKET BOXES)	गोटा				
	1 module front plate	गोटा	७३.००	७३.००	७३.००	
	2 module front plate	गोटा	७८.००	७८.००	७८.००	
	3 module front plate	गोटा	८५.००	८५.००	८५.००	
	4 module front plate	गोटा	९०.००	९०.००	९०.००	
	6 module front plate	गोटा	१६५.००	१६५.००	१६५.००	
	8 module front plate(4+4)	गोटा	२२९.००	२२९.००	२२९.००	
	8 module front plate (Horizontal)	गोटा	१७७.००	१७७.००	१७७.००	
	12 module front plate	गोटा	२६५.००	२६५.००	२६५.००	
	18 module front plate	गोटा	३५७.००	३५७.००	३५७.००	
८	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
	Seperate Module for Modular Switch & Socket					
	1P – 6A/10A 1 way switch	गोटा	८८.००	८८.००	८८.००	
	1P – 16A/20A 1 way switch	गोटा	१४६.००	१४६.००	१४६.००	
	1P – 6A/10A 2 way switch	गोटा	१३६.००	१३६.००	१३६.००	
	1P – 16A/20A 2 way switch	गोटा	१७८.००	१७८.००	१७८.००	
	1P – 6A push button	गोटा	१३६.००	१३६.००	१३६.००	
	1 gang blanking module	गोटा	४९.००	४९.००	४९.००	
	2 gang blanking module	गोटा	७९.००	७९.००	७९.००	
९	FAN REGULATOR / DIMMER					
	Step type fan regulator	गोटा	७३२.००	७३२.००	७३२.००	

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	60 – 500 W dimmer	गोटा	६२३.००	६२३.००	६२३.००	
१०	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	गोटा	१९३.००	१९३.००	१९३.००	
	6/16A twin socket 3 pin (flushed)	गोटा	३००.००	३००.००	३००.००	
	6/16A twin socket 3 pin (projected)	गोटा	३००.००	३००.००	३००.००	
	13A 3 pin socket	गोटा	१९३.००	१९३.००	१९३.००	
	RJ 11 telephone jack	गोटा	१५०.००	१५०.००	१५०.००	
	RJ 45 cat.6e computer socket	गोटा	२४७.००	२४७.००	२४७.००	
११	TV socket	गोटा	१५०.००	१५०.००	१५०.००	
	1 module front plate	गोटा	११८.००	११८.००	११८.००	
	2 module front plate	गोटा	११८.००	११८.००	११८.००	
	3 module front plate	गोटा	१५४.००	१५४.००	१५४.००	
	4 module front plate	गोटा	१७२.००	१७२.००	१७२.००	
	6 module front plate	गोटा	२३७.००	२३७.००	२३७.००	
	8 module front plate(4+4)	गोटा	३१९.००	३१९.००	३१९.००	
	8 module front plate (Horizontal)	गोटा	३२७.००	३२७.००	३२७.००	
	12 module front plate	गोटा	३७९.००	३७९.००	३७९.००	
	18 module front plate	गोटा	४७४.००	४७४.००	४७४.००	
१२	Flush mounting galvanized Metal box for modular type switch & socket					
	1 module metal box having L x B x Depth =(78x78x45)mm	सेट	५४.००	५४.००	५४.००	
	2 module " " = (78x78x45)mm	सेट	५४.००	५४.००	५४.००	
	3 gang " " " =(78x100x45)mm	सेट	५८.००	५८.००	५८.००	
	4 gang " " = (78x140x50)mm	सेट	७१.००	७१.००	७१.००	
	5 gang " " = (78x205x50)mm	सेट	१३९.००	१३९.००	१३९.००	
	6 gang " " = (78x205x50)mm	सेट	१४९.००	१४९.००	१४९.००	
	8 module metal box (4+4) =(78x230x60)mm	सेट	१८९.००	१८९.००	१८९.००	
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	१८९.००	१८९.००	१८९.००	
	12 module metal box =(135x120x60)mm	सेट	२४९.००	२४९.००	२४९.००	
	TV socket metal box	सेट	५४.००	५४.००	५४.००	
	Telephone socket metal box	सेट	५४.००	५४.००	५४.००	
१३	METAL Junction BOX					
	4"x4"	सेट	१०५.००	१०५.००	१०५.००	
	4"x6"	सेट	१५७.००	१५७.००	१५७.००	
	6"x8"	सेट	२४७.००	२४७.००	२४७.००	
	8"x10"	सेट	३६४.००	३६४.००	३६४.००	
	8"x12"	सेट	३६४.००	३६४.००	३६४.००	
१४	PVC Junction Box	सेट	३५.००	३५.००	३५.००	
	4"x4"	सेट				
	4"x6"	सेट	३२.००	३२.००	३२.००	
	6"x8"	सेट	४७.००	४७.००	४७.००	
	8"x10"	सेट	७०.००	७०.००	७०.००	
	8" x12"	सेट	१३४.००	१३४.००	१३४.००	
	PVC Junction box cover	सेट	१५०.००	१५०.००	१५०.००	
१५	PVC Listy Double Lock { 6'length =1 no.(गोटा)}					
	½ " breadth	सेट	३२.००	३२.००	३२.००	





नित्त प्रशासन कार्यालय
धादिङ

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	¾"	सेट	४७.००	४७.००	४७.००	
	१"	सेट	७०.००	७०.००	७०.००	
	१ ½"	सेट	१३४.००	१३४.००	१३४.००	
	२"	सेट	१५०.००	१५०.००	१५०.००	
	PVC Conduit Pipe					
	१) ½ " diameter	र.मी	३२.००	३२.००	३२.००	
	२) ¾"	र.मी	४७.००	४७.००	४७.००	
	३) १"	र.मी	७०.००	७०.००	७०.००	
	Listy Pipe Accessories					
	½"-२" size Saddle	र.मी	८.००	८.००	८.००	
	Grips (Denmark)	गोटा	६.००	६.००	६.००	
	Steel screws	गोटा	२.००	२.००	२.००	
	PVC Tape	गोटा	१५.००	१५.००	१५.००	
१६	Distribution board (DB) - With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager					
	4 way SPN DB Double Cover	सेट	११३१.००	११३१.००	११३१.००	
	6 way SPN DB " "	सेट	११८६.००	११८६.००	११८६.००	
	8 way SPN DB " "	सेट	१४८०.००	१४८०.००	१४८०.००	
	12 way SPN DB " "	सेट	१७५५.००	१७५५.००	१७५५.००	
	16 way SPN DB " "	सेट	१८७६.००	१८७६.००	१८७६.००	
	3-4 way TPN DB Double Cover	सेट	२७८९.००	२७८९.००	२७८९.००	
	6 way TPN " " "	सेट	३१३३.००	३१३३.००	३१३३.००	
	8 way TPN " " " Vertical	सेट	६०६२.००	६०६२.००	६०६२.००	
	12 way TPN " " " Vertical	सेट	८०७८.००	८०७८.००	८०७८.००	
	50 Pair Telephone D.B.with crown tag	सेट	५६९३.००	५६९३.००	५६९३.००	
	PVC Box for MCB					
	1-pole PVC box GPS	सेट	८२.००	८२.००	८२.००	
	2- pole PVC " "	सेट	८२.००	८२.००	८२.००	
	3 and 4-pole PVC " "	सेट	१३२.००	१३२.००	१३२.००	
१७	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent					
	6-32 amp MCB SP (single pole)	गोटा	२१५.००	२१५.००	२१५.००	
	6-32 amp MCB DP (Double pole)	गोटा	१०७६.००	१०७६.००	१०७६.००	
	6-32 amp MCB TP (Triple pole)	गोटा	१७८८.००	१७८८.००	१७८८.००	
	32 amp MCB TPN	गोटा	२५८४.००	२५८४.००	२५८४.००	
	40-63 amp MCB DP	गोटा	१७२२.००	१७२२.००	१७२२.००	
	40-63 amp MCB TP	गोटा	२७५६.००	२७५६.००	२७५६.००	
	40-63 amp MCB TPN	गोटा	३३०१.००	३३०१.००	३३०१.००	
१८	Miniature Circuits Breaker (MCB) KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent					
	0.5-5 amp MCB SP (single pole)	गोटा	२७०.००	२७०.००	२७०.००	
	6-32 amp MCB SP (single pole)	गोटा	१७२.००	१७२.००	१७२.००	
	6-32 amp MCB DP (Double pole)	गोटा	६४६.००	६४६.००	६४६.००	
	6-32 amp MCB TP (Triple pole)	गोटा	१२९२.००	१२९२.००	१२९२.००	
	32 amp MCB TPN	गोटा	१५६१.००	१५६१.००	१५६१.००	
	40-63 amp MCB DP	गोटा	१०२३.००	१०२३.००	१०२३.००	
	40-63 amp MCB TP	गोटा	१४५३.००	१४५३.००	१४५३.००	
	40-63 amp MCB TPN	गोटा	१९३८.००	१९३८.००	१९३८.००	
१९	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legend, north-west lawson or equivalent					

Handwritten signatures and marks at the bottom of the page.



वि.सं. प्रसारण कार्यालय
धरिङ

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	२८७६.००	२८७६.००	२८७६.००	
	63A 30mA DP RCCB	गोटा	३४२७.००	३४२७.००	३४२७.००	
	63A 100mA DP RCCB	गोटा	३१५१.००	३१५१.००	३१५१.००	
	63A 300mA DP RCCB	गोटा	३२०३.००	३२०३.००	३२०३.००	
	25A to 40A ,(30mA,100,300mA) FP RCCB	गोटा	३५३०.००	३५३०.००	३५३०.००	
	63A 30mA Four Pole RCCB	गोटा	३८७५.००	३८७५.००	३८७५.००	
	63A 100mA Four Pole RCCB	गोटा	३८७५.००	३८७५.००	३८७५.००	
	63A 300mA Four Pole RCCB	गोटा	३८७५.००	३८७५.००	३८७५.००	
२०	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent					
	16AMP- 63AMP TP MCCB 16KA	गोटा	५७७८.००	५७७८.००	५७७८.००	
	80AMP TP MCCB 16KA	गोटा	५७७८.००	५७७८.००	५७७८.००	
	100AMP TP MCCB 16KA	गोटा	६५१३.००	६५१३.००	६५१३.००	
	125AMP TP MCCB 16KA	गोटा	८४०४.००	८४०४.००	८४०४.००	
	160AMP TP MCCB 16KA	गोटा	९९८०.००	९९८०.००	९९८०.००	
	16AMP- 63AMP TP MCCB 25KA	गोटा	६५१३.००	६५१३.००	६५१३.००	
	80AMP TP MCCB 25KA	गोटा	७१८५.००	७१८५.००	७१८५.००	
	100AMP TP MCCB 25KA	गोटा	७१८५.००	७१८५.००	७१८५.००	
	125AMP TP MCCB 25KA	गोटा	११५५६.००	११५५६.००	११५५६.००	
	160AMP TP MCCB 25KA	गोटा	१३६५७.००	१३६५७.००	१३६५७.००	
	200AMP TP MCCB 25KA(Adjustable)	गोटा	२१५३७.००	२१५३७.००	२१५३७.००	
	200AMP TP MCCB 36KA(Adjustable)	गोटा	२३६३८.००	२३६३८.००	२३६३८.००	
	250AMP TP MCCB 36KA(Adjustable)	गोटा	२७८४०.००	२७८४०.००	२७८४०.००	
	400AMP TP MCCB 50KA(Adjustable)	गोटा	३६२४५.००	३६२४५.००	३६२४५.००	
	630AMP TP MCCB 50KA(Adjustable)	गोटा	४९३७८.००	४९३७८.००	४९३७८.००	
	800AMP TP MCCB 50KA(Adjustable)	गोटा	६५२४२.००	६५२४२.००	६५२४२.००	
२१	Manual Change over Panel Type - ABB,Siemens,Hager DELTON or Equivalent					
	63 Amp FP	गोटा	१२१४६.००	१२१४६.००	१२१४६.००	
	80 Amp FP	गोटा	१३४३९.००	१३४३९.००	१३४३९.००	
	100 Amp FP	गोटा	१९०३८.००	१९०३८.००	१९०३८.००	
	125 Amp FP	गोटा	२००७२.००	२००७२.००	२००७२.००	
	160 Amp FP	गोटा	२६३६१.००	२६३६१.००	२६३६१.००	
	200 Amp FP	गोटा	२७२२२.००	२७२२२.००	२७२२२.००	
	250 Amp FP	गोटा	२८९४५.००	२८९४५.००	२८९४५.००	
	315 Amp FP	गोटा	३६६१३.००	३६६१३.००	३६६१३.००	
२२	Dome light Make Homedec, Decon, Fumagalli OR equivalent					
	6" Milky type decorative dome light	सेट	१८३.००	१८३.००	१८३.००	
	6 " Brass base decorative dome light	सेट	७५०.००	७५०.००	७५०.००	
	8"Milky type decorative dome light	सेट	२३१.००	२३१.००	२३१.००	
	8 " Brass base decorative dome light	सेट	८९३.००	८९३.००	८९३.००	
	8" Silver cast Milky base Decorative Dome Light	सेट	११२९.००	११२९.००	११२९.००	
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	५७८.००	५७८.००	५७८.००	
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	सेट	१२३७.००	१२३७.००	१२३७.००	
२३	Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec,Decon,Fumagalli	सेट	२४२.००	२४२.००	२४२.००	
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	३७७.००	३७७.००	३७७.००	
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	८६१.००	८६१.००	८६१.००	
	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	सेट	१०१२.००	१०१२.००	१०१२.००	



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	1 x 18 watt CFL <u>Down light</u> with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	सेट	१५८३.००	१५८३.००	१५८३.००	
	Dining lamp.	सेट	१७७७.००	१७७७.००	१७७७.००	
	<u>Chandlers</u> 6-8 lamp Medium	सेट	१५७७६.००	१५७७६.००	१५७७६.००	
	Chandlers 3-5 lamp Medium	सेट	११२५३.००	११२५३.००	११२५३.००	
	Mirror Light Euro Light Wipro WRF21111	सेट	४८५.००	४८५.००	४८५.००	
	Picture light Euro Light POO2	सेट	७००.००	७००.००	७००.००	
	Wall spot Light E27 60W Euro or eqv.	सेट	३७७.००	३७७.००	३७७.००	
	Exit Light safety sign(8.24)W Make Samcon	सेट	८६१.००	८६१.००	८६१.००	
२४	Post top Lanterns					
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	२६२६.००	२६२६.००	२६२६.००	
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३१५१.००	३१५१.००	३१५१.००	
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३५४५.००	३५४५.००	३५४५.००	
	8" Globe type Post top Lamp complete set	सेट	१४४४.००	१४४४.००	१४४४.००	
	10" Globe type Post top Lamp complete set	सेट	२७५८.००	२७५८.००	२७५८.००	
२५	Roadway light luminaires Wipro, Philips , Legero or Equivalent					
	1 x 36 W FTL <u>street light</u> fixture with acrylic diffuser complete set	सेट	२६८९.००	२६८९.००	२६८९.००	
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	सेट	३९४५.००	३९४५.००	३९४५.००	
	300/500 watt halogen weather proof <u>FLOOD LIGHT</u> with glass cover Complete set	सेट	१५७५.००	१५७५.००	१५७५.००	
	1000 watt halogen weather proof <u>flood light</u> with glass cover Complete set	सेट	३१५१.००	३१५१.००	३१५१.००	
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	९४५५.००	९४५५.००	९४५५.००	
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	११०३.००	११०३.००	११०३.००	
	Single Piece deep drawn aluminum POT optics <u>road light luminaires</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	५३५८.००	५३५८.००	५३५८.००	
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२३१६.००	२३१६.००	२३१६.००	
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	सेट	५२२१.००	५२२१.००	५२२१.००	
	2X60/100W GLS <u>aviation light</u> fixture all complete set	सेट	५७९९.००	५७९९.००	५७९९.००	
२६	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G Almonard or equivalent					
	36" size ceiling Fan	गोटा	२२६१.००	२२६१.००	२२६१.००	
	42" size " "	गोटा	२३६९.००	२३६९.००	२३६९.००	
	48" size " "	गोटा	२४२३.००	२४२३.००	२४२३.००	
	56" size " "	गोटा	२६९२.००	२६९२.००	२६९२.००	
	6" Exhaust Fan	गोटा	१५६१.००	१५६१.००	१५६१.००	
	9" Exhaust Fan	गोटा	१८८५.००	१८८५.००	१८८५.००	
	16" size wall fan	गोटा	२९६१.००	२९६१.००	२९६१.००	
	12" size exhaust fan	गोटा	२६९२.००	२६९२.००	२६९२.००	
२७	BELL INDICATOR					
	4 way bell indicator with plate	सेट	१२८०.००	१२८०.००	१२८०.००	
	6 way " " " "	सेट	२०८९.००	२०८९.००	२०८९.००	
	8 way " " " "	सेट	२९०८.००	२९०८.००	२९०८.००	

नेपाल मुजलर
गृह मन्त्रालय
कित्ता प्रसारण कार्यालय
धरिद

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	12 way " " " "	सेट	४४८२.००	४४८२.००	४४८२.००	
२८	Materials For Earthing & Lightning Protection (sp.gr. copper =8930kg/m³)					
	Copper plate	के.जी	९५८.००	९५८.००	९५८.००	
	Copper Strip (25 x 3)mm (Approx 60"=1kg)	के.जी	११३१.००	११३१.००	११३१.००	
	Copper Strip (20mm breadth x 3mm thick)	के.जी	११३१.००	११३१.००	११३१.००	
	Copper Strip (12 x 3)mm	के.जी	११३१.००	११३१.००	११३१.००	
	Lightning rod copper conductor Air termination set	गोटा	२८५४.००	२८५४.००	२८५४.००	
	8 SWG bare copper wire	र. मी	१५०.००	१५०.००	१५०.००	
	29 mm Diameter GI Pipe of 1m length	र. मी	२६३.००	२६३.००	२६३.००	
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६४६.००	६४६.००	६४६.००	
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५.००	
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	२०४.००	२०४.००	२०४.००	
	Funnel with wire mesh	गोटा	३७७.००	३७७.००	३७७.००	
	Charcoal	ब्याग	३२३.००	३२३.००	३२३.००	
	Salt	के.जी	१२.००	१२.००	१२.००	
२९	STEEL TUBELAR POLE			०.००	०.००	
	Steel Tubular Poles with welded plate on top and bottom (Galvanized with folding System and accessories)	के.जी	१६५.००	१६५.००	१६५.००	
	7 mtr.length Wooden Pole	गोटा				
	9 mtr.length Wooden Pole	गोटा				
३०	Fluorescent Tube light (FTL) set including Tube,condenser, starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent					
	1x20 watt FTL (Patti fittings)	सेट	४७३.००	४७३.००	४७३.००	
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	७९०.००	७९०.००	७९०.००	
	1x20 watt FTL (Mirrolta) WRF 20120	सेट	८९३.००	८९३.००	८९३.००	
	1x40 watt FTL with attractive & functional decorative battens WRF20140	सेट	१०४०.००	१०४०.००	१०४०.००	
	1x40 watt FTL box fittings WIF 14140	सेट	११८२.००	११८२.००	११८२.००	
	2x40 watt FTL box fittings WIF 14240	सेट	१७८६.००	१७८६.००	१७८६.००	
	1x40 watt FTL Industrial channel WIF 36140	सेट	१८१७.००	१८१७.००	१८१७.००	
	2x40 watt FTL Industrial channel WIF 36240	सेट	२३३२.००	२३३२.००	२३३२.००	
	1x40 watt FTL, opalite with opal Arcylic dissuser WCF51140	सेट	१८९१.००	१८९१.००	१८९१.००	
	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	सेट	३१५१.००	३१५१.००	३१५१.००	
	4x20 watt FTL, oplite WCF 93418	सेट	५५१८.००	५५१८.००	५५१८.००	
	4x20 watt FTL <u>mirror optic</u> , surface/recessed mounting WCF93418	सेट	५५१८.००	५५१८.००	५५१८.००	
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	सेट	३६२५.००	३६२५.००	३६२५.००	
	2x40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke WVP40236	सेट	४४१२.००	४४१२.००	४४१२.००	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvr Complete set WVF20414	सेट	९५७०.००	९५७०.००	९५७०.००	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	८४०९.००	८४०९.००	८४०९.००	
३१	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .					
	2 x 18 W CFL recessed/surface mounting <u>mirror Optic</u> Complete Set WCP32218	सेट	२७३१.००	२७३१.००	२७३१.००	



मि.अ.क बाहेकको दररेट
एकाई

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	१८६९.००	१८६९.००	१८६९.००	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	२३११.००	२३११.००	२३११.००	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set WVP24236	सेट	६१८८.००	६१८८.००	६१८८.००	
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set WVP 24336	सेट	६९६०.००	६९६०.००	६९६०.००	
	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX	सेट	११०३१.००	११०३१.००	११०३१.००	
	Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX	सेट	१४३४१.००	१४३४१.००	१४३४१.००	
	Recess Surface mounted LED luminate CRCO10R038HP57	सेट	१३६०५.००	१३६०५.००	१३६०५.००	
	Hight efficiency circular LED Down Lighter LD71	सेट	३३०९.००	३३०९.००	३३०९.००	
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01	सेट	१४८९२.००	१४८९२.००	१४८९२.००	
	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26	सेट	११०३.००	११०३.००	११०३.००	
	Circular LED wall/Dome Light suitable for true ceiling LW01	सेट	३३०९.००	३३०९.००	३३०९.००	
	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX	सेट	३३०९.००	३३०९.००	३३०९.००	
	Recess mounted indirect and direct luminaires WVP 64236	सेट	६२५१.००	६२५१.००	६२५१.००	
	2x36 Watt CFL Surface Mirror Optic WVP44236	सेट	६२५१.००	६२५१.००	६२५१.००	
३२.०	Down Light Fiam Make			०.००	०.००	
	FDL004 SMD7W-WWH Taiwan chip (120*90)	सेट	१३५६.००	१३५६.००	१३५६.००	
	FDL004 SMD7W-CW Taiwan chip	सेट	१३५६.००	१३५६.००	१३५६.००	
	FDLO04 SMD9W-WWH Taiwan chip (145*90)	सेट	१९४१.००	१९४१.००	१९४१.००	
	FDLO04 SMD9W-CW Taiwan chip	सेट	१९४१.००	१९४१.००	१९४१.००	
	FDLO04 SMD15W-WWH Taiwan chip (175*90)	सेट	२९५६.००	२९५६.००	२९५६.००	
	FDLO04 SMD15W-CW Taiwan chip	सेट	२९५६.००	२९५६.००	२९५६.००	
	FDL004 SMD30W-WWH Taiwan chip (200MM)	सेट	५३२२.००	५३२२.००	५३२२.००	
	FDL004 SMD30W-CW Taiwan chip	सेट	५३२२.००	५३२२.००	५३२२.००	
	FDLO12 COB5W-WWH (90MM)	सेट	१३६०.००	१३६०.००	१३६०.००	
	FDLO12 COB5W-CW	सेट	१३६०.००	१३६०.००	१३६०.००	
	FDLO12 COB10W-WWH (120MM)	सेट	२०६८.००	२०६८.००	२०६८.००	
	FDLO12 COB10W-CW	सेट	२०६८.००	२०६८.००	२०६८.००	
	FDLO12 COB15W-WWH Taiwan chip (140MM)	सेट	५३२२.००	५३२२.००	५३२२.००	
	FDLO12 COB15W-CW Taiwan chip	सेट	५३२२.००	५३२२.००	५३२२.००	
	FDLO12 COB25W-WWH Taiwan chip (175MM)	सेट	७०९५.००	७०९५.००	७०९५.००	
	FDLO12 COB25W-CW Taiwan chip	सेट	७०९५.००	७०९५.००	७०९५.००	
	FDLO12 COB30W-WWH Taiwan chip (200MM)	सेट	८८६८.००	८८६८.००	८८६८.००	
	FDLO12 COB30W-CW Taiwan chip	सेट	८८६८.००	८८६८.००	८८६८.००	
	FDLO07 SMD12W-WWH Taiwan chip (130*110)	सेट	४३७४.००	४३७४.००	४३७४.००	
	FDLO07 SMD12W-CW Taiwan chip	सेट	४३७४.००	४३७४.००	४३७४.००	
	FDLO07 SMD18W-WWH Taiwan chip (165*145)	सेट	६३८६.००	६३८६.००	६३८६.००	
	FDLO07 SMD18W-CW Taiwan chip	सेट	६३८६.००	६३८६.००	६३८६.००	
	FDLO07 SMD24W-WWH Taiwan chip (195*175)	सेट	७९८२.००	७९८२.००	७९८२.००	
	FDLO07 SMD24W-CW Taiwan chip	सेट	७९८२.००	७९८२.००	७९८२.००	
	FDLO01 HP5W FBK-WWH Taiwan chip (95*110)	सेट	३३११.००	३३११.००	३३११.००	
	FDLO01 HP5W FBK-CW Taiwan chip	सेट	३३११.००	३३११.००	३३११.००	
	FDLO01 HP5W FWH-WWH Taiwan chip (80*120)	सेट	३३११.००	३३११.००	३३११.००	
	FDLO01 HP5W FWH-CW Taiwan chip	सेट	३३११.००	३३११.००	३३११.००	



विश्वेतिथी सामग्रीहरू

नेपाल सरकार
सुदूर पश्चिम प्रदेश
निर्माण सामग्रीको कार्यालय
धनकुटा

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	FDL005 SMD7W-WWH Taiwan chip (123MM)	सेट	१३६०.००	१३६०.००	१३६०.००	
	FDL005 SMD7W-CW Taiwan chip	सेट	१३६०.००	१३६०.००	१३६०.००	
	FD005 SMD12W-WWH Taiwan chip (165MM)	सेट	१७७२.००	१७७२.००	१७७२.००	
	FD005 SMD12W-CW Taiwan chip	सेट	१७७२.००	१७७२.००	१७७२.००	
	FD005 SMD20W-WWH Taiwan chip (200MM)	सेट	३२५२.००	३२५२.००	३२५२.००	
	FD005 SMD20W-CW Taiwan chip	सेट	३२५२.००	३२५२.००	३२५२.००	
	FM3161 HP 18W-WWH Cree Led	सेट	७०९५.००	७०९५.००	७०९५.००	
	FM3161 HP 18W-CW Cree Led	सेट	७०९५.००	७०९५.००	७०९५.००	
	HD-5010-13-WWH Osram chip (86*75)	सेट	२१८८.००	२१८८.००	२१८८.००	
	HD-5010-13-CW Osram chip	सेट	२१८८.००	२१८८.००	२१८८.००	
	HD-5010-14-WWH Osram chip (115*105)	सेट	३३११.००	३३११.००	३३११.००	
	HD-5010-14-CW Osram chip	सेट	३३११.००	३३११.००	३३११.००	
	HD-5010-14-WWH Osram chip (140*125)	सेट	४१३९.००	४१३९.००	४१३९.००	
	HD-5010-14-CW Osram chip	सेट	४१३९.००	४१३९.००	४१३९.००	
	HD-5010-18-WWH Osram chip (215*200)	सेट	८२१७.००	८२१७.००	८२१७.००	
	HD-5010-18-CW Osram chip	सेट	८२१७.००	८२१७.००	८२१७.००	
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	सेट	२५६३.००	२५६३.००	२५६३.००	
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	सेट	२५६३.००	२५६३.००	२५६३.००	
	LUCIA WHITE OPAL	सेट	१८८५.००	१८८५.००	१८८५.००	
	LUCIA BLACK OPAL	सेट	१८८५.००	१८८५.००	१८८५.००	
	LUCIA-GD WHITE OPAL	सेट	१८८५.००	१८८५.००	१८८५.००	
	LUCIA-GD BLACK OPAL	सेट	१८८५.००	१८८५.००	१८८५.००	
	REMI/LUCIA WHITE OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/LUCIA BLACK OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/LUCIA-EL WHITE OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/LUCIA-EL BLACK OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/LUCIA-GD WHITE OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/LUCIA-GD BLACK OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	MADDI BULKHEAD WHITE OPAL	सेट	१८८५.००	१८८५.००	१८८५.००	
	MADDI BULKHEAD BLACK OPAL	सेट	१८८५.००	१८८५.००	१८८५.००	
	MADDI-VE BULKHEAD WHITE OPAL	सेट	२६३८.००	२६३८.००	२६३८.००	
	MADDI-VE BULKHEAD BLACK OPAL	सेट	१८८५.००	१८८५.००	१८८५.००	
	MADDI-HL BULKHEAD WHITE OPAL	सेट	१८८५.००	१८८५.००	१८८५.००	
	MADDI-HL BULKHEAD BLACK OPAL	सेट	१८८५.००	१८८५.००	१८८५.००	
	REMI/MADDI WHITE OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/MADDI BLACK OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/MADDI-VE WHITE OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/MADDI-VE BLACK OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/MADDI-HL WHITE OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	REMI/MADDI-HL BLACK OPAL	सेट	२२६१.००	२२६१.००	२२६१.००	
	GABRI/MADDI 1L BLACK OPAL	सेट	७५३८.००	७५३८.००	७५३८.००	
	MINIGABRI/MADDI 1L BLACK OPAL	सेट	६७८३.००	६७८३.००	६७८३.००	
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL	सेट	६७८३.००	६७८३.००	६७८३.००	
	GELMI WHITE OPAL E27	सेट	३०१५.००	३०१५.००	३०१५.००	
	GELMI BLACK OPAL E27	सेट	३०१५.००	३०१५.००	३०१५.००	
	GELMI-EL WHITE OPAL E27	सेट	३०१५.००	३०१५.००	३०१५.००	

Handwritten signatures and marks at the bottom of the page.



निर्माण सामाग्री को विवरण

नेपाल सरकार
गृह मन्त्रालय
जिप्ला प्रशासन कार्यालय
काठमाडौं

मु.अ.क बाहेकको दररेट

सि.नं	निर्माण सामाग्री को विवरण	एकई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	GELMI-EL BLACK OPAL E27					
	DANZI WHITE OPAL E27	सेट	३०१५.००	३०१५.००	३०१५.००	
	DANZI BLACK OPAL E27	सेट	३०१५.००	३०१५.००	३०१५.००	
	STUCCHI WHITE OPAL E27	सेट	३०१५.००	३०१५.००	३०१५.००	
	STUCCHI BLACK OPAL E27	सेट	३३९२.००	३३९२.००	३३९२.००	
	CECCHI WHITE OPAL E27	सेट	३३९२.००	३३९२.००	३३९२.००	
	CECCHI BLACK OPAL E27	सेट	३३९२.००	३३९२.००	३३९२.००	
	BISSO ANNA BLACK WITH OPAL DIFFUSER	सेट	३३९२.००	३३९२.००	३३९२.००	
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER	सेट	३७६९.००	३७६९.००	३७६९.००	
	IESSE LANTERN BLACK W/OPAL DIFFUSER	सेट	३७६९.००	३७६९.००	३७६९.००	
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W	सेट	३३९२.००	३३९२.००	३३९२.००	
३३	System Sensor Product (Honeywell)		७५३८.००	७५३८.००	७५३८.००	
	Photo Electric Smoke Detector	सेट	१९६०.००	१९६०.००	१९६०.००	
	Rate of Rise Heat Detector	सेट	१९६०.००	१९६०.००	१९६०.००	
	Fixed temperature Detector	सेट	२३९०.००	२३९०.००	२३९०.००	
	Base	सेट	३८७.००	३८७.००	३८७.००	
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India	सेट	१५५०.००	१५५०.००	१५५०.००	
	Wall mount Horn+Strobe	सेट	४३०७.००	४३०७.००	४३०७.००	
	Ceiling mount Horn+Strobe	सेट	४३०७.००	४३०७.००	४३०७.००	
३४	Exit Light Samcon make					
	MODEL SLM 18	सेट	१२९२२.००	१२९२२.००	१२९२२.००	
	MODEL ELS 28	सेट	१२९२२.००	१२९२२.००	१२९२२.००	
	MODEL ETL 210H-4LA	सेट	१२९२२.००	१२९२२.००	१२९२२.००	
३५	LUMINARIES Accessories-(PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
	500 watt halogen rod	गोटा	२३६.००	२३६.००	२३६.००	
	1000 watt halogen rod	गोटा	२८३.००	२८३.००	२८३.००	
	70Watt SON Lamp (Sodium Vapour)	गोटा	८५०.००	८५०.००	८५०.००	
	150 watt sodium vapour bulb	गोटा	१३२३.००	१३२३.००	१३२३.००	
	250 watt sodium vapour bulb	गोटा	१७३४.००	१७३४.००	१७३४.००	
	20-40 watt FTL rod	गोटा	८९.००	८९.००	८९.००	
	20-40 watt FTL Copper chowk.	गोटा	२६३.००	२६३.००	२६३.००	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	४२०.००	४२०.००	४२०.००	
	Acryle cover for 4x20 FTL	गोटा	१००८.००	१००८.००	१००८.००	
	FTL starter	गोटा	१९.००	१९.००	१९.००	
	8 W to11W, C.F.L.Direct fit	गोटा	२३६.००	२३६.००	२३६.००	
	13 to 22W, C.F.L.Direct fit	गोटा	३०४.००	३०४.००	३०४.००	
	15-100 watt bulb.(ISI)	गोटा	२६.००	२६.००	२६.००	
	PL-S 9W/86 (CFL)	गोटा	१६८.००	१६८.००	१६८.००	
	PL-S 11W/86 (CFL)	गोटा	१७८.००	१७८.००	१७८.००	
	PL-L 36W/86 (CFL)	गोटा	४२५.००	४२५.००	४२५.००	
	125W HPL-N (Mercury Vapour)	गोटा	३७८.००	३७८.००	३७८.००	
	250W HPL-N	गोटा	८९३.००	८९३.००	८९३.००	
	Solar LED bulb					
	12V/2W LED bulb	गोटा	३६८.००	३६८.००	३६८.००	
	12V/3W LED bulb	गोटा	४२०.००	४२०.००	४२०.००	

Handwritten signatures and marks at the bottom left of the page.

Handwritten signatures and marks at the bottom right of the page.



निर्माण सामग्री को विवरण

एकाई

मु.अ.क बाहेकको दररेट

कैफियत

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	12V/4W LED bulb					
३६	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked	गोटा	४७३.००	४७३.००	४७३.००	
	1/18 size p.v.c. insulated copper wire/ cable					
	3/22 " " " "	क्वायल	९९०.००	९९०.००	९९०.००	
	3/20 " " " "	क्वायल	११८४.००	११८४.००	११८४.००	
	7/22 " " " "	क्वायल	१८८५.००	१८८५.००	१८८५.००	
	7/20 " " " "	क्वायल	२६३८.००	२६३८.००	२६३८.००	
	7/18 " " " "	क्वायल	४३०७.००	४३०७.००	४३०७.००	
	7/16 " " " "	क्वायल	६७८३.००	६७८३.००	६७८३.००	
	19/18 " " " "	क्वायल	१३९९८.००	१३९९८.००	१३९९८.००	
	19/16 " " " "	क्वायल	१८८४५.००	१८८४५.००	१८८४५.००	
	2\20 " " " "	क्वायल	३७६९०.००	३७६९०.००	३७६९०.००	
	2\22 " " " "	क्वायल	१४३२.००	१४३२.००	१४३२.००	
३७	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.	क्वायल	९६९.००	९६९.००	९६९.००	
	1.0 mm PVC insulated Copper wire					
	1.5 mm PVC insulated Copper wire	क्वायल	११३३.००	११३३.००	११३३.००	
	2.5 mm PVC insulated Copper wire	क्वायल	१८१२.००	१८१२.००	१८१२.००	
	4.0 mm PVC insulated Copper wire	क्वायल	२६६३.००	२६६३.००	२६६३.००	
	6.0 mm PVC insulated Copper wire	क्वायल	४३०५.००	४३०५.००	४३०५.००	
	10.0mm PVC insulated Copper wire	क्वायल	६७९८.००	६७९८.००	६७९८.००	
३८	Concentric cable NS marked Eqv.	क्वायल	११३३०.००	११३३०.००	११३३०.००	
	4mm size concentric cable					
	6mm size " "	र.मी	२४.००	२४.००	२४.००	
	10mm size concentric cable	र.मी	२७.००	२७.००	२७.००	
	16mm size " "	र.मी	४०.००	४०.००	४०.००	
	25mm size " "	र.मी	७०.००	७०.००	७०.००	
	RG6 Coaxial cable	र.मी	९३.००	९३.००	९३.००	
	RG59 Coaxial cable	र.मी	२४.००	२४.००	२४.००	
	UTP cat -5 networking cable	र.मी	२७.००	२७.००	२७.००	
३९	Telephone Drop wire/pair cable NS marked Eqv.	र.मी	२७.००	२७.००	२७.००	
	² / ₂₀ Telephone drop wire					
	² / ₂₂ Telephone drop wire	क्वायल	१००८.००	१००८.००	१००८.००	
	2- pair cable wire (2×2×0.45) mm Heavy	क्वायल	६८३.००	६८३.००	६८३.००	
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	१४.००	१४.००	१४.००	
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	२०.००	२०.००	२०.००	
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	३२.००	३२.००	३२.००	
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	६३.००	६३.००	६३.००	
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	९२.००	९२.००	९२.००	
	1mm drop wire	र.मी	१२१.००	१२१.००	१२१.००	
४०	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	र.मी	१०.००	१०.००	१०.००	
	2-6 Line EPABX	सेट	७८००.००	७८००.००	७८००.००	
	3-8 Line EPABX	सेट	१८७७९.००	१८७७९.००	१८७७९.००	
	4-12 Line EPABX	सेट	२०९४८.००	२०९४८.००	२०९४८.००	
	6-16 Line EPABX	सेट	३७५५९.००	३७५५९.००	३७५५९.००	
	8-24 Line EPABX	सेट	५०५६०.००	५०५६०.००	५०५६०.००	
	8-48 Line EPABX	सेट	८६६७४.००	८६६७४.००	८६६७४.००	
	8-72 Line EPABX	सेट	९२७४९.००	९२७४९.००	९२७४९.००	
४१	Other Accessories	सेट	९९२३३.००	९९२३३.००	९९२३३.००	

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
सुदूरपश्चिम प्रदेश सरकार
जिला प्रशासन कार्यालय
काठमाडौं

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	6" size Dome light glass					
	8" size " " "	गोटा	६८.००	६८.००	६८.००	
	wall bracket glass	गोटा	७९.००	७९.००	७९.००	
	Fan regulator	गोटा	६८.००	६८.००	६८.००	
४२	Panel board -double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board excluding cost of MCCB / MCB & measuring instrument	गोटा	२८३.००	२८३.००	२८३.००	
	60/75/100 AMP, 9"x36"x48" size	सेट				
	60/75/100 AMP "12"x36"x48" size	सेट	२२३८८.००	२२३८८.००	२२३८८.००	
	60/75/100 AMP 9"x48"x60" size	सेट	२६६५२.००	२६६५२.००	२६६५२.००	
	60/75/100 AMP 12"x49"x60" size	सेट	३७३९३.००	३७३९३.००	३७३९३.००	
	150/200 AMP 9"x38"x52" size	सेट	४४४२०.००	४४४२०.००	४४४२०.००	
	150/200 AMP 12"x38"x52" size	सेट	२४८७५.००	२४८७५.००	२४८७५.००	
	150/200 AMP 9"x42"x56" size	सेट	२४८७५.००	२४८७५.००	२४८७५.००	
	150/200 AMP 12"x42"x56" size	सेट	२७७०९.००	२७७०९.००	२७७०९.००	
	250/300AMP 12"x48"x60"size	सेट	२९४६९.००	२९४६९.००	२९४६९.००	
	250/300AMP 12"x52"x62" size	सेट	३६०७५.००	३६०७५.००	३६०७५.००	
	400 AMP 12"x52"x66" size	सेट	४०३८३.००	४०३८३.००	४०३८३.००	
४३	Panel Board measurement instrument	सेट	४२९८९.००	४२९८९.००	४२९८९.००	
	0-500 volt meter					
	60/100 Amp meter .	पिस	१०६९.००	१०६९.००	१०६९.००	
	Panel Indicator	पिस	१०२३.००	१०२३.००	१०२३.००	
	2 Amp glass fuse with holder 12 mm size	पिस	२४७.००	२४७.००	२४७.००	
	AMP meter selector switch	पिस	१३९.००	१३९.००	१३९.००	
	volt meter selector switch	पिस	६७८.००	६७८.००	६७८.००	
	60/100 Amp C.T. coil per set 3 Pcs	पिस	७४३.००	७४३.००	७४३.००	
	150-200AMP C.T coil. 3 PC / Set	पिस	१४९७.००	१४९७.००	१४९७.००	
	250-300 AMP " "	गोटा	१८६२.००	१८६२.००	१८६२.००	
	400/500/600AMP " "	गोटा	२५३९.००	२५३९.००	२५३९.००	
	Kilo watt hour energy meter single phase	गोटा	३७९६.००	३७९६.००	३७९६.००	
	Kilo watt hour energy meter 3 phase direct	पिस	२३७४.००	२३७४.००	२३७४.००	
४४	Trailing Protected Industrial Plug IP44	पिस	१०६९३.००	१०६९३.००	१०६९३.००	
	16A 3P+E 400V Industrial plug			०.००	०.००	
	32 A 3p +N+E " Plug	सेट	५६५.००	५६५.००	५६५.००	
	32 A 3P+N+E water tight Plug IP67	सेट	८३९.००	८३९.००	८३९.००	
४५	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	१६९४.००	१६९४.००	१६९४.००	
४६	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	२१५३७.००	२१५३७.००	२१५३७.००	
४६	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१४५३८.००	१४५३८.००	१४५३८.००	
४७	CABLE SHOE					
	16 sq.mm cable shoe			०.००	०.००	
	25 sq.mm " "	गोटा	६७.००	६७.००	६७.००	
	35 sq.mm " "	गोटा	८६.००	८६.००	८६.००	
	50 sq.mm " "	गोटा	६७.००	६७.००	६७.००	
	70 sq.mm " "	गोटा	७८.००	७८.००	७८.००	
		गोटा	९५.००	९५.००	९५.००	



निर्माण सामाग्री को विवरण

नेपाल पावर कार्पोरेशन
सुदूर पश्चिम प्रदेश
काठमाडौं

एकाई

मु.अ.क बाहेकको दररेट

कैफियत

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	95 sq.mm " "					
	150 sq.mm " "	गोटा	१४९.००	१४९.००	१४९.००	
	195 sq.mm " "	गोटा	२२४.००	२२४.००	२२४.००	
	250 sq.mm " "	गोटा	३१९.००	३१९.००	३१९.००	
४८	Copper Conductor Armoured Power Cables NS marked or equivalent	गोटा	५०६.००	५०६.००	५०६.००	
	a) 2 Core					
	1.5 mm2					
	2.5 mm2	र.मी	१०८.००	१०८.००	१०८.००	
	4.0 mm2	र.मी	१४५.००	१४५.००	१४५.००	
	6.0 mm2	र.मी	१९९.००	१९९.००	१९९.००	
	10.0 mm2	र.मी	२५७.००	२५७.००	२५७.००	
	16.0 mm2	र.मी	३८७.००	३८७.००	३८७.००	
	25.0 mm2	र.मी	५१६.००	५१६.००	५१६.००	
	35.0 mm2	र.मी	७५३.००	७५३.००	७५३.००	
	50.0 mm2	र.मी	१००१.००	१००१.००	१००१.००	
	b) 3 Core	र.मी	१३९९.००	१३९९.००	१३९९.००	
	1.5 mm2					
	2.5 mm2	र.मी	१३४.००	१३४.००	१३४.००	
	4.0 mm2	र.मी	१८८.००	१८८.००	१८८.००	
	6.0 mm2	र.मी	२७०.००	२७०.००	२७०.००	
	10.0 mm2	र.मी	३४४.००	३४४.००	३४४.००	
	16.0 mm2	र.मी	५१६.००	५१६.००	५१६.००	
	25.0 mm2	र.मी	७२१.००	७२१.००	७२१.००	
	35.0 mm2	र.मी	१०९९.००	१०९९.००	१०९९.००	
	50.0 mm2 Copper Conductor Armoured	र.मी	१४५३.००	१४५३.००	१४५३.००	
	70.0 mm2	र.मी	१९९३.००	१९९३.००	१९९३.००	
	95.0 mm2	र.मी	२७९९.००	२७९९.००	२७९९.००	
	120.0 mm2	र.मी	३७६९.००	३७६९.००	३७६९.००	
	150.0 mm2	र.मी	४७३८.००	४७३८.००	४७३८.००	
	c) 3.5 Core	र.मी	५८१५.००	५८१५.००	५८१५.००	
	25.0 mm2					
	35.0 mm2	र.मी	१३१४.००	१३१४.००	१३१४.००	
	50.0 mm2	र.मी	१६६९.००	१६६९.००	१६६९.००	
	70.0 mm2	र.मी	२३४६.००	२३४६.००	२३४६.००	
	95.0 mm2	र.मी	३२३०.००	३२३०.००	३२३०.००	
	120.0 mm2	र.मी	४३०७.००	४३०७.००	४३०७.००	
	150.0 mm2	र.मी	५६५४.००	५६५४.००	५६५४.००	
	185.0 mm2	र.मी	६६७६.००	६६७६.००	६६७६.००	
	240.0 mm2	र.मी	८२९१.००	८२९१.००	८२९१.००	
	300.0 mm2	र.मी	१०८७६.००	१०८७६.००	१०८७६.००	
	400.0 mm2	र.मी	१३७८३.००	१३७८३.००	१३७८३.००	
	d) 4 Core	र.मी	१८०९१.००	१८०९१.००	१८०९१.००	
	1.5 mm ²					
	2.5 mm2	र.मी	१६२.००	१६२.००	१६२.००	
	4.0 mm2	र.मी	२३१.००	२३१.००	२३१.००	
	6.0 mm2	र.मी	३३३.००	३३३.००	३३३.००	
		र.मी	४३१.००	४३१.००	४३१.००	

Handwritten signatures and marks at the bottom of the page.



निर्माण सामाग्री को विवरण

नेपाल सरकार
बृहत् मन्त्रालय
विद्युत्त प्रसारण कार्यालय
काठमाडौं

एकाई

मु.अ.क बाहेकको दररेट

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	10.0 mm ²					
	16.0 mm ²	र.मी	६४६.००	६४६.००	६४६.००	
	25.0 mm ²	र.मी	९४२.००	९४२.००	९४२.००	
	35.0 mm ²	र.मी	१३९९.००	१३९९.००	१३९९.००	
	50.0 mm ²	र.मी	१८८५.००	१८८५.००	१८८५.००	
	70.0 mm ²	र.मी	२६९२.००	२६९२.००	२६९२.००	
	95.0 mm ² Copper Conductor Armoured	र.मी	३६६१.००	३६६१.००	३६६१.००	
	120.0 mm ²	र.मी	४९५३.००	४९५३.००	४९५३.००	
	150.0 mm ²	र.मी	६२४५.००	६२४५.००	६२४५.००	
	185.0 mm ²	र.मी	७७५३.००	७७५३.००	७७५३.००	
	240.0 mm ²	र.मी	९४७६.००	९४७६.००	९४७६.००	
	300.0 mm ²	र.मी	१२९२२.००	१२९२२.००	१२९२२.००	
	400.0 mm ²	र.मी	१५५०६.००	१५५०६.००	१५५०६.००	
४९	Copper Conductor Unarmoured Power Cables NS marked or equivalent	र.मी	२०९९८.००	२०९९८.००	२०९९८.००	
	a) 1-core					
	10 sq. mm.					
	16 sq. mm.	र.मी	४४.००	४४.००	४४.००	
	25 sq. mm.	र.मी	६८.००	६८.००	६८.००	
	35 sq. mm.	र.मी	७९.००	७९.००	७९.००	
	50 sq. mm.	र.मी	९४.००	९४.००	९४.००	
	70 sq. mm.	र.मी	१२६.००	१२६.००	१२६.००	
	95 sq. mm.	र.मी	१६५.००	१६५.००	१६५.००	
	120 sq. mm.	र.मी	२२३.००	२२३.००	२२३.००	
	150 sq. mm.	र.मी	२७२.००	२७२.००	२७२.००	
	b) 2-core					
	1.5 sq.mm Copper Conductor Unarmoured					
	2.5 sq.mm	र.मी	७५.००	७५.००	७५.००	
	4 sq.mm	र.मी	१०८.००	१०८.००	१०८.००	
	6 sq.mm	र.मी	१५०.००	१५०.००	१५०.००	
	10 sq.mm	र.मी	२०४.००	२०४.००	२०४.००	
	16 sq.mm	र.मी	३२३.००	३२३.००	३२३.००	
	25 sq.mm	र.मी	४४६.००	४४६.००	४४६.००	
	35 sq.mm	र.मी	६८९.००	६८९.००	६८९.००	
	50 sq.mm	र.मी	९३६.००	९३६.००	९३६.००	
	70 sq.mm	र.मी	१२९२.००	१२९२.००	१२९२.००	
	95 sq.mm	र.मी	१२९२.००	१२९२.००	१२९२.००	
	120 sq.mm	र.मी	२४२३.००	२४२३.००	२४२३.००	
	150 sq.mm	र.मी	३१७६.००	३१७६.००	३१७६.००	
	c) 3-core					
	1.5 sq.mm. 3-core copper conductor					
	2.5 sq.mm	र.मी	९६.००	९६.००	९६.००	
	4 sq.mm	र.मी	१३९.००	१३९.००	१३९.००	
	6 sq.mm	र.मी	२०४.००	२०४.००	२०४.००	
	10 sq.mm	र.मी	२९०.००	२९०.००	२९०.००	
	16 sq.mm	र.मी	४५७.००	४५७.००	४५७.००	
	25 sq.mm	र.मी	६६७.००	६६७.००	६६७.००	
		र.मी	१०२३.००	१०२३.००	१०२३.००	



निर्माण सामाग्री को विवरण

विद्युत्तिय सामाग्री कार्यालय
धोबी

एकाई

मु.अ.क बाहेकको दररेट

कैफियत

सि.नं	विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	35 sq.mm					
	50 sq.mm	र.मी	१३७८.००	१३७८.००	१३७८.००	
	70 sq.mm	र.मी	१९३८.००	१९३८.००	१९३८.००	
	95 sq.mm	र.मी	२६९२.००	२६९२.००	२६९२.००	
	120 sq.mm	र.मी	३६६९.००	३६६९.००	३६६९.००	
	150 sq.mm	र.मी	४६३०.००	४६३०.००	४६३०.००	
	d) 3.5 core	र.मी	५७०७.००	५७०७.००	५७०७.००	
	25 sq.mm					
	35 sq.mm Copper Conductor Unarmoured	र.मी	१२६०.००	१२६०.००	१२६०.००	
	50 sq.mm	र.मी	१६९४.००	१६९४.००	१६९४.००	
	70 sq.mm	र.मी	२२६९.००	२२६९.००	२२६९.००	
	95 sq.mm	र.मी	३१५०.००	३१५०.००	३१५०.००	
	120 sq.mm	र.मी	४२५४.००	४२५४.००	४२५४.००	
	150 sq.mm	र.मी	५६००.००	५६००.००	५६००.००	
	e) 4-core Copper Conductor Unarmoured	र.मी	६६२३.००	६६२३.००	६६२३.००	
	1.5 sq.mm					
	2.5 sq.mm	र.मी	११८.००	११८.००	११८.००	
	4 sq.mm	र.मी	१७७.००	१७७.००	१७७.००	
	6 sq.mm	र.मी	२६३.००	२६३.००	२६३.००	
	10 sq.mm	र.मी	३६६.००	३६६.००	३६६.००	
	16 sq.mm	र.मी	५८९.००	५८९.००	५८९.००	
	25 sq.mm	र.मी	८८३.००	८८३.००	८८३.००	
	35 sq.mm	र.मी	१३७८.००	१३७८.००	१३७८.००	
	50 sq.mm	र.मी	१८५२.००	१८५२.००	१८५२.००	
	70 sq.mm	र.मी	२५८४.००	२५८४.००	२५८४.००	
	95 sq.mm	र.मी	३६०८.००	३६०८.००	३६०८.००	
	120 sq.mm	र.मी	४९००.००	४९००.००	४९००.००	
	150 sq.mm	र.मी	६१९२.००	६१९२.००	६१९२.००	
	185 sq.mm	र.मी	७७००.००	७७००.००	७७००.००	
	240 Sq. mm	र.मी	९४७६.००	९४७६.००	९४७६.००	
	300 Sq. mm	र.मी	१२८१५.००	१२८१५.००	१२८१५.००	
	400 Sq. mm	र.मी	१५५०६.००	१५५०६.००	१५५०६.००	
५०	Aluminum conductor Armoured (Power) cable NS marked or eqv.	र.मी	२०९९८.००	२०९९८.००	२०९९८.००	
	a) 2-core					
	1.5 sq.mm					
	2.5 sq.mm	र.मी				
	4 sq.mm	र.मी	९६.००	९६.००	९६.००	
	6 sq.mm	र.मी	१२३.००	१२३.००	१२३.००	
	10 sq.mm	र.मी	१३९.००	१३९.००	१३९.००	
	16 sq.mm	र.मी	१६७.००	१६७.००	१६७.००	
	25 sq.mm	र.मी	१८८.००	१८८.००	१८८.००	
	35 sq.mm	र.मी	२२६.००	२२६.००	२२६.००	
	50 sq.mm	र.मी	२५७.००	२५७.००	२५७.००	
	70 sq.mm	र.मी	३३३.००	३३३.००	३३३.००	
	95 sq.mm	र.मी	४१४.००	४१४.००	४१४.००	
	b) 3-core	र.मी	५२८.००	५२८.००	५२८.००	

Handwritten signatures and marks at the bottom of the page.



निरमा सामाग्री को विवरण

मु.अ.क बाहेकको दररेट

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	2.5 sq.mm. Aluminum conductor Armoured					
	4 sq.mm	र.मी	११३.००	११३.००	११३.००	
	6 sq.mm	र.मी	१३९.००	१३९.००	१३९.००	
	10 sq.mm	र.मी	१५५.००	१५५.००	१५५.००	
	16 sq.mm	र.मी	१८८.००	१८८.००	१८८.००	
	25 sq.mm Aluminum conductor Armoured	र.मी	२१५.००	२१५.००	२१५.००	
	35 sq.mm	र.मी	२९०.००	२९०.००	२९०.००	
	50 sq.mm	र.मी	३५०.००	३५०.००	३५०.००	
	70 sq.mm	र.मी	४४६.००	४४६.००	४४६.००	
	95 sq.mm	र.मी	५६५.००	५६५.००	५६५.००	
	120 sq.mm	र.मी	५९६.००	५९६.००	५९६.००	
	150 sq.mm	र.मी	८७१.००	८७१.००	८७१.००	
	185 sq.mm	र.मी	१०५०.००	१०५०.००	१०५०.००	
	240 sq.mm	र.मी	१२९२.००	१२९२.००	१२९२.००	
	300 sq.mm	र.मी	१५८३.००	१५८३.००	१५८३.००	
	400 sq.mm	र.मी	१९३८.००	१९३८.००	१९३८.००	
	c) 3.5 core	र.मी	२४२३.००	२४२३.००	२४२३.००	
	25 sq.mm.					
	35 sq.mm	र.मी	३३३.००	३३३.००	३३३.००	
	50 sq.mm	र.मी	३८७.००	३८७.००	३८७.००	
	70 sq.mm	र.मी	५१०.००	५१०.००	५१०.००	
	95 sq.mm	र.मी	६५६.००	६५६.००	६५६.००	
	120 sq.mm Aluminum conductor Armoured	र.मी	८३९.००	८३९.००	८३९.००	
	150 sq.mm	र.मी	१०२३.००	१०२३.००	१०२३.००	
	185 sq.mm	र.मी	१२२७.००	१२२७.००	१२२७.००	
	240 sq.mm	र.मी	१४८५.००	१४८५.००	१४८५.००	
	300 sq.mm	र.मी	१८५२.००	१८५२.००	१८५२.००	
	400 sq.mm	र.मी	२३१५.००	२३१५.००	२३१५.००	
	d) 4-core	र.मी	२९०७.००	२९०७.००	२९०७.००	
	2.5 sq.mm					
	4 sq.mm	र.मी	१२९.००	१२९.००	१२९.००	
	6 sq.mm	र.मी	१६२.००	१६२.००	१६२.००	
	10 sq.mm	र.मी	१८८.००	१८८.००	१८८.००	
	16 sq.mm	र.मी	२०४.००	२०४.००	२०४.००	
	25 sq.mm	र.मी	२६३.००	२६३.००	२६३.००	
	35 sq.mm	र.मी	३५५.००	३५५.००	३५५.००	
	50 sq.mm	र.मी	४२०.००	४२०.००	४२०.००	
	70 sq.mm	र.मी	५७२.००	५७२.००	५७२.००	
	95 sq.mm	र.मी	७३२.००	७३२.००	७३२.००	
	120 sq.mm	र.मी	९४२.००	९४२.००	९४२.००	
	150 sq.mm	र.मी	११३१.००	११३१.००	११३१.००	
	185 sq.mm	र.मी	१४३२.००	१४३२.००	१४३२.००	
	240sq.mm	र.मी	१७००.००	१७००.००	१७००.००	
	300 sq.mm Aluminum conductor Armoured	र.मी	२१३१.००	२१३१.००	२१३१.००	
	400sq.mm	र.मी	२६३८.००	२६३८.००	२६३८.००	
५१	Aluminium conductor unarmoured (power) cable NS marked or eqv.	र.मी	३३३७.००	३३३७.००	३३३७.००	

Handwritten signatures and marks at the bottom of the page.

नेपाल सरकार
बृहत् मन्त्रालय
वित्त प्रशासन कार्यालय
धादिङ

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	a) 1-core					
	16 sq.mm	र.मी	५४.००	५४.००	५४.००	
	25 sq.mm	र.मी	७५.००	७५.००	७५.००	
	35 sq.mm	र.मी	९९.००	९९.००	९९.००	
	50 sq.mm	र.मी	११८.००	११८.००	११८.००	
	70 sq.mm	र.मी	१५०.००	१५०.००	१५०.००	
	95 sq.mm	र.मी	२०४.००	२०४.००	२०४.००	
	120 sq.mm	र.मी	२४७.००	२४७.००	२४७.००	
	150 sq.mm	र.मी	४०८.००	४०८.००	४०८.००	
	185 sq.mm	र.मी	३७७.००	३७७.००	३७७.००	
	240 sq.mm	र.मी	४६२.००	४६२.००	४६२.००	
	300 sq.mm	र.मी	५६०.००	५६०.००	५६०.००	
	b) 2-core Aluminium conductor unarmoured					
	2.5 sq.mm	र.मी	५४.००	५४.००	५४.००	
	4 sq.mm	र.मी	६५.००	६५.००	६५.००	
	6 sq.mm	र.मी	८०.००	८०.००	८०.००	
	10 sq.mm	र.मी	१०९.००	१०९.००	१०९.००	
	16 sq.mm	र.मी	१०८.००	१०८.००	१०८.००	
	25 sq.mm	र.मी	१५०.००	१५०.००	१५०.००	
	35 sq.mm	र.मी	१९३.००	१९३.००	१९३.००	
	50 sq.mm	र.मी	२४७.००	२४७.००	२४७.००	
	70 sq.mm	र.मी	३१२.००	३१२.००	३१२.००	
	95 sq.mm 2 core	र.मी	४२०.००	४२०.००	४२०.००	
	c) 3-core					
	2.5 sq.mm	र.मी	६५.००	६५.००	६५.००	
	4 sq.mm	र.मी	७५.००	७५.००	७५.००	
	6 sq.mm	र.मी	९९.००	९९.००	९९.००	
	10 sq.mm	र.मी	१२९.००	१२९.००	१२९.००	
	16 sq.mm	र.मी	१५०.००	१५०.००	१५०.००	
	25 sq.mm	र.मी	२१५.००	२१५.००	२१५.००	
	35 sq.mm	र.मी	२७०.००	२७०.००	२७०.००	
	50 sq.mm	र.मी	३५५.००	३५५.००	३५५.००	
	70 sq.mm	र.मी	४७४.००	४७४.००	४७४.००	
	95 sq.mm	र.मी	६२३.००	६२३.००	६२३.००	
	120 sq.mm	र.मी	७७५.००	७७५.००	७७५.००	
	150 sq.mm	र.मी	९२६.००	९२६.००	९२६.००	
	185 sq.mm	र.मी	११६२.००	११६२.००	११६२.००	
	240 sq.mm	र.मी	१४४२.००	१४४२.००	१४४२.००	
	300 sq.mm Aluminium conductor unarmoured	र.मी	१८३९.००	१८३९.००	१८३९.००	
	d) 3.5-core					
	25 sq.mm	र.मी	२७०.००	२७०.००	२७०.००	
	35 sq.mm	र.मी	३२३.००	३२३.००	३२३.००	
	50 sq.mm	र.मी	४३९.००	४३९.००	४३९.००	
	70 sq.mm	र.मी	५९२.००	५९२.००	५९२.००	
	95 sq.mm	र.मी	७७५.००	७७५.००	७७५.००	
	120 sq.mm	र.मी	९६९.००	९६९.००	९६९.००	




सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	150 sq.mm	र.मी	११६२.००	११६२.००	११६२.००	
	185 sq.mm	र.मी	१४५३.००	१४५३.००	१४५३.००	
	240 sq.mm	र.मी	१८३१.००	१८३१.००	१८३१.००	
	300 sq.mm	र.मी	२२६१.००	२२६१.००	२२६१.००	
	e) 4-core core aluminium unarmoured					
	2.5 sq.mm	र.मी	७५.००	७५.००	७५.००	
	4 sq.mm	र.मी	८५.००	८५.००	८५.००	
	6 sq.mm	र.मी	१०१.००	१०१.००	१०१.००	
	10 sq.mm	र.मी	१३९.००	१३९.००	१३९.००	
	16 sq.mm	र.मी	२०४.००	२०४.००	२०४.००	
	25 sq.mm	र.मी	३००.००	३००.००	३००.००	
	35 sq.mm	र.मी	३६६.००	३६६.००	३६६.००	
	50 sq.mm	र.मी	५०५.००	५०५.००	५०५.००	
	70 sq.mm 4	र.मी	६६७.००	६६७.००	६६७.००	
	95 sq.mm	र.मी	८८३.००	८८३.००	८८३.००	
	120 sq.mm	र.मी	१०७६.००	१०७६.००	१०७६.००	
	150 sq.mm	र.मी	१३४६.००	१३४६.००	१३४६.००	
	185 sq.mm	र.मी	१६६९.००	१६६९.००	१६६९.००	
	240 sq.mm	र.मी	२१००.००	२१००.००	२१००.००	
	300 sq.mm	र.मी	२५८४.००	२५८४.००	२५८४.००	
५२	General Lightig ANCHOR, C/G, Eqv.					
	1 x 40 W FTL Patti fitting	सेट	२५७.००	२५७.००	२५७.००	
	1 x 20 W FTL Patti fitting	सेट	२३६.००	२३६.००	२३६.००	
	1 x 40 W FTL Box Fitting	सेट	४३५.००	४३५.००	४३५.००	
	1 x 20 W FTL Box fitting	सेट	४२५.००	४२५.००	४२५.००	
	9/11W Mini mirror light with electronic Blast	सेट	३६२.००	३६२.००	३६२.००	
	suitable for PL lamp					
५३	GEWISS /BEC PVC Conduit product of Italy					
	RK Range					
	16 mm medium rigid conduit DX 25 316	र.मी	९९.००	९९.००	९९.००	
	20 mm medium rigid conduit DX 25 320	र.मी	१२९.००	१२९.००	१२९.००	
	25 mm medium rigid conduit DX 25 325	र.मी	१८२.००	१८२.००	१८२.००	
	32 mm medium rigid conduit DX 25 332	र.मी	२६३.००	२६३.००	२६३.००	
	40 mm medium rigid conduit DX 25 340	र.मी	३६०.००	३६०.००	३६०.००	
	50 mm medium rigid conduit DX 25 350	र.मी	५५४.००	५५४.००	५५४.००	
	63 mm medium rigid conduit DX 25 363	र.मी	१०४३.००	१०४३.००	१०४३.००	
	16 mm heavy rigid conduit DX 25 716	र.मी	१७२.००	१७२.००	१७२.००	
	20 mm heavy rigid conduit DX 25 720	र.मी	२२६.००	२२६.००	२२६.००	
	25 mm heavy rigid conduit DX 25 725	र.मी	३००.००	३००.००	३००.००	
	32 mm heavy rigid conduit DX 25 732	र.मी	४५२.००	४५२.००	४५२.००	
	40 mm heavy rigid conduit DX 25 740	र.मी	६१३.००	६१३.००	६१३.००	
	50 mm heavy rigid conduit DX 25 750	र.मी	८२८.००	८२८.००	८२८.००	
	63 mm heavy rigid conduit DX 25 763	र.मी	१५५५.००	१५५५.००	१५५५.००	
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	र.मी	२०४.००	२०४.००	२०४.००	
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	र.मी	२५७.००	२५७.००	२५७.००	
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	र.मी	३९३.००	३९३.००	३९३.००	



नेपाल मुद्राकार
गृह मन्त्रालय
वित्तिय प्रशासन कार्यालय
काठमाडौं

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	र.मी	६५१.००	६५१.००	६५१.००	
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	र.मी	७८०.००	७८०.००	७८०.००	
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	र.मी	१००७.००	१००७.००	१००७.००	
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	र.मी	१२५५.००	१२५५.००	१२५५.००	
	16 mm shockproof polymer saddle collar clip GW 50 605	र.मी	३२.००	३२.००	३२.००	
	20 mm shockproof polymer saddle collar clip GW 50 606	र.मी	३७.००	३७.००	३७.००	
	25 mm shockproof polymer saddle collar clip GW 50 607	र.मी	४२.००	४२.००	४२.००	
	32 mm shockproof polymer saddle collar clip GW 50 608	र.मी	६५.००	६५.००	६५.००	
	40 mm shockproof polymer saddle collar clip GW 50 630	र.मी	१०१.००	१०१.००	१०१.००	
	50 mm shockproof polymer saddle collar clip GW 50 631	र.मी	१२३.००	१२३.००	१२३.००	
	16 mm conduit coupler DX 40 016	र.मी	३७.००	३७.००	३७.००	
	20 mm conduit coupler DX 40 020	र.मी	४७.००	४७.००	४७.००	
	25 mm conduit coupler DX 40 025	र.मी	५९.००	५९.००	५९.००	
	32 mm conduit coupler DX 40 032	र.मी	१०८.००	१०८.००	१०८.००	
	40 mm conduit coupler DX 40 040	र.मी	१४५.००	१४५.००	१४५.००	
	50 mm conduit coupler DX 40 050	र.मी	२५२.००	२५२.००	२५२.००	
	63 mm conduit coupler DX 40 063	र.मी	४७९.००	४७९.००	४७९.००	
	16 mm tight bend DX 40 116	र.मी	५९.००	५९.००	५९.००	
	20 mm tight bend DX 40 120	र.मी	८५.००	८५.००	८५.००	
	25 mm tight bend DX 40 125	र.मी	१३४.००	१३४.००	१३४.००	
	32 mm tight bend DX 40 132	र.मी	२४७.००	२४७.००	२४७.००	
	40 mm tight bend DX 40 140	र.मी	३५०.००	३५०.००	३५०.००	
	50 mm tight bend DX 40 150	र.मी	६३०.००	६३०.००	६३०.००	
	63 mm tight bend DX 40 163	र.मी	२४६६.००	२४६६.००	२४६६.००	
	4 way junction box DX 45 004	र.मी	७००.००	७००.००	७००.००	
	7 way junction box DX 45 007	र.मी	८३९.००	८३९.००	८३९.००	
	10 way junction box DX 45 010	र.मी	१०६६.००	१०६६.००	१०६६.००	
	Closing cap for junction box DX 47 000	र.मी	१२३.००	१२३.००	१२३.००	
	16 mm inspectionable T bend DX 40216	र.मी	१२३.००	१२३.००	१२३.००	
	20 mm inspectionable T bend DX 40220	र.मी	१५५.००	१५५.००	१५५.००	
	25 mm inspectionable T bend DX 40225	र.मी	२०४.००	२०४.००	२०४.००	
	32 mm inspectionable T bend DX 40232	र.मी	२४७.००	२४७.००	२४७.००	
	16 mm inspectionable bend DX 40 316	र.मी	१०१.००	१०१.००	१०१.००	
	20 mm inspectionable bend DX 40 320	र.मी	१२३.००	१२३.००	१२३.००	
	25 mm inspectionable bend DX 40 325	र.मी	१६२.००	१६२.००	१६२.००	
	32 mm inspectionable bend DX 40 332	र.मी	१९३.००	१९३.००	१९३.००	
५४	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range					
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	र.मी	८५६.००	८५६.००	८५६.००	
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	र.मी	१०१७.००	१०१७.००	१०१७.००	
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	र.मी	१२२७.००	१२२७.००	१२२७.००	
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	र.मी	१३७८.००	१३७८.००	१३७८.००	
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	र.मी	१६०९.००	१६०९.००	१६०९.००	
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	र.मी	१७८८.००	१७८८.००	१७८८.००	
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	र.मी	२२३३.००	२२३३.००	२२३३.००	
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	र.मी	२६२७.००	२६२७.००	२६२७.००	
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	र.मी	३२३०.००	३२३०.००	३२३०.००	

Handwritten signatures and marks at the bottom of the page.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	र.मी	३४३०.००	३४३०.००	३४३०.००	
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	र.मी	१०२८.००	१०२८.००	१०२८.००	
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	र.मी	१२३२.००	१२३२.००	१२३२.००	
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	र.मी	१३५६.००	१३५६.००	१३५६.००	
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	र.मी	१५३४.००	१५३४.००	१५३४.००	
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	र.मी	१७३८.००	१७३८.००	१७३८.००	
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	र.मी	१९४३.००	१९४३.००	१९४३.००	
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	र.मी	२३७९.००	२३७९.००	२३७९.००	
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	र.मी	२७७८.००	२७७८.००	२७७८.००	
	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	र.मी	३६९३.००	३६९३.००	३६९३.००	
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	र.मी	३९९९.००	३९९९.००	३९९९.००	
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	र.मी	४७९२.००	४७९२.००	४७९२.००	
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	र.मी	१३७२.००	१३७२.००	१३७२.००	
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	र.मी	२२९८.००	२२९८.००	२२९८.००	
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	र.मी	२९०७.००	२९०७.००	२९०७.००	
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	र.मी	४०२७.००	४०२७.००	४०२७.००	
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	र.मी	५०५५.००	५०५५.००	५०५५.००	
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	र.मी	५६९६.००	५६९६.००	५६९६.००	
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	र.मी	१५६९.००	१५६९.००	१५६९.००	
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	र.मी	२३७४.००	२३७४.००	२३७४.००	
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	र.मी	३०१५.००	३०१५.००	३०१५.००	
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	र.मी	४३४०.००	४३४०.००	४३४०.००	
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	र.मी	५२४४.००	५२४४.००	५२४४.००	
५५	Intrusion Detection System Make Honeywell or equivalent					
	Main Controller-CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP	सेट	४०६९९.००	४०६९९.००	४०६९९.००	
	Smoke & Heat Detector-Wireless Smoke and Head Detector	सेट	११०२४.००	११०२४.००	११०२४.००	
	Door Contact-Wireless Door Contact with transmitter	सेट	२७९९.००	२७९९.००	२७९९.००	
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	४३६८.००	४३६८.००	४३६८.००	
	Panic Switch-Wireless Panic Transmitter	सेट	५१४४.००	५१४४.००	५१४४.००	
	Key -Wireless Key to Arm and Disarm the System	सेट	४९९७.००	४९९७.००	४९९७.००	
	Window Contact- Wired door Contact with transmitter slim	सेट	२९४०.००	२९४०.००	२९४०.००	
	Earth Quake Detector(JDS Inc, USA)-Quake Alarm	पिस	३७६५.००	३७६५.००	३७६५.००	
५६	Automatic Motor Operator for water motor					
	Upto 1/2 HP single phase motor	सेट	४३०७.००	४४१५.००	४५२५.००	
	Upto 1 HP single phase motor	सेट	५९२२.००	६०७०.००	६२२२.००	
	Upto 5 HP three phase motor	सेट	९६९९.००	९९३३.००	१०१८९.००	
५७	Earthing Materials (ISI or other International Standard)					
	6 mm thick 600mm× 600 mm G.I. Plate	गोटा	२९५७.००	२९५७.००	२९५७.००	
	Funneling Mechanism with cover (mild steel)	सेट	६४६.००	६४६.००	६४६.००	
	3.2 mm thick 600mm× 600 mm Copper Plate	गोटा	९९५०.००	९९५०.००	९९५०.००	
	Copper wire (10 SWG)	र.मी.	१६२.००	१६२.००	१६२.००	
	Service wire (Al)					
	2.5 mm ²	र.मी.	१८.००	१८.००	१८.००	
	4.0 mm ²	र.मी.	२३.००	२३.००	२३.००	
	6.0 mm ²	र.मी.	२९.००	२९.००	२९.००	

40/10/14

[Handwritten signatures]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
५८	Lightening Arrestor for 3 Phase .					
	0.5 KV	सेट	१२९२.००	१२९२.००	१२९२.००	
	11 KV	सेट	४५२२.००	४५२२.००	४५२२.००	
	Cross Arms V Channel.	गोटा	३२३०.००	३२३०.००	३२३०.००	
	Stay set with accessories.					
	GI wire	गोटा	१२३५.००	१२३५.००	१२३५.००	
	GI Plate	गोटा	१२३८.००	१२३८.००	१२३८.००	
	Gay Insulator.	गोटा	५८.००	५८.००	५८.००	
	Elbow	गोटा	१०८.००	१०८.००	१०८.००	
	Rod , Nut	गोटा	४६४.००	४६४.००	४६४.००	
	Grip	गोटा	५०.००	५०.००	५०.००	
५९	Overhead Insulators (0.4KV)	गोटा				
	Sackle Insulator	गोटा	३२.००	३२.००	३२.००	
	D-Iron	गोटा	९६.००	९६.००	९६.००	
	Nut Bolt (3" with 8 mm Ø)	गोटा	१५.००	१५.००	१५.००	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	२४.००	२४.००	२४.००	
६०	Overhead Insulators with fixing accessories (11KV)					
	Pin Insulator	गोटा	१९३.००	१९३.००	१९३.००	
	Disc Insulator	गोटा	१०३३.००	१०३३.००	१०३३.००	
	Cross Arms V Channel.	गोटा	२८४२.००	२८४२.००	२८४२.००	
	Sqarrel ACSR conductor 20mm ²	र.मी.	१७.००	१७.००	१७.००	
	weasel ACSR conductor 30 mm ²	र.मी.	३९.००	३९.००	३९.००	
	Rabbit ACSR conductor 50 mm ²	र.मी.	६०.००	६०.००	६०.००	
	Dog ACSR conductor 100 mm ²	र.मी.	११५.००	११५.००	११५.००	
६१	Supply of aluminium ABC cable					
	25mm square 4 core ABC cable	र.मी.	१६२.००	१६२.००	१६२.००	
	50 mm square 4 core ABC cable	र.मी.	२७०.००	२७०.००	२७०.००	
	95 mm square 4 core ABC cable	र.मी.	५२८.००	५२८.००	५२८.००	
६२	Alternator 3 Phase Brush less with compounded Excitation.					
	AMF with ATS palel for DG Ankur metal or Equivalent					
	5KVA AMF with ATS palel	सेट	२३६९१.००	२३६९१.००	२३६९१.००	
	7.5KVA AMF with ATS palel	सेट	३०१५१.००	३०१५१.००	३०१५१.००	
६३	10KVA AMF with ATS palel	सेट	३७६९०.००	३७६९०.००	३७६९०.००	
	15KVA AMF with ATS palel	सेट	४८४५९.००	४८४५९.००	४८४५९.००	
	20KVA AMF with ATS palel	सेट	६९९९६.००	६९९९६.००	६९९९६.००	
	25KVA AMF with ATS palel	सेट	८०७६५.००	८०७६५.००	८०७६५.००	
	30KVA AMF with ATS palel	सेट	९६९१८.००	९६९१८.००	९६९१८.००	
६४	MCB/ISOLATOR ORIENT or equivalent					
	B CURVE MCB SP 6A-32A	पोल	२४९.००	२४९.००	२४९.००	
	B CURVE MCB SP 40A	पोल	२९३.००	२९३.००	२९३.००	
	B CURVE MCB SP 50A-63A	पोल	२९३.००	२९३.००	२९३.००	
	C CURVE MCB SP 0.5-4A	पोल	२९३.००	२९३.००	२९३.००	
	C CURVE MCB SP 6-32A	पोल	२४९.००	२४९.००	२४९.००	
	C CURVE MCB SP 40A	पोल	४६५.००	४६५.००	४६५.००	
	C CURVE MCB SP 50-63A	पोल	४६५.००	४६५.००	४६५.००	
	C CURVE MCB SPN 0.5-4A	पोल	५००.००	५००.००	५००.००	
	C CURVE MCB SPN 6-32A	पोल	५३६.००	५३६.००	५३६.००	
	C CURVE MCB SPN 40A	पोल	५८६.००	५८६.००	५८६.००	
	C CURVE MCB SPN 50-63A	पोल	५८६.००	५८६.००	५८६.००	



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	C CURVE MCB DP 0.5-4A	पोल	६४५.००	६४५.००	६४५.००	
	C CURVE MCB DP 6-32A	पोल	५८९.००	५८९.००	५८९.००	
	C CURVE MCB DP 40A	पोल	६४५.००	६४५.००	६४५.००	
	C CURVE MCB DP 50-63A	पोल	६४५.००	६४५.००	६४५.००	
	C CURVE MCB TP 0.5-4A	पोल	९६७.००	९६७.००	९६७.००	
	C CURVE MCB TP 6-32A	पोल	८८५.००	८८५.००	८८५.००	
	C CURVE MCB TP 40A	पोल	९६७.००	९६७.००	९६७.००	
	C CURVE MCB TP 50-63A	पोल	९६७.००	९६७.००	९६७.००	
	C CURVE MCB TPN 0.5-4A	पोल	१२६१.००	१२६१.००	१२६१.००	
	C CURVE MCB TPN 6-32A	पोल	११५३.००	११५३.००	११५३.००	
	C CURVE MCB TPN 40A	पोल	१२६१.००	१२६१.००	१२६१.००	
	C CURVE MCB TPN 50-63A	पोल	१२६१.००	१२६१.००	१२६१.००	
	C CURVE MCB FP 0.5-4A	पोल	१३४८.००	१३४८.००	१३४८.००	
	C CURVE MCB FP 6-32A	पोल	१२३३.००	१२३३.००	१२३३.००	
	C CURVE MCB FP 40A	पोल	१३४८.००	१३४८.००	१३४८.००	
	C CURVE MCB FP 50-63A	पोल	१३४८.००	१३४८.००	१३४८.००	
	ISOLATOR DP 40A	पोल	५७६.००	५७६.००	५७६.००	
	ISOLATOR DP 63A	पोल	५७६.००	५७६.००	५७६.००	
	ISOLATOR DP 80-100A	पोल	६०२.००	६०२.००	६०२.००	
	ISOLATOR DP 125A	पोल	६३९.००	६३९.००	६३९.००	
	ISOLATOR FP 40A	पोल	९४३.००	९४३.००	९४३.००	
	ISOLATOR FP 63A	पोल	९४३.००	९४३.००	९४३.००	
	ISOLATOR FP 80-100A	पोल	१०४२.००	१०४२.००	१०४२.००	
	ISOLATOR FP 125A	पोल	१०४२.००	१०४२.००	१०४२.००	
	RCCB DP 25A 30mA	पोल	३७०७.००	३७०७.००	३७०७.००	
	RCCB DP 40A 30mA	पोल	३७०७.००	३७०७.००	३७०७.००	
	RCCB DP 63A 30mA	पोल	३७०७.००	३७०७.००	३७०७.००	
	RCCB DP 25A 100mA	पोल	३४९६.००	३४९६.००	३४९६.००	
	RCCB DP 40A 100mA	पोल	३४९६.००	३४९६.००	३४९६.००	
	RCCB DP 63A 100mA	पोल	३४९६.००	३४९६.००	३४९६.००	
	RCCB DP 25A 300mA	पोल	३४९६.००	३४९६.००	३४९६.००	
	RCCB DP 40A 300mA	पोल	३४९६.००	३४९६.००	३४९६.००	
	RCCB DP 63A 300mA	पोल	३४९६.००	३४९६.००	३४९६.००	
	RCCB FP 25A 30mA	पोल	४३४४.००	४३४४.००	४३४४.००	
	RCCB FP 40A 30mA	पोल	४३४४.००	४३४४.००	४३४४.००	
	RCCB FP 63A 30mA	पोल	४३४४.००	४३४४.००	४३४४.००	
	RCCB FP 25A 100mA	पोल	४१८६.००	४१८६.००	४१८६.००	
	RCCB FP 40A 100mA	पोल	४१८६.००	४१८६.००	४१८६.००	
	RCCB FP 63A 100mA	पोल	४१८६.००	४१८६.००	४१८६.००	
	RCCB FP 25A 300mA	पोल	४१८६.००	४१८६.००	४१८६.००	
	RCCB FP 40A 300mA	पोल	४१८६.००	४१८६.००	४१८६.००	
	RCCB FP 63A 300mA	पोल	४१८६.००	४१८६.००	४१८६.००	
६५	LED AC Street Light (संसोधित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) LED AC Street Light 24W With Auto on Off Switch and dimming option Including all accessories and excludig installation	गोटा	७०००.००	७०००.००	७०००.००	

Handwritten signatures and marks at the bottom of the page.

निर्माण सामग्री को विवरण
प्रशासन कार्यालय
मुक्ति

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	LED AC Street light SOW with auto on-off switch and auto dimming option including all accessories and excluding, installation	गोटा	१०००.००	१०००.००	१०००.००	
	LED AC Street light 100 W with auto on-off switch and auto dimming option Including all Accessories and Excluding installation	गोटा	१६०००.००	१६०००.००	१६०००.००	
	smartbright LED street light Up-to 70% energy saving, Polycarbonate cover with high impact resistance, Robust PDC housing LM6 alloy with IP66 protection, Long life of as compared to MH/SON streetlights, System power consumption / Light output 50W/5500lm, 1 to 1 replacement for 1x150W SON streetlights					
	15W	गोटा	४०००.००	४०००.००	४०००.००	
	25W	गोटा	१०१००.००	१०१००.००	१०१००.००	
	35W	गोटा	१२१००.००	१२१००.००	१२१००.००	
	70W	गोटा	२१५००.००	२१५००.००	२१५००.००	
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा	३७००.००	३७००.००	३७००.००	
	30W 3000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा	४५५०.००	४५५०.००	४५५०.००	
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा	५३५०.००	५३५०.००	५३५०.००	
	50W 5000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा	६८५०.००	६८५०.००	६८५०.००	
	100W 10000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा	९३००.००	९३००.००	९३००.००	
	LED BULBS (सन्वन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)					
	LED Bulb(Wh,R,BI,Or, G,Y) 0.5 W B22	गोटा	६३.००	६३.००	६३.००	
	LED Bulb 3W B22/E27 2700K/6500K	गोटा	१२४.००	१२४.००	१२४.००	
	LED Bulb 5W B22/E27 2700K/6500K	गोटा	१३९.००	१३९.००	१३९.००	
	LED Bulb 8.3W B22/E27 2700K/6500K	गोटा	१८३.००	१८३.००	१८३.००	
	LED Bulb 9W B22/E27 2700K/6500K	गोटा	१८३.००	१८३.००	१८३.००	
	LED Bulb 11W B22/E27 2700K/6500K	गोटा	२७०.००	२७०.००	२७०.००	
	LED Bulb 14W B22/E27 2700K/6500K	गोटा	३४२.००	३४२.००	३४२.००	
	High Power LED 20W E27 2700K/6500K	गोटा	५२२.००	५२२.००	५२२.००	
	High Power LED 28W E27 2700K/6500K	गोटा	७८३.००	७८३.००	७८३.००	
	High Power LED 40W E27 2700K/6500K	गोटा	१००७.००	१००७.००	१००७.००	
	High Power LED 50W E27 2700K/6500K	गोटा	१२६२.००	१२६२.००	१२६२.००	
	1W 301m AC 90-300v,50/60Hz 270° Beam angle,IP44 B22 white/ yellow/ Red/ Blue/ Green/ Orange/Pink LED Bulb	गोटा	८५.००	८५.००	८५.००	
	3W/SW/7W/9W @100lm/watt with 220° Beam Angle 3000K-6500K, IP44 B22/E27 Aluminium+ ThermoPlastic LED Bulb	गोटा	२४०.००	२४०.००	२४०.००	
	12W/15W/18W/20W @100lm/watt with 220° Beam Angle 3000K- 6500K, IP44 B22/E27Aluminium+ ThermoPlastic LED Bulb	गोटा	७८५.००	७८५.००	७८५.००	
	25W/35W/40W @120lm/Watt with 180° Beam Angle 3000k-6500k,IP44 B22/E27 Aluminium+Thermoplastic+Polycarbonate LED Bulb	गोटा	५५७५.००	५५७५.००	५५७५.००	
	40W/60W @95lm/Watt with 120° beam angle E27 6500k eco friendly,long life span 50,000 hrs Aluminium+thermoplastic LED High Bulb	गोटा	७७००.००	७७००.००	७७००.००	
	3W/SW @100lm/watt dimmable with 220° Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा	४५५.००	४५५.००	४५५.००	
६६	LED BULKHEAD					
	9W/15W IP65 With Milky glass diffuser Die-cast Aluminum Powder coated 3000k-6500k eco friendly LED Bulkhead	गोटा	२८५०.००	२८५०.००	२८५०.००	
	EnduralLED Bulkhead luminaire is a sustainable and reliable offering for indoor or semi-outdoor public area with IP66 ingress protection. The product offers two lumen packs with two different CCT's and suitable for verstatille applications such as staircases, industrial areas, circulation areas, lift wells etc. Pressure die cast housing and high impact resistance polycarbonate cover make this bulkhead maintenance free solution for heavy duty industries. High ingress protection-IP66, Impact resistant- IK09, Color temperature - 4000K / 6500K and Lumen packs - 700 lm /1100 lm, Pressure diecast housing with robust polycarbonate cover, Long lifetime: 50000 Hrs.					
	6W	गोटा	४०९०.००	४०९०.००	४०९०.००	



सुद मन्त्रालय
कृषि प्रसारण कार्यलय
धरिडि

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	10W	गोटा				
६७	Wall LIGHT		५५००.००	५५००.००	५५००.००	
	UNO Wall light	गोटा	१०६०.००	१०६०.००	१०६०.००	
	Nova Wall Light	गोटा	१३१०.००	१३१०.००	१३१०.००	
	COMET wall Light	गोटा	१३१०.००	१३१०.००	१३१०.००	
	OMEGA wall light	गोटा	१६७०.००	१६७०.००	१६७०.००	
६८	LED STEP/FOOT LIGHT					
	5W IP65 Moisture proof pressure Die-cast Aluminium 3000k-6500k eco friendly LED step/Foot Light	गोटा	१५००.००	१५००.००	१५००.००	
६९	FOOT LIGHT/STEP LIGHT					
	LED step/foot light with long life LED driver No harmful UV/IR radiation, Durable aluminium housing, with IP20/P44 protection from dust and water, 3000k/6500k					
	2W Step/Foot light Indoor	गोटा	२२००.००	२२००.००	२२००.००	
	3W Step/Foot light Indoor	गोटा	२८५०.००	२८५०.००	२८५०.००	
	2W Step/Foot light Outdoor	गोटा	२४२०.००	२४२०.००	२४२०.००	
	3W Step/Foot light Outdoor	गोटा	३२२५.००	३२२५.००	३२२५.००	
७०	LED STRIP LIGHT					
	24W/36W IP20/IP6S/IP67 Waterproof WW/CW/R/G/B, 60 LED/Meter 12v, 2A long life, Eco-friendly, Energy saving LED strip light	गोटा	५७०.००	५७०.००	५७०.००	
	Power adaptor 2N/5A	गोटा	२१००.००	२१००.००	२१००.००	
७१	STRIP/COVE/ROPE LIGHT					
	LED cove lighting with 6W/mtr with high efficient led chips, warm white(3000k/natural white(4000k Cool day light(6500k) for wider options, with good colour rendering(CRI-80).No harmful UV/R radiation,					
	24W/28W LED strip light(SMtr roll) 1P20	र.मी	५३८.००	५३८.००	५३८.००	
	2A LED driver for strip light	गोटा	१२७५.००	१२७५.००	१२७५.००	
	Marathon Rope light IP 66 400lm/watt LED Rope light	र.मी	४८०.००	४८०.००	४८०.००	
	IP 66 driver for marathon rope light.	गोटा	६७५.००	६७५.००	६७५.००	
७२	GARDEN SPIKE LIGHT					
	Anthracite COB garden spike light with Aluminium Housing Outdoor Ambient Lighting. omnidirectional protection from dust and water IP65					
	7w	गोटा	३७९०.००	३७९०.००	३७९०.००	
	12w	गोटा	५७८०.००	५७८०.००	५७८०.००	
७३	LED TRACK LIGHT					
	3W @ 100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	१४५०.००	१४५०.००	१४५०.००	
	6W @ 100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	१९५०.००	१९५०.००	१९५०.००	
	9W @ 100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	२६५०.००	२६५०.००	२६५०.००	
	16W @ 100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	४४००.००	४४००.००	४४००.००	
	24W @ 100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	५३५०.००	५३५०.००	५३५०.००	
	30W @ 100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	६३५०.००	६३५०.००	६३५०.००	
	40W @ 100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	८६५०.००	८६५०.००	८६५०.००	
	50W @ 100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	९३००.००	९३००.००	९३००.००	
	Stick 1MTR for Track light	गोटा	१५००.००	१५००.००	१५००.००	
७४	SURFACE MOUNTING DOWNLIGHT					
	Downlight Square 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००	



विद्युत उपकरण
पुस्तकालय
निर्यात प्रस्ताव कार्यालय
काठमाडौं

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Downlight Square 12W 3000K/6500K	गोटा	६२८.००	६२८.००	६२८.००	
	Downlight Square 18W 3000K/6500K	गोटा	७७९.००	७७९.००	७७९.००	
	Downlight Round 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००	
	Downlight Round 12W 3000K/6500K	गोटा	६२८.००	६२८.००	६२८.००	
	Downlight Round 18W 3000K/6500K	गोटा	७८३.००	७८३.००	७८३.००	
	Surface Mount Downlight Luminaries:					
	Surface Mount Circular / Square Downlights-Non Dimmable: SM250C LED7S-6500 PSU	गोटा	२९९२.००	२९९२.००	२९९२.००	
	Surface Mount Circular / Square Downlights-Non Dimmable: SM250C LED12S-6500 PSU WH	गोटा	३२६४.००	३२६४.००	३२६४.००	
	Surface Mount Circular / Square Downlights-Non Dimmable: SM251C LED16S-8500 PSU WH	गोटा	४७६०.००	४७६०.००	४७६०.००	
	Surface Mount Circular / Square Downlights-Non Dimmable: SM251C LED20S-6500 PSU WH	गोटा	५३०४.००	५३०४.००	५३०४.००	
	RECESS MOUNTING DOWNLIGHT					
	Downlight Square 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००	
	Downlight Square 12W 3000K/6500K	गोटा	५५७.००	५५७.००	५५७.००	
	Downlight Square 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००	
	Downlight Round 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००	
	Downlight Round 12W 3000K/6500K	गोटा	५५७.००	५५७.००	५५७.००	
	Downlight Round 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००	
	LED Panel Light (Slim) 2'X2' 38W 4000K/6500K	गोटा	३९७८.००	३९७८.००	३९७८.००	
	LED Panel Cover (Surface/Recess)2'X2	गोटा	७४६.००	७४६.००	७४६.००	
	Recessed Circular Downlight Luminaries:					
	Circular Downlight Non Dimmable - DN295B LED6S-6500 PSU	गोटा	३८०८.००	३८०८.००	३८०८.००	
	Circular Downlight Non Dimmable - DN295B LED8S-6500 PSU	गोटा	४२९६.००	४२९६.००	४२९६.००	
	Circular Downlight Non Dimmable - D295B LED10S-6500 PSU	गोटा	४६२४.००	४६२४.००	४६२४.००	
	Circular Downlight Non Dimmable - D296B LED12S-6500 PSU	गोटा	५७९२.००	५७९२.००	५७९२.००	
	Circular Downlight Non Dimmable - D296B LED15S-6500 PSU	गोटा	६८००.००	६८००.००	६८००.००	
	Circular Downlight Non Dimmable - D298B LED20S-6500 PSU	गोटा	८९६०.००	८९६०.००	८९६०.००	
	Circular Downlight Dimmable - DN296B LED12S-6500 PSd	गोटा	९५२०.००	९५२०.००	९५२०.००	
	Circular Downlight Dimmable - DN296B LED15S-6500 PSd	गोटा	१०८८०.००	१०८८०.००	१०८८०.००	
	Circular Downlight Dimmable - DN296B LED20S-6500 PSd	गोटा	१३०५६.००	१३०५६.००	१३०५६.००	
७५	LED TUBELIGHTS					
	8W T5 TUBE SET 2700K FIX	गोटा	७५०.००	७५०.००	७५०.००	
	18W T5 TUBE SET 2700K FIX	गोटा	९५०.००	९५०.००	९५०.००	
	20W LED TUBE SET FIX	गोटा	१२५०.००	१२५०.००	१२५०.००	
	10W LED TUBE ONLY T8	गोटा	९५०.००	९५०.००	९५०.००	
	10W LED TUBE PATTI T8	गोटा	५५०.००	५५०.००	५५०.००	
	20W LED TUBE ONLY TB	गोटा	१०००.००	१०००.००	१०००.००	
	20W LED TUBE PATTI T8	गोटा	६५०.००	६५०.००	६५०.००	
	40W DOUBLE LED TUBE PATTI TB	गोटा	१७५०.००	१७५०.००	१७५०.००	
	16W LED TUBE SET FIX 6500K	गोटा	१२५०.००	१२५०.००	१२५०.००	
	32W DOUBLE LED TUBE SET FIX 6500K	गोटा	२५००.००	२५००.००	२५००.००	
	4W/8W/20W LED Tubelight batten Square body 3000k/4000k/6500k 1ft/2ft/4ft LED batten light	गोटा	७६०.००	७६०.००	७६०.००	
	LED Tubelight 18W 6500K	गोटा	२६८.००	२६८.००	२६८.००	
	LED Tubelight With Holder 18W 6500K	गोटा	४२३.००	४२३.००	४२३.००	
७६	Floodlights					
	flood lingshts 20w 6500K	गोटा	१३९२.००	१३९२.००	१३९२.००	

Handwritten signatures and marks at the bottom of the page.



मिनिमम प्रमाण कार्यालय
धरिद

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	flood lingshts 30w 6500k	गोटा	१५७३.००	१५७३.००	१५७३.००	
	flood lingshts 50w 6500k	गोटा	२२८७.००	२२८७.००	२२८७.००	
	flood lingshts 70w 6500k	गोटा	३५४३.००	३५४३.००	३५४३.००	
	20w 6500 LED+MULTIPLUG	गोटा	९६९०.००	९६९०.००	९६९०.००	
	30w flood LIGHT+ChARGEABLE	गोटा	१२२४५.००	१२२४५.००	१२२४५.००	
	10w Flood Light 6500k	गोटा	१७८०.००	१७८०.००	१७८०.००	
	20w Flood Light 6500k	गोटा	३१७०.००	३१७०.००	३१७०.००	
	30w Flood Light 6500k	गोटा	३७२०.००	३७२०.००	३७२०.००	
	50w Flood Light 6500k	गोटा	६०३०.००	६०३०.००	६०३०.००	
	30w Flood Light 2700k	गोटा	३९५०.००	३९५०.००	३९५०.००	
	50w Flood Light 2700k	गोटा	६२५०.००	६२५०.००	६२५०.००	
	150w Flood Light 6500k	गोटा	१६२३०.००	१६२३०.००	१६२३०.००	
	100w Flood Light 6500k	गोटा	१०६४०.००	१०६४०.००	१०६४०.००	
	200w Flood Light 6500k	गोटा	२७३३५.००	२७३३५.००	२७३३५.००	
	400w Flood Light 6500k	गोटा	४०५००.००	४०५००.००	४०५००.००	
	10w Flood Light SENSOR 6500k	गोटा	२३५०.००	२३५०.००	२३५०.००	
	20w Flood Light SENSOR 6500k	गोटा	३८५०.००	३८५०.००	३८५०.००	
	30w Flood Light SENSOR 6500k	गोटा	४२५०.००	४२५०.००	४२५०.००	
	50w Flood Light SENSOR 6500k	गोटा	४९००.००	४९००.००	४९००.००	
	50W POLE LIGHT 6500K	गोटा	८९४५.००	८९४५.००	८९४५.००	
	100W POLE LIGHT 6500K	गोटा	१४७५०.००	१४७५०.००	१४७५०.००	
	50W HIGH BAY LIGHT	गोटा	८५००.००	८५००.००	८५००.००	
	100W HIGH BAY LIGHT	गोटा	१०५००.००	१०५००.००	१०५००.००	
	20W TRACK LIGHT 6500/2700 K	गोटा	४६२०.००	४६२०.००	४६२०.००	
	1 METER TRACK STICK	गोटा	१०२०.००	१०२०.००	१०२०.००	
	Exterior Rated Flood Lights - Low Power	गोटा	१८४९६०.००	१८४९६०.००	१८४९६०.००	
	Exterior Rated Flood Lights - High Power	गोटा	५०३२००.००	५०३२००.००	५०३२००.००	
	Exterior Rated Flood Lights - Extra High Power	गोटा	७३९८४०.००	७३९८४०.००	७३९८४०.००	
	LED FLOOD LIGHT					
	10W 1000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा	१५५०.००	१५५०.००	१५५०.००	
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा	२६००.००	२६००.००	२६००.००	
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा	४९००.००	४९००.००	४९००.००	
	60W 6000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा	५७००.००	५७००.००	५७००.००	
	90W 9000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा	९६५०.००	९६५०.००	९६५०.००	
	120W 12000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा	११०००.००	११०००.००	११०००.००	
	150W 15000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा	१५०००.००	१५०००.००	१५०००.००	
	200W 20000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा	१९७००.००	१९७००.००	१९७००.००	
	Smartbright LED flood light having 30000 burning hours, Polycarbonate cover enhances impact strength (IK07 (rated), Pressure die-cast housing offers excellent corrosion resistance, 4KV surge protection, IP65 certified, Overheating protection, Pressure die-cast housing					
	10W	गोटा	३३५०.००	३३५०.००	३३५०.००	
	20W	गोटा	४४००.००	४४००.००	४४००.००	
	30W	गोटा	६२५०.००	६२५०.००	६२५०.००	
	50W	गोटा	१४५००.००	१४५००.००	१४५००.००	



सुदूर पश्चिम प्रदेश
कार्यालय
धनकुटा

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	70W	गोटा	१९०००.००	१९०००.००	१९०००.००	
	105W Tempo Flood light	गोटा	८५०००.००	८५०००.००	८५०००.००	
	300w Tango Flood Light	गोटा	१२००००.००	१२००००.००	१२००००.००	
७७	PANEL LIGHT					
	3W RD CONCEAL PANEL LIGHT (WWWH)	गोटा	६७५.००	६७५.००	६७५.००	
	6W RD CONCEAL PANEL LIGHT (WWWH)	गोटा	८२५.००	८२५.००	८२५.००	
	8W RD CONCEAL PANEL LIGHT WWWHY	गोटा	११००.००	११००.००	११००.००	
	12W RD CONCEAL PANEL LIGHT (WWWH)	गोटा	१४००.००	१४००.००	१४००.००	
	18W RO CONCEAL PANEL LIGHT (WWWH)	गोटा	१८७५.००	१८७५.००	१८७५.००	
	20W RD CONCEAL PANEL LIGHT WH	गोटा	२२७५.००	२२७५.००	२२७५.००	
	26W RD CONCEAL PANEL LIGHT WH	गोटा	२९२५.००	२९२५.००	२९२५.००	
	26W RD CONCEAL PANEL LIGHT WH	गोटा	३०००.००	३०००.००	३०००.००	
	3W SQ CONCEAL PANEL LIGHT WWWH	गोटा	६७५.००	६७५.००	६७५.००	
	6W SQ CONCEAL PANEL LIGHT (WWWH)	गोटा	८२५.००	८२५.००	८२५.००	
	12W SQ CONCEAL PANEL LIGHT (WWWH)	गोटा	१४००.००	१४००.००	१४००.००	
	24W SQ CONCEAL PANEL LIGHT (WWWH)	गोटा	३६००.००	३६००.००	३६००.००	
	6W RD SURFACE PANEL LIGHT (WWWH)	गोटा	११७५.००	११७५.००	११७५.००	
	12W RD SURFACE PANEL LIGHT (WWWH)	गोटा	१७७५.००	१७७५.००	१७७५.००	
	12W SQ SURFACE PANEL LIGHT (WWWH) PC + AL	गोटा	१५५०.००	१५५०.००	१५५०.००	
	18W SQ SURFACE PANEL LIGHT (WWWH) PC + AL	गोटा	२५९०.००	२५९०.००	२५९०.००	
	18W SQ SURFACE PANEL LIGHT	गोटा	१६५०.००	१६५०.००	१६५०.००	
	24W SQ SURFACE PANEL LIGHT	गोटा	३८५०.००	३८५०.००	३८५०.००	
	3W COB CONCEAL LIGHT (WWWH)	गोटा	८७०.००	८७०.००	८७०.००	
	5W COB CONCEAL LIGHT (WWWH)	गोटा	९९०.००	९९०.००	९९०.००	
	7W COB CONCEAL LIGHT (WWWH)	गोटा	९७५.००	९७५.००	९७५.००	
	8W COB CONCEAL LIGHT WH	गोटा	९७५.००	९७५.००	९७५.००	
	TOW COB CONCEAL LIGHT WH	गोटा	१०५०.००	१०५०.००	१०५०.००	
	12W COB CONCEAL LIGHT WH	गोटा	१६१०.००	१६१०.००	१६१०.००	
	15W COB CONCEAL LIGHT WH	गोटा	१३७५.००	१३७५.००	१३७५.००	
	30W COB CONCEAL LIGHT WH	गोटा	२६५०.००	२६५०.००	२६५०.००	
	2X2 40W SO CONCEAL PANEL LIGHT WH	गोटा	६७८०.००	६७८०.००	६७८०.००	
	2X2 36W SO SURFACE PANEL LIGHT WH	गोटा	५५००.००	५५००.००	५५००.००	
	1X2 20W SQ CONCEAL PANEL LIGHT WH	गोटा	५५००.००	५५००.००	५५००.००	
	1X4 40W SQ CONCEAL PANEL LIGHT WH	गोटा	९५००.००	९५००.००	९५००.००	
	2X4 BOW SQ CONCEAL PANEL LIGHT WH	गोटा	१८५००.००	१८५००.००	१८५००.००	
	LED SURFACE/RECESSED PANEL LIGHT	गोटा				
	5W 500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface pane	गोटा	७२०.००	७२०.००	७२०.००	
	8W 800lm AC 00-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा	१०२०.००	१०२०.००	१०२०.००	
	12W 1200lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 bear angle RD/SQ LED surface PANE	गोटा	१२३५.००	१२३५.००	१२३५.००	
	15W 1500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface pane	गोटा	१४०५.००	१४०५.००	१४०५.००	
	18W 1800m AC 00-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface pane	गोटा	१७५०.००	१७५०.००	१७५०.००	



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	20W 2000lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing nicker free 120 beam angle RD/SQ LED surface Panel	गोटा	१९००.००	१९००.००	१९००.००	
	LED PANEL LIGHTS					
	70W	गोटा	१९०००.००	१९०००.००	१९०००.००	
	105W Tempo Flood light	गोटा	८५०००.००	८५०००.००	८५०००.००	
७७.१	PANEL LIGHTS					
	300w Tango Flood Light	गोटा	१२००००.००	१२००००.००	१२००००.००	
	3W RD CONCEAL PANEL LIGHT (WWW)H	गोटा	६७५.००	६७५.००	६७५.००	
	6W RD CONCEAL PANEL LIGHT (WWW)H	गोटा	८२५.००	८२५.००	८२५.००	
	8W RD CONCEAL PANEL LIGHT (WWW)H	गोटा	११००.००	११००.००	११००.००	
	12W RD CONCEAL PANEL LIGHT (WWW)H	गोटा	१४००.००	१४००.००	१४००.००	
	18W RD CONCEAL PANEL LIGHT (WWW)H	गोटा	१८७५.००	१८७५.००	१८७५.००	
	20W RD CONCEAL PANEL LIGHT WH	गोटा	२२७५.००	२२७५.००	२२७५.००	
	26W RD CONCEAL PANEL LIGHT WH	गोटा	२९२५.००	२९२५.००	२९२५.००	
	26W RD CONCEAL PANEL LIGHT WH	गोटा	३०००.००	३०००.००	३०००.००	
	3W SQ CONCEAL PANEL LIGHT (WWW)H	गोटा	६७५.००	६७५.००	६७५.००	
	6W SQ CONCEAL PANEL LIGHT (WWW)H	गोटा	८२५.००	८२५.००	८२५.००	
	12W SQ CONCEAL PANEL LIGHT (WWW)H	गोटा	१४००.००	१४००.००	१४००.००	
	24W SQ CONCEAL PANEL LIGHT (WWW)H	गोटा	३६००.००	३६००.००	३६००.००	
	6W RD SURFACE PANEL LIGHT (WWW)H	गोटा	११७५.००	११७५.००	११७५.००	
	12W RD SURFACE PANEL LIGHT (WWW)H	गोटा	१७७५.००	१७७५.००	१७७५.००	
	12W SQ SURFACE PANEL LIGHT (WW/WH) PC + AL	गोटा	१५५०.००	१५५०.००	१५५०.००	
	18W SQ SURFACE PANEL LIGHT (WWW)H PC + AL	गोटा	२५९०.००	२५९०.००	२५९०.००	
	18W SQ SURFACE PANEL LIGHT	गोटा	१६५०.००	१६५०.००	१६५०.००	
	24W SQ SURFACE PANEL LIGHT	गोटा	३८५०.००	३८५०.००	३८५०.००	
	3W COB CONCEAL LIGHT (WWW)H	गोटा	८७०.००	८७०.००	८७०.००	
	5W COB CONCEAL LIGHT (WWW)H	गोटा	९९०.००	९९०.००	९९०.००	
	7W COB CONCEAL LIGHT (WWW)H	गोटा	९७५.००	९७५.००	९७५.००	
	8W COB CONCEAL LIGHT WH	गोटा	९७५.००	९७५.००	९७५.००	
	10W COB CONCEAL LIGHT WH	गोटा	१०५०.००	१०५०.००	१०५०.००	
	12W COB CONCEAL LIGHT WH	गोटा	१६१०.००	१६१०.००	१६१०.००	
	15W COB CONCEAL LIGHT WH	गोटा	१३७५.००	१३७५.००	१३७५.००	
	30W COB CONCEAL LIGHT WH	गोटा	२६५०.००	२६५०.००	२६५०.००	
	2X2 40W SQ CONCEAL PANEL LIGHT WH	गोटा	६७८०.००	६७८०.००	६७८०.००	
	2X2 36W SQ SURFACE PANEL LIGHT WH	गोटा	५५००.००	५५००.००	५५००.००	
	1X2 20W SQ CONCEAL PANEL LIGHT WH	गोटा	५५००.००	५५००.००	५५००.००	
	1X4 40W SQ CONCEAL PANEL LIGHT WH	गोटा	९५००.००	९५००.००	९५००.००	
	2X4 80W SQ CONCEAL PANEL LIGHT WH	गोटा	१८५००.००	१८५००.००	१८५००.००	
७७.१	LED SURFACE/RECESSED PANEL LIGHT					
	5V/ 500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा	७२०.००	७२०.००	७२०.००	
	8W 800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा	१०२०.००	१०२०.००	१०२०.००	
	12W 1200lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा	१२३५.००	१२३५.००	१२३५.००	
	15W 1500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा	१४०५.००	१४०५.००	१४०५.००	
	18W 1800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा	१७५०.००	१७५०.००	१७५०.००	
	20W 2000lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा	१९००.००	१९००.००	१९००.००	
	LED PANEL LIGHTS					

Handwritten signatures and initials at the bottom of the page.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	2 x 2 ,24W ,@120lm/watt with long life,CRCA housing. Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV, Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC370B TROFER 24W LED 30S RECESS)	गोटा	८९६०.००	८९६०.००	८९६०.००	
	1 x 1, 15W,@120lm/watt with long life,CRCA housing Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV, Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC3758 CORELINE 15W LED 30S RECESS)	गोटा	५९९५.००	५९९५.००	५९९५.००	
	1x1, 24W 2160lm AC 90-300v,50Hz, Pressure Die-Cast Aluminium Eco friendly slim design Panel light	गोटा	४७००.००	४७००.००	४७००.००	
	2x2, 36W 3600lm AC 90-300v, 50Hz, Armstrong, surface, Recessed, suspended MS sheet Panel light	गोटा	५७००.००	५७००.००	५७००.००	
	1x4, 36W 3600lm AC 90-300v, 50Hz. Armstrong.,Recessed,suspended sheet Aluminium Panel light	गोटा	९०७००.००	९०७००.००	९०७००.००	
	Stellar Bright/Ace saver energy saving bulbs IP44 withlow glare, reduced flicker,no blue light hazard, wide voltage protection					
	2.7W/4W/11W	गोटा	३९०.००	३९०.००	३९०.००	
	10.5W/12W/14W	गोटा	६८०.००	६८०.००	६८०.००	
	17W/20W	गोटा	९३५.००	९३५.००	९३५.००	
	40W/50W	गोटा	२९६०.००	२९६०.००	२९६०.००	
७८	Smart Lighting Fixtures:					
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90. Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm. IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	४५६९.००	४५६९.००	४५६९.००	
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H1 13mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0. 10 Dimmable Driver	गोटा	३९९८.००	३९९८.००	३९९८.००	
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H1 13mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0. 10 Dimmable Driver	गोटा	२०७०.००	२०७०.००	२०७०.००	
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90° HI 13 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	४९९८.००	४९९८.००	४९९८.००	
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90° HI 13 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	२९४२.००	२९४२.००	२९४२.००	
	Recessed Underground LED Light: RGI, Dia 100°H 100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा	२४९९.००	२४९९.००	२४९९.००	
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा	९९९९.००	९९९९.००	९९९९.००	
	LED Strip Light: SLI/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	गोटा	७८५.००	७८५.००	७८५.००	
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा	४२९२.००	४२९२.००	४२९२.००	
	Aluminium Channel Option 2: Channel With Cover, 3m/PC	र. मि	५४२.००	५४२.००	५४२.००	
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20. CRI>90, 5m/Roll	र.मि	४९४.००	४९४.००	४९४.००	
	Non Dimmable Driver: 150w 1P20 Non Dimmable Driver	गोटा	९७८५.००	९७८५.००	९७८५.००	
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, LP20, CRI>90, 5m/Roll	र.मि	९९०६.००	९९०६.००	९९०६.००	
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा	९९००.००	९९००.००	९९००.००	

Handwritten signatures and marks at the bottom of the page.



सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि	६७८.००	६७८.००	६७८.००	
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा	१३५६६०.००	१३५६६०.००	१३५६६०.००	
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा	१८५६४.००	१८५६४.००	१८५६४.००	
	Central Distribution Box: Suitable with modules	सेट	३५७००.००	३५७००.००	३५७००.००	
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट	२५७०४०.००	२५७०४०.००	२५७०४०.००	
	Software: PPS Programming software, we can also program and customize as per client request	सेट	३९९८४०.००	३९९८४०.००	३९९८४०.००	
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा	९९९६०.००	९९९६०.००	९९९६०.००	
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switich, as per the confirmed technical details	गोटा	८८५३६.००	८८५३६.००	८८५३६.००	
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा	७२८२८.००	७२८२८.००	७२८२८.००	
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा	५९९७६.००	५९९७६.००	५९९७६.००	
	Bus Cascade Module with power supply: ACI 10-220V wide voltage power supply, as per the confirmed technical details	गोटा	३२८४४.००	३२८४४.००	३२८४४.००	
	DIN System Power Supply: Supplies 24 V. 2.5 A DC Power, as per the confirmed technical details	गोटा	२५७०४.००	२५७०४.००	२५७०४.००	
	Distribution Box 1: Suitable with modules	सेट	६४२६०.००	६४२६०.००	६४२६०.००	
	Ceiling Light: Suitable with modules	गोटा	१२१३८०.००	१२१३८०.००	१२१३८०.००	
	275 gsm Pregalvanized Cable Tray & Raceways					
७९	CABLE SUPPORT SYSTEM - FINISH - (275GSM)					
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मि	८३५.००	८३५.००	८३५.००	
	Rung sloted "C CHANEL" • Pre Galvanized (PG 275)	र.मि	५४८.००	५४८.००	५४८.००	
	Punched Flate 30x5mm THK, HDG 65 Micron (PG 275GSM)	र.मि	७८३.००	७८३.००	७८३.००	
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	गोटा	५७४.००	५७४.००	५७४.००	
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	गोटा	६००.००	६००.००	६००.००	
	M8-Threaded rod Electroplated, 1000 mm long	र.मि	१९८.००	१९८.००	१९८.००	
	M10-Threaded rod Electroplated, 1000 mm long	र.मि	३०२.००	३०२.००	३०२.००	
	Rod coupler, M-8, Electroplated	गोटा	९९.००	९९.००	९९.००	
	Rod coupler, M-10, Electroplated	गोटा	१०९.००	१०९.००	१०९.००	
	WDJ Coupler 100,150 & 200 mm	गोटा	६००.००	६००.००	६००.००	
	275 gsm Pregalvanized Junction Box	गोटा	२६११.००	२६११.००	२६११.००	
	Coupler for BRT 900,750,450,300 & 150MM	गोटा	२६१.००	२६१.००	२६१.००	
	Coupler for PCT 600,450,300,200,150 & 100MM	गोटा	२८७.००	२८७.००	२८७.००	
	Bottle Bracket for BRT 100 X50MM	गोटा	२६१.००	२६१.००	२६१.००	
	Bottle Bracket for BRT 150 XS0MM	गोटा	४१७.००	४१७.००	४१७.००	
	Bottle Bracket for PCT 200 XS0MM	गोटा	५७४.००	५७४.००	५७४.००	
	METAL GRIP/FASTNER	गोटा	९४.००	९४.००	९४.००	
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	गोटा	५२२२.००	५२२२.००	५२२२.००	
	BRT Hardware/PCT Hardware	गोटा	३१.००	३१.००	३१.००	
८०	LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)					
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x 15) ladder Cable Tray	र.मि	३३६८.००	३३६८.००	३३६८.००	
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मि	२६११.००	२६११.००	२६११.००	
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मि	१९२३.००	१९२३.००	१९२३.००	
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मि	१७२३.००	१७२३.००	१७२३.००	
	Pre galvanized (9275Gsm) Bolted Rungs type (15*30*15) ladder cable tray	र.मी	१५१४.००	१५१४.००	१५१४.००	




सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
८१	Raceways Pre Galvanized (275GSM) Joggled wire Ducts 2500mm long					
	Raceways 2mm thk WDJ (PG275GSM) Base with cover & strap -100mm	र.मी	२६८९.००	२६८९.००	२६८९.००	
	Raceways 2mm thk WDJ (PG275GSM) Base with cover & strap -150mm	र.मी	३३९४.००	३३९४.००	३३९४.००	
	Raceways 2mm thk WDJ (PG275GSM) Base with cover & strap -200mm	र.मी	३६५५.००	३६५५.००	३६५५.००	
	perforated Cable tray 1.6 mm thick-2500mm long, pre Galvanized					
	perforated Cable tray PCT 100 MM pre Galvanized (275GSM)		१३५०.००	१३५०.००	१३५०.००	
	perforated Cable tray PCT 150 MM pre Galvanized (275GSM)		१६८०.००	१६८०.००	१६८०.००	
	perforated Cable tray PCT 200 MM pre Galvanized (275GSM)		२०४०.००	२०४०.००	२०४०.००	
	perforated Cable tray PCT 300 MM pre Galvanized (275GSM)		२४००.००	२४००.००	२४००.००	
	perforated Cable tray PCT 450 MM pre Galvanized (275GSM)		३६६०.००	३६६०.००	३६६०.००	
	perforated Cable tray PCT 600 MM pre Galvanized (275GSM)		४६८०.००	४६८०.००	४६८०.००	
८२	perforated Cable tray 2 mm thick-2500mm long, pre Galvanized(275 GSM)					
	perforated Cable tray PCT 100 MM pre Galvanized (275GSM)	र.मी	१२२२.००	१२२२.००	१२२२.००	
	perforated Cable tray PCT 150 MM pre Galvanized (275GSM)	र.मी	१५०८.००	१५०८.००	१५०८.००	
	perforated Cable tray PCT 200 MM pre Galvanized (275GSM)	र.मी	१८४६.००	१८४६.००	१८४६.००	
	perforated Cable tray PCT 300 MM pre Galvanized (275GSM)	र.मी	२१३२.००	२१३२.००	२१३२.००	
	perforated Cable tray PCT 450 MM pre Galvanized (275GSM)	र.मी	३२८६.००	३२८६.००	३२८६.००	
	perforated Cable tray PCT 600 MM pre Galvanized (275GSM)	र.मी	४१९९.००	४१९९.००	४१९९.००	
८३	perforated Cable tray 2 mm thick pre Galvanized(275 GSM) with cover - 250 mm long					
	perforated Cable tray with 2mm thk Cover PCT 100 MM pre Galvanized	र.मी	२०५५.००	२०५५.००	२०५५.००	
	perforated Cable tray with 2mm thk Cover PCT 300 MM pre Galvanized	र.मी	४२९२.००	४२९२.००	४२९२.००	
	perforated Cable tray with 2mm thk Cover PCT 450 MM pre Galvanized	र.मी	६५००.००	६५००.००	६५००.००	
	Rigid round conduit unplasticised polyvinyl Chloride (upvc) pipes, laser engraved, fire retardant corrosion free FRLS with thermal resistance from -5c to +60C durable and impact resistant					
८४	Medium / Heavy Mechanical Stress (MMS)					
	20 MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी	११५.००	११५.००	११५.००	
	25 MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी	१४४.००	१४४.००	१४४.००	
	32 MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी	२७१.००	२७१.००	२७१.००	
	Precision Circular Boxes and Adapter Boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs a 60 C Unplasticised Polyvinyl Chloride(uPVC) Pipes, laser engraved, Fire retardant corrosion free FRLS with thermal resistance from -5 C to +60 C, durable and impact resistant					
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा	९३.००	९३.००	९३.००	
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा	१०४.००	१०४.००	१०४.००	
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा	२२२.००	२२२.००	२२२.००	
८५	DEEP TYPE					
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा	१५०.००	१५०.००	१५०.००	
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा	१७८.००	१७८.००	१७८.००	
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा	२३४.००	२३४.००	२३४.००	
८६	SADDLE, COUPLER, BEND, ELBOW, TEE, BUSH ADAPTER					
	20/25 MM Round U Clip/Space Bar Saddle	गोटा	४३.००	४३.००	४३.००	
	20/25 MM Coupler	गोटा	२६.००	२६.००	२६.००	
	20/25 MM Slip type Bend	गोटा	९२.००	९२.००	९२.००	

Handwritten signatures and marks at the bottom of the page.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	20/25 MM Round Elbow	गोटा	४५.००	४५.००	४५.००	
	20/25 MM Round Tee	गोटा	६३.००	६३.००	६३.००	
	20/25 MM Male/female Bush Adaptor	गोटा	४१.००	४१.००	४१.००	
८७	POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE					
	16/20/25 mm Flexiable conduits pipe	र.मी	९४.००	९४.००	९४.००	
	32/40 mm Flexiable conduits pipe	र.मी	१८३.००	१८३.००	१८३.००	
८८	FRPP(FIRE RETARDAND POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS					
	16/20/25 mm Flexiable conduits pipe	र.मी	१२४.००	१२४.००	१२४.००	
	32/40 mm Flexiable conduits pipe	र.मी	२१३.००	२१३.००	२१३.००	
८९	FLEXIBLE PIPE GLAND					
	16/20/25 mm PVC GLAND	गोटा	७८.००	७८.००	७८.००	
	32/40 mm PVC GLAND	गोटा	१११.००	१११.००	१११.००	
९०	Upvc MINI/MAXI TRUNKING PROFILE(LISTY) made with unplasticides polyvinyl chloride with fast installation,easy maintenance, secure and elegant look, durable and impact resistance, fire retardant, corrosion free,thermal resistance from -5 C to 60 C.					
	16*16 mm	र.मी	४६.००	४६.००	४६.००	
	25*15mm	र.मी	६०.००	६०.००	६०.००	
	50*50mm	र.मी	४९९.००	४९९.००	४९९.००	
	50*100mm	र.मी	१९३४.००	१९३४.००	१९३४.००	
९१	Suspended-Surface Mounted Luminaires					
	pure line slim Surface & Suspended 60 mm/75 mm width Suspended 60mm/75 mm width aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from type					
	SP780 PLED52S-6500 PSU W6L224 OD SI	गोटा	४६९८३.००	४६९८३.००	४६९८३.००	
	SP780 PLED26S-6500 PSU W6L224 OD SI	गोटा	२३४९९.००	२३४९९.००	२३४९९.००	
	SP781 XLED46S-6500 PSU W7L224 OD SI	गोटा	५८७२८.००	५८७२८.००	५८७२८.००	
	SP781 XLED22S-6500 PSU W6L224 OD SI	गोटा	२७४०६.००	२७४०६.००	२७४०६.००	
	END Plate SP780EP60 GREY	गोटा	५४६.००	५४६.००	५४६.००	
	ZPH780N2000	गोटा	९८८.००	९८८.००	९८८.००	
	ZPH780 1MTR5C 0.75 sq mm Transparent cable	गोटा	९३६.००	९३६.००	९३६.००	
९२	Pureline Slim Connector 60mm					
	Pureline Slim Connector 60mm Pureline Slim Family can be conjoined in multiple way like L,+,T,Y etc Type					
	SP781XLED44S-6K PSU W6 SI L CONN 22*2	गोटा	९८८०.००	९८८०.००	९८८०.००	
	CCT options: 4000K, 5700K,6500K. Available in DALI also at NPR 3200/- additional on fixed output (PSU)MRP	गोटा	६३४४.००	६३४४.००	६३४४.००	
९३	Pureline Taper					
	Pureline Taper PureLine Taper is an elegant suspended lighting solution with taper end (bottom width of 60 mm & top width of 50 mm), it also has option of designer end caps which provide design inspiration throuth geometric patterns. Multiple option of light distribution, run lengths,color option & lumen pack for different application available Type .					
	SP811P LED33S-6500 PSU W6L120 OD SI	गोटा	२९३६४.००	२९३६४.००	२९३६४.००	
	SP811P LED26S-6500 PSU W6L120 OD SI	गोटा	२४४७९.००	२४४७९.००	२४४७९.००	
	SP811P LED66S-6500 PSU W6L120 OD SI	गोटा	५८७२८.००	५८७२८.००	५८७२८.००	
	SP811P LED52S-6500 PSU W6L120 OD SI	गोटा	४७९६९.००	४७९६९.००	४७९६९.००	

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
९४	Pureline Slim Connectors & Decorative Shapes 50 mm					
	PureLine Slim Connectors & Decorative Shapes 50 mm resessed Mounted 50 mm aluminium extruded linear fixtures to align the linear lighting layout with the office architecture or create playful environments with shapes like square, hexagon, etc. Multiple options of light distribution, run lengths and lumen packages for different application to choose from					
	SP780P LED66S-6500 PSU W5 OD WH HX CONN	गोटा	५२८५५.००	५२८५५.००	५२८५५.००	
	SP780P LED48S-6500 PSU W5 OD WH X CONN	गोटा	३७६८४.००	३७६८४.००	३७६८४.००	
	SP780P LED44S-6500 PSU W5 OD WH SQ CONN	गोटा	३१३२१.००	३१३२१.००	३१३२१.००	
	SP780X LED48S-6500 PSU W5 OD WH+CONN	गोटा	४७९६१.००	४७९६१.००	४७९६१.००	
	SP780P LED36S-6500 PSU W5 OD WH Y CONN	गोटा	२८९७२.००	२८९७२.००	२८९७२.००	
	SP780XLED36S-6500 PSU W5 OD WH T CONN	गोटा	१८००९.००	१८००९.००	१८००९.००	
	SP780P LED24S-6500 PSU W5 OD WH L CONN	गोटा	१९५७५.००	१९५७५.००	१९५७५.००	
९५	Pureline					
	Pureline Extruded Aluminium Suspended Diffused Office Lighting Solutions with up-down light distribution, available in standalone and continuous mounting versions in 4ft & 8ft run lengths					
	SP680P LED39S-6500 PSU WH L 120 SI	गोटा	१७०३१.००	१७०३१.००	१७०३१.००	
	SP680P LED78S-6500 PSU WH L 240 SI	गोटा	३३२८०.००	३३२८०.००	३३२८०.००	
	SP680XI LED34S-6500 PSU WH L 120 SI	गोटा	३३२८०.००	३३२८०.००	३३२८०.००	
	SP680P LED68S-6500 PSU WH L 240 SI	गोटा	३१३२१.००	३१३२१.००	३१३२१.००	
	SP680XI LED78S4000-6500 PSU WH L 240 SI	गोटा	२७२००.००	२७२००.००	२७२००.००	
	SP680X2 LED78S4000-6500 PSU WH L 240 SI	गोटा	२७२००.००	२७२००.००	२७२००.००	
९६	SmartBrite Linear					
	SmartBrite Linear provides an extremely durable and high efficacy yet cost effective linear solution surfae mounted and suspended applications like offices, retail stores, metro stations, etc					
	SP095V LED40S 865 W7L120 PSU WH	गोटा	९६००.००	९६००.००	९६००.००	
	SP095V LED26S 865 W7L120 PSU WH	गोटा	८८००.००	८८००.००	८८००.००	
९७	SmartBrite Surface					
	smartbrite surface Low height general purpose suspended/surface mounted LED luminaire with diffused optics offering perfect illumination for indoor space.					
	SM270C LED 30S 6500 PSU WH	गोटा	८८००.००	८८००.००	८८००.००	
९८	Cirrus Surface					
	Cirrus Surface Mounted general purpose square shaped luminaire with low height CRCA housing and high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser type.					
	SM365C LED 32-6500 PSU OD GR	गोटा	८८००.००	८८००.००	८८००.००	
	SM366C LED 32-6500,4000 PSU OD GR	गोटा	८८००.००	८८००.००	८८००.००	
	SM366C LED 32-6500,4000 PSU OD WH	गोटा	८८००.००	८८००.००	८८००.००	
९९	Cirrus Mini Pro					
	Cirrus mini Pro is a general lighting application luminiare (with a dimension of 312 mm *312mm), a perfect solution for all surface mount indoor general lighting application. Type					
	SM200C LED 15S 4000-6500 PSU OD WH	गोटा	४९६०.००	४९६०.००	४९६०.००	
	SM200C LED 16S 6500 PSU OD WH	गोटा	६०६८.००	६०६८.००	६०६८.००	
१००	DaySpace Suspended					





सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	daySpace is a unique 2*2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design .					
	SP740B LED25S/865 W60L60 PSU WH	गोटा	३३२८०.००	३३२८०.००	३३२८०.००	
	SP740B LED30S/865 W60L60 PSU WH	गोटा	३७१९५.००	३७१९५.००	३७१९५.००	
	SP740B LED36S/865 W60L60 PSU WH	गोटा	४३०६७.००	४३०६७.००	४३०६७.००	
	SP740B LED25S/865 W60L60 PSD WH	गोटा	४५०२६.००	४५०२६.००	४५०२६.००	
	SP740B LED30S/865 W60L60 PSD WH	गोटा	४६९८३.००	४६९८३.००	४६९८३.००	
	SP740B LED36S/865 W60L60 PSD WH	गोटा	४९५०.००	४९५०.००	४९५०.००	
१०१	DaySpace Recessed Mounted					
	DaySpace Recessed Dayspace is a unique 2*2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design .					
	RC740B LED25S/865 W60L60 PSU WH	गोटा	२६४२७.००	२६४२७.००	२६४२७.००	
	RC740B LED36S/865 W60L60 PSU WH	गोटा	४११११.००	४११११.००	४११११.००	
१०२	PowerBalance					
	PowerBalance Aluminium extruded recessed luminaire with 135 diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling					
	RC600BM LED30S-6500 PSU W30L120 WH	गोटा	२३४९१.००	२३४९१.००	२३४९१.००	
	RC600BM LED30S-6500 PSU W60L60 WH	गोटा	३०३४३.००	३०३४३.००	३०३४३.००	
१०३	Wingline					
	Wingline Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application available in options of white & grey housing with profiled & flat diffuser					
	RC480B LED25S/865 W60L60 PSU WH	गोटा	९७८७.००	९७८७.००	९७८७.००	
१०४	CoreView					
	CoreView a unique recessed mounted 2*2' LED luminaire suitable for grid ceiling with 100% indirect lighting, delivering soft and uniform light for excellent visual comfort					
	RC 420B M LED 30S 6500 PSU WH	गोटा	११४७५.००	११४७५.००	११४७५.००	
	RC 420B M LED 30S 6500 PSD WH	गोटा	१४६८१.००	१४६८१.००	१४६८१.००	
१०५	PureLine Techzone G2					
	Pureline Techzone G2 Puriline Techzone is offered in two versions suitable for 150 mm & 100 mm technical zone. Sturdy extruded Aluminium housing with sliding PC diffuser offering uniform lighting distribution. CRCA end Caps and external gear for ease of maintenance					
	RC810B LED26S 6500 PSU W10L120 OD WH	गोटा	१४८७०.००	१४८७०.००	१४८७०.००	
	RC810B LED52S 6500 PSU W10L240 OD WH	गोटा	२४४८०.००	२४४८०.००	२४४८०.००	
	RC810B LED26S 6500 PSU W15L120 OD WH	गोटा	१७१२९.००	१७१२९.००	१७१२९.००	
	RC810X LED40S 6500 PSU W15L240 OD WH	गोटा	३४८२३.००	३४८२३.००	३४८२३.००	
	RC810W10E ENDPLATE	गोटा	६६०.००	६६०.००	६६०.००	
	RC810 W10L120 ACCESSORY DIFFUSER	गोटा	९५०.००	९५०.००	९५०.००	
	RC810 W15L240 ACCESSORY DIFFUSER	गोटा	१०३५.००	१०३५.००	१०३५.००	
१०६	Pureline Slim Recessed 60 mm/75mm					
	Pureline Slim Recessed 60 mm/75mm Recessed 60mm/75mm width aluminium extruded linear lighting luminaires with superior anodised aluminium finish. Multiple options of light distribution, run length and lumen packages for different application to choose from					



विद्युत्तन्त्र मन्त्रालय
प्रशासन कार्यालय
धोर्पा

निर्माण सामग्री को विवरण

सि.नं	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
		आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	गोटा	४३२९४.००	४३२९४.००	४३२९४.००	
	गोटा	२२०२३.००	२२०२३.००	२२०२३.००	
१०७	Pureline Slim Recessed 50mm				
	Pureline Slim Recessed 50 mm/75mm Recessed Mounted 50mm aluminium extruded linear lighting luminaires with superior White powder coated finish. Multiple options of light distribution, run length and lumen packages for different application to choose from				
	गोटा	२८२३५.००	२८२३५.००	२८२३५.००	
	गोटा	९०३६.००	९०३६.००	९०३६.००	
	गोटा	२७६७०.००	२७६७०.००	२७६७०.००	
१०८	Pureline Techzone				
	Pureline Techzone Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling type .				
	गोटा	१५०५९.००	१५०५९.००	१५०५९.००	
	गोटा	३०११७.००	३०११७.००	३०११७.००	
१०९	Full Glow 1'*4'				
	Full Glow 1'*4' fully diffused recessed mounted 1'*4' LED luminaire with high transmittive diffuser suitable for indoor spaces				
	गोटा	१२२३५.००	१२२३५.००	१२२३५.००	
	गोटा	१६०००.००	१६०००.००	१६०००.००	
	गोटा	१४११७.००	१४११७.००	१४११७.००	
११०	GreenSquare				
	GreenSquare General purpose recessed mounted 2'*2' LED luminaire with central light exit and profiled CRCA housing for better and soothing light distribution.				
	गोटा	८२८२.००	८२८२.००	८२८२.००	
	गोटा	१०१६४.००	१०१६४.००	१०१६४.००	
१११	Cirrus				
	Cirrus Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application available in options of white & grey housing with profiled & flat diffuser				
	गोटा	९०३५.००	९०३५.००	९०३५.००	
	गोटा	९०३५.००	९०३५.००	९०३५.००	
११२	SmartBright				
	SmartBright Extrude aluminium batten available in 2 ft & 4ft run length with multiple lumen packages and suitable for surface. Wall & Conduit mounting (with accessories)				
	गोटा	२८२९.००	२८२९.००	२८२९.००	
११३	Downlighters & Spot lights				
	GreenSpace Flex Greenspace Fles is a modular range of downlighters, with extremely low glare(UGR the range is available in Narrow (15),medium (24) & wide Beam (38) optics, suitable for different applications & ceiling heights				
	गोटा	८४७०.००	८४७०.००	८४७०.००	
	गोटा	६७७६.००	६७७६.००	६७७६.००	
	गोटा	२८२३.००	२८२३.००	२८२३.००	
	गोटा	३२००.००	३२००.००	३२००.००	
	गोटा	२८२३.००	२८२३.००	२८२३.००	
	गोटा	५६४७.००	५६४७.००	५६४७.००	
	गोटा	९०३५.००	९०३५.००	९०३५.००	

Handwritten signatures and marks at the bottom of the page.



निर्माण सामग्री कार्यालय
धरिङ

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	RS378B P6 930 PSU-E WB M55	गोटा				
११४	LuxSpace Pro		१६९४१.००	१६९४१.००	१६९४१.००	
	LuxSpace Pro is a deep recessed downlighter range with wxtremely low glare(UGR& high quality faceted reflector for superior lightning and aesthetics. The range is available in medium(32)& wide (65) optics for both standard and high ceiling applications					
	DN590B M LED6S-6500 PSU WH WB	गोटा	९०३५.००	९०३५.००	९०३५.००	
	DN590B M LED10S-6500 PSU WH WB	गोटा	९०३५.००	९०३५.००	९०३५.००	
	DN590B M LED20S-6500 PSU WH WB	गोटा	९०३५.००	९०३५.००	९०३५.००	
११५	Green Perform Sleek					
	Green Perform Sleek is a high performance low-height LED downlighter suited for requirements of any modern professional workspace Robust PDC housing ensures long system narrow rim renders a pleasing aesthetic look.					
	DN295B LED6S-6500 PSU WH	गोटा	२६३५.००	२६३५.००	२६३५.००	
	DN295B LED10S-6500 PSU WH	गोटा	३२००.००	३२००.००	३२००.००	
	DN296B LED12S-6500 PSU WH	गोटा	३९५२.००	३९५२.००	३९५२.००	
	DN296B LED15S-6500 PSU WH	गोटा	४७०५.००	४७०५.००	४७०५.००	
	DN296B LED20S-6500 PSU WH	गोटा	५६४७.००	५६४७.००	५६४७.००	
११६	Sleek Surface Downlight					
	Sleek Surface Downlight Slim profile surface mounted downlight with options of 700 to 2000 lumen					
	SM250C LED7S-6500 PSU WH	गोटा	२०७०.००	२०७०.००	२०७०.००	
	SM250C LED12S-6500 PSU WH	गोटा	२२५९.००	२२५९.००	२२५९.००	
	SM251C LED16S-6500 PSU WH	गोटा	३२००.००	३२००.००	३२००.००	
	SM250C LED12S-6500 PSU WH	गोटा	२२५८.००	२२५८.००	२२५८.००	
	SM251C LED20S-6500 PSU WH	गोटा	३६७०.००	३६७०.००	३६७०.००	
११७	Archspace					
	Archspace is tha perfect choice when it comes to surface and suspended cylindrical downlighting applications such as those in Retail, Offices, Hotels, Lobbies and School/universities etc. with its differentiated aesthetics with extruded aluminium housing and a superior powder coated finish, multiple choices of lumen packs, two diameters, flexible height, uniform lighting distribution and superior features of Driver make archspace an undisputed winner when it comes to the surface/cylindrical downlight category .					
	SP320P LED6S-6500 PSU DIA100WH	गोटा	७७१७.००	७७१७.००	७७१७.००	
	SP320P LED6S-6500 PSU DIA80WH	गोटा	८६५८.००	८६५८.००	८६५८.००	
११८	GreenLED Ultima Square					
	GreenLED Ultima Square Ultra sleek recessed downlight for low height false ceiling in square profile					
	DN096B LED6S-6500 PSU WH	गोटा	२९७४.००	२९७४.००	२९७४.००	
	DN097B LED10S-6500 PSU WH	गोटा	३७२७.००	३७२७.००	३७२७.००	
११९	GreenLed Ultima Round					
	GreenLED Ultima Round ultra sleek recessed downlight for low height false ceiling in round profile					
	DN091B LED6S-6500 PSU WH	गोटा	२९७४.००	२९७४.००	२९७४.००	
	DN092B LED10S-6500 PSU WH	गोटा	३७२४.००	३७२४.००	३७२४.००	
१२०	Skyspot COB					

Handwritten signatures and marks at the bottom of the page.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	SKyspot COB New series of LED Spot fixtures specially designed for commercial use. Ideal for retail showrooms, hospitality, offices. Elegant fixed sopt with a focused 36 degree beam angle Long life with 30000 burning hours with CRI>80 Wide choice Available in 7/12/18/22 W, Round, 3000K &6500					
	7W sky Spot COB(ww)	गोटा	२६६३.००	२६६३.००	२६६३.००	
	12W sky Spot COB(Cw)	गोटा	३३२२.००	३३२२.००	३३२२.००	
	18W sky Spot COB(Cw)	गोटा	४१४१.००	४१४१.००	४१४१.००	
	22W sky Spot COB(Cw)	गोटा	४१४१.००	४१४१.००	४१४१.००	
१२१	Green LED I					
	Green LED I High Performance LED Downlights for commercial applications 100 lumen/watt efficacy . Efficient heat sink (die cast) with steel clips. Integrated driver control (for easy installation					
	DN191B LED6S-6500 PSU WH S2	गोटा	२६६३.००	२६६३.००	२६६३.००	
	DN192B LED10S-6500 PSU WH S2	गोटा	३३२२.००	३३२२.००	३३२२.००	
	DN193B LED12S-6500 PSU WH S2	गोटा	४१४१.००	४१४१.००	४१४१.००	
	DN194B LED16S-6500 PSU WH S2	गोटा	५१७६.००	५१७६.००	५१७६.००	
	DN195B LED20S-6500 PSU WH S2	गोटा	६२११.००	६२११.००	६२११.००	
१२२	Essential Smart Bright Track Lights					
	Essential Smart Bright Track Lights range is high performance, hassle free solution for up to 5 years of use range has high efficacy of up to 100 lm/w, and aluminium housing for better thermal management. Available in back & white color housing					
	ST030T LED8/830 8W 220-240V 1 MB WH	गोटा	४०००.००	४०००.००	४०००.००	
	ST030T LED12/830 14W 220-240V 1 NB W	गोटा	४५००.००	४५००.००	४५००.००	
	ST030T LED20/830 23W 220-240V 1 NB WH	गोटा	५५००.००	५५००.००	५५००.००	
	ST030T LED30/830 35W 220-240V 1 NB WH	गोटा	६५००.००	६५००.००	६५००.००	
	TRACK LIGHT STICK BK 1-MTR	गोटा	२८००.००	२८००.००	२८००.००	
१२३	EcoAccent					
	EcoAccent recessed mounted accent lightining luminaire with diecast aluminium heat sink and sand grain finishing reflector, available in two lumen packs with option of dali dimmable driver					
	RS271B LED20/830 PSU-E NB WH	गोटा	११२९४.००	११२९४.००	११२९४.००	
	RS271B LED20/850 PSD MB WH	गोटा	१४११७.००	१४११७.००	१४११७.००	
	RS271B LED40/850 PSD MB WH	गोटा	१५०५८.००	१५०५८.००	१५०५८.००	
१२४	Optimus LED Trunking					
	Optimus LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered .					
	LL199X 1XDLED40-6500 PSE OD WH SI	गोटा	८४७०.००	८४७०.००	८४७०.००	
	LL199x1xDLED57-6500PSEODWH		११६७०.००	११६७०.००	११६७०.००	
	TTX199/01 LED HANGING KIT		१८८२.००	१८८२.००	१८८२.००	
१२५	waterproof LED Luminaires					
	Smartbright Waterproof IPS65 Dust and WATERPROOF led Luminaire with polycarbonate Housing suitable for walland ceiling mount applications					
	WT201C LED44S-6500 PSU L 120		७५२९.००	७५२९.००	७५२९.००	
	WT201C LED24S-6500 PSU L 120		५६४७.००	५६४७.००	५६४७.००	
१२६	waterproof LED Luminaires					
	waterproof LED Luminaire surface/Suspended Mounted waterproof (IP65) Luminaire suitable for single and twin T 8 TLED LAMPS					
	TCW450 P 1XTLED 19W P3397		४१४१.००	४१४१.००	४१४१.००	




विद्युत्तिय सामग्री
प्रशासन कार्यालय
धरिङ

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
१२७	PureSpace Clean Room Range TCW450 P 2XTLED 19W P3397		४७०५.००	४७०५.००	४७०५.००	
	PureSpace Clean Room Range puresaacc is a comprehensive Cleanroom luminiarres range with options for botton opening, top opening 2x2 as well 1x4					
	CR652B LED6OS-6500 PSU CA TO W30L120 WH		३३८८२.००	३३८८२.००	३३८८२.००	
	CR652B LED36S-6500 PSU CA TO W60L60 WH		२४४७०.००	२४४७०.००	२४४७०.००	
	CR652B LED80S-6500 PSU CA TO W6060 WH		३३८८२.००	३३८८२.००	३३८८२.००	
१२८	Skyline Street Light					
	Skyline Skyline Family is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing with top openable access to drivers for ease of maintenenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system. Ideal for road width up to 8-12 mts. Pole Dia: 48-60mm Type HSN Code					
	BRP 340 LED 150 CW HO SLC S2 PSU GR		२६३५२.००	२६३५२.००	२६३५२.००	
	BRP 340 LED 175 CW HO SLC S2 PSU GR		३०११७.००	३०११७.००	३०११७.००	
	BRP 340 LED 200 CW HO SLC S2 PSU GR		३३८८२.००	३३८८२.००	३३८८२.००	
१२९	Skyline Xtra Street Light					
	Skyline Xtra Skyline Xtra family is an IP66 road lighting luminaire with high power LED light source, PDC housing with top openable access to drivers for ease of maintenenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system ideal for road width up to 8-15 mts.(170W -235W). Pole Dia: 48-60mm					
	BRP360 LED 213 CW HO SLC SI PSU GR		४५१७६.००	४५१७६.००	४५१७६.००	
	BRP360 LED 240 CW HO SLC S1 PSU GR		५०८२३.००	५०८२३.००	५०८२३.००	
	BRP360 LED 265 CW HO SLC SI PSU GR		५४५८८.००	५४५८८.००	५४५८८.००	
	BRP360 LED 295 CW HO SLC SI PSU GR		६२११७.००	६२११७.००	६२११७.००	
१३०	GreenLine V2 Street Light					
	GreenLine V2 GreenLine V2 is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing, Toughened Glass cover and unique peanut lens to ensure uniform light distribution, higher spacing between poles and maintenance free system.Suitable for A1 and A2 category roads. Pole Dia: 48-60mm Type					
	BRP409 LED11S CW SLC FG PSU GR V2		१७६९४.००	१७६९४.००	१७६९४.००	
	BRP409 LED130 CW SLA FG PSU GR V2		१९२००.००	१९२००.००	१९२००.००	
१३१	SmartBright Essential					
	SmartBright Essential SmartBright Essential is a street lighting luminiare with PDC housing and street light optics to ensure uniform distribution.					
	BRP042 P LED25 CW SLE PSU GR DX		५६४७.००	५६४७.००	५६४७.००	
	BRP030 LED35 CW MR PSU GR DX		६५८८.००	६५८८.००	६५८८.००	
	BRP031 LED45 CW MR PSU GR DX		९४११.००	९४११.००	९४११.००	
	BRP032 LED70 CW MR PSU GR DX		१३१७६.००	१३१७६.००	१३१७६.००	
	BRP046 LED 30 CW MR SI PSU GR		८४७०.००	८४७०.००	८४७०.००	
	BRP046 LED 36 CW MR SI PSU GR		९४५०.००	९४५०.००	९४५०.००	
	BRP046 LED 39 CW MR SI PSU GR		९९७५.००	९९७५.००	९९७५.००	
१३२	Tango XL LED					

Handwritten signatures and initials at the bottom of the page.

सि.नं	निर्माण सामग्री को विवरण	मु.अ.क बाहेकको दररेट			कैफियत
		आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Tango XL LED Tango XL LED - with "Best in class Lens Design & Optical integration" is a Flood lighting luminaire with Single Die ceramic base high power LED, PDC Housing with integrated flood optics (AWB,FLNB,NB) to ensure uniform distribution and maintenance free system, ideal for Rearecreational sports lighting, area lighting and high mast lighting.				
	BVP485 LED370 CW AWB PSU SPD GR	१०७६७०.००	१०७६७०.००	१०७६७०.००	
	BVP485 LED427 CW NB PSU SPD GR	११७४५८.००	११७४५८.००	११७४५८.००	
	BVP485 LED540 CW AWB PSU SPD GR	१४६८३२.००	१४६८३२.००	१४६८३२.००	
	BVP485 LED560 CW AWB PSU SPD GR	१५६२३५.००	१५६२३५.००	१५६२३५.००	
१३३	Tempo Mini				
	Tempo Mini Tempo Mini is a flood lighting luminaire with PDC Housing and unique flood optics(NB) to ensure uniform distribution				
	BVP180 LEDSO CW PC WB SOW 120-270 PSU	९५००.००	९५००.००	९५००.००	
	BVPI81 LED62 CW PC WB 70W 120-270 PSU	१३५००.००	१३५००.००	१३५००.००	
	BVPI82 LED100 CW FG WB 100W 120-270 PSU	१९०००.००	१९०००.००	१९०००.००	
१३४	SmartBright Essential				
	SmartBright Essential SmartBright essential flood light is aesthetically designed flood lighting luminaire for superior performance. Type				
	BVP183 LED140 CW FG WB 150W PSU	२६३५२.००	२६३५२.००	२६३५२.००	
	BVPI84 LED196 CW FG WB 200W PSU	३३८८२.००	३३८८२.००	३३८८२.००	
१३५	Landscape Lighting				
	Town Glow Post Top Town Glow is a contemporary designer IP66/IK 10 Post Top lantern with symmetric Light distribution				
	BGP300 LED28 757 PSU PC IN SI	३३८८२.००	३३८८२.००	३३८८२.००	
	BGP300 LED40 757 PSU PC IN SI	३५७६४.००	३५७६४.००	३५७६४.००	
	BGP300 LED50 757 PSU PC IN SI	३७६४७.००	३७६४७.००	३७६४७.००	
	LED Post Top Reliable and asthetic designed IP6S post top lantern with symmetric light distribution and limited upward light component. Type H				
	BGPI61 LED2500/NW PSU 220-240V 7043 IN	३७६४७.००	३७६४७.००	३७६४७.००	
१३६	CityCube Bollard P				
	CityCube Bollard is a robustly designed IP65/K 10 bollard and is easy to install with base plate.				
१३७	CityCube Bollard T				
	BCP400 LED09 T CW PSU GR SI	३२०००.००	३२०००.००	३२०००.००	
१३८	CityCube Bollard D				
	BCP400 LED09 D CW PSU GR SI	२९६४७.००	२९६४७.००	२९६४७.००	
१३९	LED Bollard				
	BCP151 LED150/WW PSU 220-240V 7043	२२५८८.००	२२५८८.००	२२५८८.००	
१४०	LED Step Light				
	BWGI50 LED50/WW PSU 220-240V 1P67 7043	१३९७६.००	१३९७६.००	१३९७६.००	
१४१	UNiln-ground: LED Marker				
	UNiln-ground Range Uniln Ground LED ground burial range is compact, robust design IP67/K 10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free				
	BBP210 LED50/WW IW 12V 30D	२२५८.००	२२५८.००	२२५८.००	
	BBP211 LED90/WW 2W 12V 30D	३०९९.००	३०९९.००	३०९९.००	
	Driver & accessories price extra for 12 V.	२२५८.००	२२५८.००	२२५८.००	
१४२	UNiln-ground: LED Ground Guide				





विद्युत प्रकाशन कार्यसूची

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Multiple lighting emission windows to make space out.					
	BBP212 LED45/WW 3W 100-240V		४१४१.००	४१४१.००	४१४१.००	
	BBP213 LED1 10/WW 6W 100-240V		६०२३.००	६०२३.००	६०२३.००	
१४३	UNIn-ground: Ground Burial					
	UNIn-ground: Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors					
	BBP340 LED220/WW 3W 20D 100-240V		९४११.००	९४११.००	९४११.००	
	BBP341 LED540/WW 6W 20D 100-240V		१३५५२.००	१३५५२.००	१३५५२.००	
	BBP342 LED1200/WW 12W 20D 100-240V		२५४११.००	२५४११.००	२५४११.००	
	BBP343 LED1800/WW 18W 20D 100-240V		२७२९४.००	२७२९४.००	२७२९४.००	
	BBP344 LED3600/WW 36W 20D 100-240V		२८२३५.००	२८२३५.००	२८२३५.००	
	BBP343 LED RGB 18W 20D 24V		३०११७.००	३०११७.००	३०११७.००	
	BBP343 LED R 18W 20D 100-240V		२१६४७.००	२१६४७.००	२१६४७.००	
१४४	UNIn-ground: Linelite					
	UNIn-ground: Linelite UniNground Linear makes space distinctive with more safety and convenience of installation					
	BBP403 LEDS0/WW 2W 24V L300		१३१७६.००	१३१७६.००	१३१७६.००	
	BBP403 LED RGB 9W 24V L300 GM		१७८८२.००	१७८८२.००	१७८८२.००	
	BBP412 LED200/WW 7W 24V L1200		२५४११.००	२५४११.००	२५४११.००	
	BBP412 LED RGB 36W 24V L1200 GM		३२९४१.००	३२९४१.००	३२९४१.००	
१४५	Tunnel Lights					
	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees. Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.					
	BWP352 LED69/NW 60W 220-240V DM2 MPI		७५९५.००	७५९५.००	७५९५.००	
	BWP352 LED137/NW 120W 220-240V DM2 MP1		१३१७६५.००	१३१७६५.००	१३१७६५.००	
	BWP352 LED206/NW 180W 220-240V DM2 MPI		१६९४११.००	१६९४११.००	१६९४११.००	
	BWP352 LED274/NW 240W 220-240V DM2 MP1		२३५२९५.००	२३५२९५.००	२३५२९५.००	
१४६	UNI Urban					
	BDP461 LED33 WW 110-277V TS		७५२९४.००	७५२९४.००	७५२९४.००	
	BDP461 LED6S WW 110-277V TS		९४११७.००	९४११७.००	९४११७.००	
	BDP461 LED100 WW 110-277V TS		१३१७६४.००	१३१७६४.००	१३१७६४.००	
१४७	Jargeua - Post Top					
	Jargeva - Post Top Jargeau LED combines the heritage look of four-sided street luminaire with the technical performance of high performance optics, Aluminium Die cast housing having IP65/IK08 protection.					
	Jargeua -Post Top		७५२९४.००	७५२९४.००	७५२९४.००	
१४८	Architectural Lights color kinetics					
	Blast* This high-performance line of exterior luminaires offers an extremely wide range of light output, beam angles, and accessories					
	Intellihue Blast Gen4 Powercore, Clear Lens, White Housing, UI/Ce		१६९४११.००	१६९४११.००	१६९४११.००	
	Graze* This high-performance linear exterior wall grazing family of luminaires offers high-quality light in a wide range of luminaire lengths, beam angles, output levels, and power consumption levels			०.००	०.००	
	ColorGraze Intellihue Powercore, lft, 9 Degree		१४११७६.००	१४११७६.००	१४११७६.००	

Handwritten signatures and marks at the bottom of the page.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Reach & Reach Compact* Reach Powercore is ideal for illuminating large surfaces. Flood luminaires can throw fully-saturated light to great heights.					
	ColorReach Powercore, GEN2, RGBW, 100-277V, UL/CE		२८२३५२.००	२८२३५२.००	२८२३५२.००	
	Burst* This family of high-output, exterior-rated LED lighting luminaires is designed for accent and site lighting. Most versions feature multiple housing colors and standard architectural and landscape formats.					
	ColorBurst Intellihue Powercore, White Housing, Architectural Mount		९४११७.००	९४११७.००	९४११७.००	
	ReachElite* Go farther with powerful, precision-controlled light that reaches new heights. ReachElite delivers exceptional light to bridges, façades, monuments, and skyscrapers illuminating the tallest structures and highlighting details up to 564 m (1,852 ft) away with the 300 W luminaire. This family of long-throw exterior LED luminaires make it happen with high punch and rack-solid reliability.					
	ReachElite Intellihue Powercore, 200W, 100-277V UL/CE/COC		४७०५८८.००	४७०५८८.००	४७०५८८.००	
	Accent Compact This family of direct view linear LED luminaires is ideally suited for displaying large-scale video, graphics, and intricately designed effects.					
	iColor Accent Compact, RGBW, Ethernet, 1.2M (4f), Clear Flat Lens		१५०५८८.००	१५०५८८.००	१५०५८८.००	
	Archpoint ArchiPoint Color Powercore is a daylight-visible, exterior-rated LED point of light ideally suited for a range of direct-view and beacon applications					
	Archpoint iColor Powercore, Clear Flat Lens, 100-240V, UL/CE		३७६४७.००	३७६४७.००	३७६४७.००	
	iColor MR Lamp iColor MR Gen3 is an intelligent color-changing lamp that delivers intense, saturated bursts of color and color-changing effects. The stylish housing fits into most standard MR16 luminaires, including tracks, cables, rails, and pendants					
	iColor MR G3, 30 Degree		१५०५८.००	१५०५८.००	१५०५८.००	
	Flex Cover almost any structure with flexible strands of bright LED nodes. Flex means maximum flexibility. Strands of efficient, addressable Flex nodes can be arranged along a nearly limitless array of surfaces and unconventional structures. Our proven Flex family of direct-view LED luminaires can do it all- from display+ Bling messages on curved building façades to bringing stunning LED light shows to stadium roofs.					
	iColor Flex LMX GEN2, 12IN OC, white node/cable, clear flat lens, 3ft leader		४७०५८.००	४७०५८.००	४७०५८.००	
	iColor Flex LMX GEN2, 12IN OC, white node/cable, translucent dome lens, 3ft leader		४७०५८.००	४७०५८.००	४७०५८.००	
१४९	Controllers / Power Supplies / Keypads / Softwares					
	Controller, Light System Manager (Gen 5) 15000 Node		१४११७६.००	१४११७६.००	१४११७६.००	
	Ethernet Switch with POE Ports For Use with Colordial2		१६०००.००	१६०००.००	१६०००.००	
	Controller, Activesite Gateway		११२९४१.००	११२९४१.००	११२९४१.००	
	Uniflood C UniFlood C is a circular shaped, exterior-rated architectural LED floodlight that is designed for facade, landscape and outdoor flood lighting applications like; illuminating multi-story exterior facades, bridges, landmarks and monuments. Available in white, monochromatic colors, RGB, RGBW and tunable white and DMX512/RDM control options.					
	Uniflood C Small (27W-36W)		१५०५८८.००	१५०५८८.००	१५०५८८.००	
	Uniflood C large(110W-150W)		१७८८२३.००	१७८८२३.००	१७८८२३.००	
	UniStrip G4 UniStrip G4 (AC) is a surface mounted, exterior-rated LED linear flood light luminaire that is designed for wall washing and grazing architectural lighting applications like; illuminating buildings facades, bridges, overpasses and any application that requires a linear lighting solution. Available in white, monochromatic colors, RGB, RGBW and tunable white with different lengths (300mm, 500mm, 520m & 1000mm)					
	UniStrip G4 AC BCP383(15W-SOW)		२३५२९४.००	२३५२९४.००	२३५२९४.००	
	UniStrip G4 AC BCP385 (SOW-120W)		३७६४७०.००	३७६४७०.००	३७६४७०.००	

Handwritten signatures and initials at the bottom of the page.



सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Green Perform Elite Highbay Awarded with IF Design and Red Dot Design Awards in 2019. GreenPerform Elite Highbay is a power pack of superior performance, best in class efficacy and unmatched product design					
	BY718P LED100/CW PSU NB IN		२६३५२.००	२६३५२.००	२६३५२.००	
	BY718P LED150/CW PSU NB IN		३३८८२.००	३३८८२.००	३३८८२.००	
	BY718P LED200/CW PSU NB IN		३७६४७.००	३७६४७.००	३७६४७.००	
१५०	Industrial Battens					
	EnduraLED Next Flicker free, high efficiency and robust industrial batten family suitable for Surface, Wall and Conduit mounting. The product family offers dimmable and connected batten option					
	BN308C LED20S-6500 L60 PSU WH		३५७६.००	३५७६.००	३५७६.००	
	BN308C LED40S-6500 L120 PSU WH		८४७०.००	८४७०.००	८४७०.००	
	BN308C LED60S-6500 L120 PIR WH		१०१६४.००	१०१६४.००	१०१६४.००	
१५१	TMC 501 Mounting rail for TLED lamps.					
	TMC S01 P 1xT-LED 22W P3241		१८८२.००	१८८२.००	१८८२.००	
	TMC S01 P 2xT-LED 22W P3242		३०११.००	३०११.००	३०११.००	
१५२	Highbays					
	BY51SP LED100S 5700 NB PSU GR		२४४७०.००	२४४७०.००	२४४७०.००	
	BY51SP LEDISOS 5700 NB PSU GR		२८२३५.००	२८२३५.००	२८२३५.००	
	BY51SP LED250S 5700 NB PSU GR		४१४११.००	४१४११.००	४१४११.००	
१५३	Upvc Conduit Pipe					
	Upvc Conduit Pipe (Light Stress)					
	20mm		१२८.००	१२८.००	१२८.००	
	25mm		१६५.००	१६५.००	१६५.००	
	32mm		२२५.००	२२५.००	२२५.००	
	Upvc Conduit Pipe (Medium Stress)					
	20mm		१८८.००	१८८.००	१८८.००	
	25mm		२२५.००	२२५.००	२२५.००	
	32mm		२८५.००	२८५.००	२८५.००	
	Upvc Conduit Pipe (Heavy Stress)					
	20mm		३९२.००	३९२.००	३९२.००	
	25mm		४५०.००	४५०.००	४५०.००	
	32mm		५२५.००	५२५.००	५२५.००	
१५४	Upvc Elec. Conduit Fittings					
	Circular Box - Terminal (1 way)					
	20mm		४६.००	४६.००	४६.००	
	25mm		५७.००	५७.००	५७.००	
	Circular Box - Angle (2 way)					
	20mm		५५.००	५५.००	५५.००	
	25mm		६२.००	६२.००	६२.००	
	Circular Box - Through (2 way)					
	20mm		५७.००	५७.००	५७.००	
	25mm		६२.००	६२.००	६२.००	



विद्युतिय सामाग्रीहरु

सुकाई
प्रमाणन कार्य

सि.नं	निर्माण सामाग्री को विवरण	सुकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Circular Box - Tee (3 way)					
	20mm					
	25mm		६२.००	६२.००	६२.००	
	Circular Box - Intersection (4 way)		६९.००	६९.००	६९.००	
	20mm		६९.००	६९.००	६९.००	
	25mm		७४.००	७४.००	७४.००	
	Deep Circular Box - Terminal (1 way)					
	20mm		८९.००	८९.००	८९.००	
	25mm		१०९.००	१०९.००	१०९.००	
	32mm		१२५.००	१२५.००	१२५.००	
	Deep Circular Box - Angle (2 way)					
	20mm		९८.००	९८.००	९८.००	
	25mm		११४.००	११४.००	११४.००	
	32mm		१३६.००	१३६.००	१३६.००	
	Deep Circular Box - Through (2 way)					
	20mm		११४.००	११४.००	११४.००	
	25mm		१२५.००	१२५.००	१२५.००	
	32mm		१२६.००	१२६.००	१२६.००	
	Deep Circular Box - Tee (3 way)					
	20mm		१०३.००	१०३.००	१०३.००	
	25mm		१२०.००	१२०.००	१२०.००	
	32mm		१४७.००	१४७.००	१४७.००	
	Deep Circular Box - Intersection (4 way)					
	20mm		१०९.००	१०९.००	१०९.००	
	25mm		१२५.००	१२५.००	१२५.००	
	32mm		१५८.००	१५८.००	१५८.००	
	Slip Type Bend - Long					
	20mm		४४.००	४४.००	४४.००	
	25mm		५७.००	५७.००	५७.००	
	Slip Type Bend - Normal					
	20mm		२६.००	२६.००	२६.००	
	25mm		३७.००	३७.००	३७.००	
	32mm		९५.००	९५.००	९५.००	
	Coupler					
	20mm		१३.००	१३.००	१३.००	
	25mm		१९.००	१९.००	१९.००	
	32mm		३६.००	३६.००	३६.००	
	Reducer Coupler 25 x 20					
	25mm		२२.००	२२.००	२२.००	
	Space Bar Saddle					
	20mm		२४.००	२४.००	२४.००	
	25mm		३०.००	३०.००	३०.००	

Handwritten signatures and initials are present at the bottom of the page, along with the page number 'Page 94'.

एकान्त
कोयल

सि.नं	निर्माण सामग्री को विवरण	एकान्त कोयल	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
		32mm	४२.००	४२.००	४२.००	
	Elbow	20mm				
		25mm	२३.००	२३.००	२३.००	
	Tee	20mm	३२.००	३२.००	३२.००	
		25mm	३६.००	३६.००	३६.००	
	Fan Box with Rod 20mm X	25mm	४५.००	४५.००	४५.००	
		25mm	१७०.००	१७०.००	१७०.००	
	Fan Box with Rod 20mm X	25mm	५७५.००	५७५.००	५७५.००	
	Inspection Tee	20mm	६०.००	६०.००	६०.००	
		25mm	११०.००	११०.००	११०.००	
	Circular Extension Ring	20mm	३०.००	३०.००	३०.००	
		25mm	३७.००	३७.००	३७.००	
	Female Bush Adaptor	20mm	२९.००	२९.००	२९.००	
		25mm	३७.००	३७.००	३७.००	
	Bending Spring	20mm	११५०.००	११५०.००	११५०.००	
		25mm	१२५०.००	१२५०.००	१२५०.००	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



Solar Power

सि.नं	निर्माण सामग्री को विवरण	प्रति.वाट	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
१	Solar PV Module	प्रति.वाट	९२.००	९२.००	९२.००	
२	Solar Tubular Battery (200Ah@c20,12v)	गोटा	३२९०३.००	३२९०३.००	३२९०३.००	
३	Solar Tubular Battery (150 Ah@c20,12v)	गोटा	२५११३.००	२५११३.००	२५११३.००	
४	Solar Tubular Battery (100 Ah@c20,12v)	गोटा	१७४२५.००	१७४२५.००	१७४२५.००	
५	Solar Tubular Battery (80 Ah@c20,12v)	गोटा	१७३२३.००	१७३२३.००	१७३२३.००	
६	Solar Tubular Battery (60 Ah@c20,12v)	गोटा	१२५०५.००	१२५०५.००	१२५०५.००	
७	Solar Tubular Battery (40 Ah@c20,12v)	गोटा	८२००.००	८२००.००	८२००.००	
८	Solar Gel Battery (200 Ah@c20,12v)	गोटा	६८३६८.००	६८३६८.००	६८३६८.००	
९	Solar Gel Battery (150 Ah@c20,12v)	गोटा	५१४५५.००	५१४५५.००	५१४५५.००	
१०	Solar Gel Battery (100 Ah@c20,12v)	गोटा	३७००३.००	३७००३.००	३७००३.००	
११	Solar Gel Battery (80 Ah@c20,12v)	गोटा	३१८७८.००	३१८७८.००	३१८७८.००	
१२	Solar Gel Battery (75 Ah@c20,12v)	गोटा	२८२९०.००	२८२९०.००	२८२९०.००	
१३	Solar Gel Battery (40 Ah@c20,12v)	गोटा	१६१९५.००	१६१९५.००	१६१९५.००	
१४	Solar Lithinium Ion Battery (100AH@c10,12V)	गोटा	३७६१८.००	३७६१८.००	३७६१८.००	
१५	Solar Lithinium Ion Battery (80AH@c10,12V)	गोटा	३३४१५.००	३३४१५.००	३३४१५.००	
१६	Solar Lithinium Ion Battery (50AH@c10,12V)	गोटा	१९१६८.००	१९१६८.००	१९१६८.००	
१७	Charge controller (60A/24-48V)	गोटा	३३३१३.००	३३३१३.००	३३३१३.००	
१८	Charge controller 45A/12-24-48 V	गोटा	२४४९८.००	२४४९८.००	२४४९८.००	
१९	Charge controller 30A/12-24-48 V	गोटा	२०२९५.००	२०२९५.००	२०२९५.००	
२०	Charge controller 25A/12-24-48 V	गोटा	१५१७०.००	१५१७०.००	१५१७०.००	
२१	Charge controller 20a/12-24 V	गोटा	६१५०.००	६१५०.००	६१५०.००	
२२	Charge controller 15a/12-24 V	गोटा	५०२३.००	५०२३.००	५०२३.००	
२३	Charge controller 10a/12-24 V	गोटा	२७६८.००	२७६८.००	२७६८.००	
२४	Charge controller 5a/12-24 V	गोटा	१६४०.००	१६४०.००	१६४०.००	
२५	Solar dusk to down controller 20A/12Vwith driver curcit	गोटा	४६१३.००	४६१३.००	४६१३.००	
२६	Solar street light 40W- 12V DC with autodimming system	गोटा	३२३९०.००	३२३९०.००	३२३९०.००	
२७	Solar street light 30W- 12V DC with autodimming system	गोटा	२४९०८.००	२४९०८.००	२४९०८.००	
२८	Solar street light 20W- 12V DC with autodimming system	गोटा	१५६८३.००	१५६८३.००	१५६८३.००	
२९	Solar street light 100W	गोटा	४३३५८.००	४३३५८.००	४३३५८.००	
३०	Solar street light 80W	गोटा	३६६९५.००	३६६९५.००	३६६९५.००	
३१	Solar street light 60W	गोटा	२७४७०.००	२७४७०.००	२७४७०.००	
३२	Solar street light 40W	गोटा	१५४७८.००	१५४७८.००	१५४७८.००	
३३	Solar street light 30W	गोटा	१२३००.००	१२३००.००	१२३००.००	
३४	Solar street light 20W	गोटा	८८१५.००	८८१५.००	८८१५.००	
३५	Solar street light 12W	गोटा	५७४०.००	५७४०.००	५७४०.००	
३६	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	१७८३५.००	१७८३५.००	१७८३५.००	
३७	Ms pole 7 m high with rustproof enamel paint dimension 4" for buttom 4m 6" for top 3 m	गोटा	१९६८०.००	१९६८०.००	१९६८०.००	
३८	Ms pole 8 m high with rustproof enamel paint dimension 4" for buttom 5m 6" for top 3 m	गोटा	२१९३५.००	२१९३५.००	२१९३५.००	
३९	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m	गोटा	२२२४३.००	२२२४३.००	२२२४३.००	
४०	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for buttom 4.5 m and 3" for top 2.5 m	गोटा	२१९३५.००	२१९३५.००	२१९३५.००	
४१	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for buttom 4.5 m, 4" for Middle 1.75 m and and 3" for top 1.75 m	गोटा	२५३१८.००	२५३१८.००	२५३१८.००	

Solar Power

सि.नं	निर्माण सामग्री को विवरण	कार्यालय एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
४२	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and 3" for top 2m	गोटा	२७५७३.००	२७५७३.००	२७५७३.००	
४३	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and 3" for top 2.4m	गोटा	२९८२८.००	२९८२८.००	२९८२८.००	
४४	Pure sine wave inverter 250 VA /12 V	गोटा	७३८०.००	७३८०.००	७३८०.००	
४५	Pure sine wave inverter 400 VA /12 V	गोटा	९३८३८.००	९३८३८.००	९३८३८.००	
४६	Pure sine wave inverter 850 VA /12 V	गोटा	९६९९३.००	९६९९३.००	९६९९३.००	
४७	Pure sine wave inverter 1000 VA /12 V	गोटा	२३४७३.००	२३४७३.००	२३४७३.००	
४८	pure sine wave inverter 1400 VA	गोटा	२४९०८.००	२४९०८.००	२४९०८.००	
४९	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	२०७०५.००	२०७०५.००	२०७०५.००	
५०	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	२४८०५.००	२४८०५.००	२४८०५.००	
५१	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	७३२८८.००	७३२८८.००	७३२८८.००	
५२	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	९४६५७५.००	९४६५७५.००	९४६५७५.००	
५३	Ms light Arms	सेट	२२५५.००	२२५५.००	२२५५.००	
५४	SPV mounting frame	सेट	५९४५.००	५९४५.००	५९४५.००	
५५	Battery box	सेट	४६९३.००	४६९३.००	४६९३.००	
५६	Battery stand	सेट	४६९३.००	४६९३.००	४६९३.००	

SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera, Bencardo or eqv. कम्पनीका सामानहरु)					
	White glazed porcelain pan					
	i) 530mm size white glazed without siphon	सेट	2,524.00	2,524.00	2,524.00	
	ii) 500 mm size white glazed without siphon	"	2,741.00	2,741.00	2,741.00	
	iii) 580 mm size orrisa Pan	"	3,371.00	3,371.00	3,371.00	
	iii) 580 mm size white glazed Indian pan	"	1,049.00	1,049.00	1,049.00	
	iv) Siphon 'p' or 's' type	"	590.00	590.00	590.00	
	v) Asian Pan 51x40 Rectangular	"	2,524.00	2,524.00	2,524.00	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3,559.00	3,559.00	3,559.00	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667.00	667.00	667.00	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3,698.00	3,698.00	3,698.00	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1,587.00	1,587.00	1,587.00	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1,825.00	1,825.00	1,825.00	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera, Bencardo or eqv.)	"	18,119.00	18,119.00	18,119.00	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera, Bencardo or eqv.)	"	28,875.00	28,875.00	28,875.00	
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa, Bencardo or eqv.)	"	20,389.00	20,389.00	20,389.00	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set. (Bolan, Tita, Akwa, Bencardo or eqv.)	"	5,252.00	5,252.00	5,252.00	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8,656.00	8,656.00	8,656.00	
	x) 600 to 900 mm Grab bar	"	6,062.00	6,062.00	6,062.00	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3,692.00	3,692.00	3,692.00	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61x41x38 cm size (Hindware, Paryware, Somany, cera, Bencardo or eqv.)	सेट	4,174.00	4,174.00	4,174.00	
	ii) Porcelain clay small Urinal (46.5x35.5x26.5) cm size. (Hindware, Paryware, Somany, cera, Bencardo or eqv.)	"	1,880.00	1,880.00	1,880.00	
	iv) White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set.(Hindware, Paryware, Somany, cera, Bencardo or eqv.)	"	1,619.00	1,619.00	1,619.00	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	"	1,00,291.00	1,00,291.00	1,00,291.00	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45x35)cm	सेट	1,212.00	1,212.00	1,212.00	

SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	ii) Porcelain clay white glaze squatting plate large size	"	1,454.00	1,454.00	1,454.00	
	iii) Porcelain clay super color squatting plate large size.	"	2,831.00	2,831.00	2,831.00	
	iv) Urinal Spreader	"	915.00	915.00	915.00	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1,095.00	1,095.00	1,095.00	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1,481.00	1,481.00	1,481.00	
	iv) Do but wash basin (45×32)cm	"	1,065.00	1,065.00	1,065.00	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1,201.00	1,201.00	1,201.00	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard, Bencardo or equiv)	"	8,348.00	8,348.00	8,348.00	
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard, Bencardo or equiv)	"	13,776.00	13,776.00	13,776.00	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard, Bencardo or equivalent)	"	9,785.00	9,785.00	9,785.00	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	"	6,232.00	6,232.00	6,232.00	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	20,549.00	20,549.00	20,549.00	
	Pedestal:					
	i) Porcelain clay white glaze pedestal	"	1,378.00	1,378.00	1,378.00	
	iii) White glazed Porcelain clay half pedestal complete set.	"	1,670.00	1,670.00	1,670.00	
	iv) First color glazed Porcelain clay half pedestal complete set.	"	1,973.00	1,973.00	1,973.00	
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	13,313.00	13,313.00	13,313.00	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	"	1,741.00	1,741.00	1,741.00	
	Lab sink					
	i) Porcelain clay white glaze large size	"	2,222.00	2,222.00	2,222.00	
	ii) Porcelain clay white glaze small size	"	1,653.00	1,653.00	1,653.00	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	27,553.00	27,553.00	27,553.00	
	Kitchen sink					
	i) Porcelain clay large	सेट	3,763.00	3,763.00	3,763.00	
	ii) Porcelain clay small	"	3,409.00	3,409.00	3,409.00	
	iii) drain board white 53x45	"	1,304.00	1,304.00	1,304.00	
	iii) Soap dish	"	661.00	661.00	661.00	
	iv) White glaze foot rest	"	419.00	419.00	419.00	
	v) White glaze Toilet paper holder	"	1,157.00	1,157.00	1,157.00	
2	PVC Cistern Set					
	i) single flush	सेट	1,973.00	1,973.00	1,973.00	
	ii) Deluxe single flush	"	2,204.00	2,204.00	2,204.00	
	iii) Dual flush 6/3 lit. cistern complete set.	"	2,966.00	2,966.00	2,966.00	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	16,862.00	16,862.00	16,862.00	

SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	v) 32 mm pvc bottel trap set.	पिस	476.00	476.00	476.00	
	vi) 1.5x45 cm pvc pipe connector set.	"	143.00	143.00	143.00	
	vi) Bakelite toilet seat cover set.	"	276.00	276.00	276.00	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45×45×30 size	"	18,185.00	18,185.00	18,185.00	
	Stainless steel Orissa pan LP 210 size	"	8,486.00	8,486.00	8,486.00	
	Stainless steel wash basin model 251 12" round size with pedestal	"	13,262.00	13,262.00	13,262.00	
	Stainless steel wash basin 500 mm model 277 with complete set	"	10,276.00	10,276.00	10,276.00	
	Stainless steel commode S trap with self closing complete set	"	17,554.00	17,554.00	17,554.00	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	14,634.00	14,634.00	14,634.00	
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	18,432.00	18,432.00	18,432.00	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	25,764.00	25,764.00	25,764.00	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	15,952.00	15,952.00	15,952.00	
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	"	4,182.00	4,182.00	4,182.00	
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	"	6,455.00	6,455.00	6,455.00	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827.00	827.00	827.00	
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	"	1,157.00	1,157.00	1,157.00	
	Stainless steel bowl 19"×16" diamond board 37" long	"	2,673.00	2,673.00	2,673.00	
	Stainless steel bowl with diamond board 37" long	"	3,660.00	3,660.00	3,660.00	
	Stainless steel bowl with ordinary board 37" long	"	2,314.00	2,314.00	2,314.00	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13,917.00	13,917.00	13,917.00	
	Stainless steel double bowl with single drain board ordinary	"	5,786.00	5,786.00	5,786.00	
	Stainless steel p trap bottle trap for basin	"	2,324.00	2,324.00	2,324.00	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8,408.00	8,408.00	8,408.00	
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5,565.00	5,565.00	5,565.00	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8,408.00	8,408.00	8,408.00	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1,462.00	1,462.00	1,462.00	
	Stainless steel Hose ringer 1200 mm	"	1,274.00	1,274.00	1,274.00	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1,798.00	1,798.00	1,798.00	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	"	6,943.00	6,943.00	6,943.00	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"	4,425.00	4,425.00	4,425.00	
	Stainless steel Sink 700*450*200	"	24,246.00	24,246.00	24,246.00	
	Stainless steel Sink table top1200*600*300	"	33,504.00	33,504.00	33,504.00	
	Steel Split clamp with washer all complete					

SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	75 mm dia	पिस				
	110 mm dia		331.00	331.00	331.00	
	160 mm dia		441.00	441.00	441.00	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	771.00	771.00	771.00	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	"	1,240.00	1,240.00	1,240.00	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	2,976.00	2,976.00	2,976.00	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"	9,785.00	9,785.00	9,785.00	
	Stainless steel towel bar 450 mm	"	647.00	647.00	647.00	
	Stainless steel water tank fitting with all complete set (304 grade steel)	"	1,240.00	1,240.00	1,240.00	
	Capacity 500 ltr	set				
	Capacity 1000 ltr	"	12,124.00	12,124.00	12,124.00	
	Capacity 1500 ltr	"	17,699.00	17,699.00	17,699.00	
	Capacity 2000 ltr	"	27,212.00	27,212.00	27,212.00	
	Sinks Other Types:		32,743.00	32,743.00	32,743.00	
	Scrub sink					
	a) 1.2 mts (18" deep+6" splash)	सेट	-	-	-	
	b) 1.5 mts (18" deep+6" splash)	"	-	-	-	
	c) 1.0 mts (18" deep+6" splash)	"	-	-	-	
	d) 0.9 mts (18" deep+6" splash)	"	-	-	-	
	a) 1.2 mts (21" deep+6" splash)	"	-	-	-	
	b) 1.5 mts (21" deep+6" splash)	"	-	-	-	
	c) 1.0 mts (21" deep+6" splash)	"	-	-	-	
	d) 0.9 mts (21" deep+6" splash)	"	-	-	-	
	Table Top with Sink					
	42"x24"x12" deep+ 6" splash with		-	-	-	
	18"x24" drain and 24"x18"x12" sink		-	-	-	
	a) without frame and legs	सेट	-	-	-	
	b) with s.s. frame and legs	"	-	-	-	
	Deep Scrub Sink					
	28"x28"x24" deep+ 6" splash with		-	-	-	
	24"x24"x24" sink		-	-	-	
	a) without frame and legs	सेट	-	-	-	
	b) with s.s. frame and legs	"	-	-	-	
	Super lab sink					
	i) super lab sink large size	"	4,313.00	4,313.00	4,313.00	
	ii) super lab sink small size	"	3,401.00	3,401.00	3,401.00	
	Super kitchen sink					
	i) super kitchen sink large size	"	7,465.00	7,465.00	7,465.00	
	ii) super kitchen sink small size	"	6,756.00	6,756.00	6,756.00	
4	Modern Sanitaryware: Grohe, Hansgrohe, American Standard or eqv.					
	iv) Hand dryer Germany	"	19,397.00	19,397.00	19,397.00	
	v) Hand Dryer Chinese	"	7,164.00	7,164.00	7,164.00	
	vi) Indian Mark Brand Flush valve	"	5,731.00	5,731.00	5,731.00	
	xii) Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35,267.00	35,267.00	35,267.00	
	xv) European pattern liquid soap container stainless steel	"	6,062.00	6,062.00	6,062.00	
	xvii) Looking Mirror Modi guard 450x600mm (18"x 24")	"	1,459.00	1,459.00	1,459.00	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	"	4,786.00	4,786.00	4,786.00	

SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	मु.अ.क बाहेकको दररेट			कैफियत
		आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	b) 45 cm long bend type				
	c) 60 cm long bend type	5,012.00	5,012.00	5,012.00	
5	C.P. Accessories(jaquar, somany, essel or equivalent)	6,418.00	6,418.00	6,418.00	
	1) Toilet paper holder	-	-	-	
	2) Soap dish	510.00	510.00	510.00	
	3) Towel rod ½"×18" size	510.00	510.00	510.00	
	4) Towel rod ¾" ×24" size	510.00	510.00	510.00	
	5) Glass shelf	567.00	567.00	567.00	
	6) C.P. bottle trap	680.00	680.00	680.00	
	7) 32 mm×60cm long C.P flush pipe	1,246.00	1,246.00	1,246.00	
	8) 15 mm flush cock push type	510.00	510.00	510.00	
	9) 15 mm dia. C.P. shower arm	1,133.00	1,133.00	1,133.00	
	10) 15 mm dia. C.P. spreader	976.00	976.00	976.00	
	11) 15 mm dia. C.P. wall mixture	940.00	940.00	940.00	
	i) 3" dia. Shower rose , revolving type	5,435.00	5,435.00	5,435.00	
	ii) 4" dia. Shower rose , revolving type	906.00	906.00	906.00	
	iii) Shower rose ordinary	1,020.00	1,020.00	1,020.00	
	iv) Shower rod 12" long	567.00	567.00	567.00	
	C.P. 15 mm dia. Angle Valve	283.00	283.00	283.00	
	C.P. 15 mm dia Concealed Stop Cock	1,244.00	1,244.00	1,244.00	
	C.P. 15mm Bib Cock	1,807.00	1,807.00	1,807.00	
	C.P. 15 mm dia swan neck Pillar Cock	1,361.00	1,361.00	1,361.00	
	C.P. 15 mm dia Stop Cock	1,331.00	1,331.00	1,331.00	
	C.P. 15 mm dia Sink Cock	1,331.00	1,331.00	1,331.00	
	C.P. 15 mm dia Sink Mixture	1,309.00	1,309.00	1,309.00	
	C.P. 32 mm dia Flush Valve	4,472.00	4,472.00	4,472.00	
	C.P. 32 mm dia Waste Coupling for basin	5,404.00	5,404.00	5,404.00	
	C.P. 32 mm dia Waste Coupling for Urinal	424.00	424.00	424.00	
	C.P. Basin Mixture	689.00	689.00	689.00	
	15 mm dia Bath Tub Spout with Wall Hinge	4,640.00	4,640.00	4,640.00	
	C.P. Exclusive Shower Arm with Hinge	1,731.00	1,731.00	1,731.00	
	15 mm bath tub spout with bottom attachment of telephonic shower	2,014.00	2,014.00	2,014.00	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	4,169.00	4,169.00	4,169.00	
	C.P. flexible pipe	6,849.00	6,849.00	6,849.00	
	C.P. Grating	181.00	181.00	181.00	
	i) 4" dia.	-	-	-	
	ii) 5" dia.	50.00	50.00	50.00	
	i) C.P. Toilet Paper Holder	62.00	62.00	62.00	
	ii) C.P. Soap Dish(Polyurethane)	929.00	929.00	929.00	
	iii) C.P. Towel Rod 18"	1,042.00	1,042.00	1,042.00	
	iv) C.P. Towel Rod 24"	1,578.00	1,578.00	1,578.00	
	v) C.P. Glass Shelf 22"	1,663.00	1,663.00	1,663.00	
	vi) C.P. Coat Hook Double	2,260.00	2,260.00	2,260.00	
	C.P. बाट निर्मित सामग्रीहरू(jaquar, somany, essel or equivalent)	812.00	812.00	812.00	
	i) C.P. Toilet Paper Holder	-	-	-	
	ii) C.P. Soap Dish(Polyurethane)	969.00	969.00	969.00	
	iv) C.P. Towel Rod 24"	843.00	843.00	843.00	
	v) C.P. Glass Shelf 22"	1,643.00	1,643.00	1,643.00	
	vi) C.P. Coat Hook Double	2,232.00	2,232.00	2,232.00	
	ix) C.P. Angle Cock	758.00	758.00	758.00	

SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	15mm C.P. Angle Cock	"	927.00	927.00	927.00	
	15 mm C.P. Angle Cock Long Thread	"	986.00	986.00	986.00	
	x) C.P. Conceal Stop Cock	"	-	-	-	
	i) 15 mm Reduced body	"	1,136.00	1,136.00	1,136.00	
	ii) 15 mm Extra Heavy Body	"	1,390.00	1,390.00	1,390.00	
	xi) C.P. Bib Cock	"	-	-	-	
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2,612.00	2,612.00	2,612.00	
	ii) 15mm C.P. Bib Cock	"	952.00	952.00	952.00	
	iii) 15mm C.P. Bib Cock with nozzle	"	1,054.00	1,054.00	1,054.00	
	xii) C.P. Pillar Cock	"	-	-	-	
	i) 15 mm C.P. Pillar Cock With Aerator	"	1,263.00	1,263.00	1,263.00	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2,527.00	2,527.00	2,527.00	
	i) 15mm C.P. Sink Cock	"	1,600.00	1,600.00	1,600.00	
	ii) C.P. Sink Mixer	"	3,966.00	3,966.00	3,966.00	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3,456.00	3,456.00	3,456.00	
	xv) C.P. Bottle Trap 32mm	"	1,852.00	1,852.00	1,852.00	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3,874.00	3,874.00	3,874.00	
	xvii) C.P. Waste Coupling	"	-	-	-	
	32 mm C.P. Waste Coupling H/T	"	446.00	446.00	446.00	
	32 mm C.P. Waste Coupling F/T	"	446.00	446.00	446.00	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2,694.00	2,694.00	2,694.00	
	xix) 15 mm C.P. Wall Mixer	"	-	-	-	
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4,463.00	4,463.00	4,463.00	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4,463.00	4,463.00	4,463.00	
	xx) C.P. Basin Mixer	"	-	-	-	
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3,706.00	3,706.00	3,706.00	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3,891.00	3,891.00	3,891.00	
	xxi) 15mm Bath Tub Spout with wall flange	"	-	-	-	
	15mm Bath Tub Spout with wall Flange	"	1,263.00	1,263.00	1,263.00	
	15mm Bath Tub Spout with button attachment	"	2,021.00	2,021.00	2,021.00	
	xxii) C.P. Casted Shower Arm with Flange	"	-	-	-	
	15 mm Casted Shower Arm Light	"	673.00	673.00	673.00	
	15 mm Casted Shower Arm Heavy	"	1,094.00	1,094.00	1,094.00	
	xxiii) 15 mm Telephonic Hand Shower	"	-	-	-	
	With 1.50 m. PVC Tube	"	1,791.00	1,791.00	1,791.00	
	With 1.5 Flexible Tube	"	2,779.00	2,779.00	2,779.00	
	xxiv) Auto closing urinal flush valve	"	-	-	-	
	15mm presmatic auto closing urinal flush valve	गोटा	3,224.00	3,224.00	3,224.00	
	xxiv) Other accessories	"	-	-	-	
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4,834.00	4,834.00	4,834.00	
	15 mm Braided Hose for E.W.C.	"	298.00	298.00	298.00	
	15 mm Health Faucet (Commode Spray)	"	1,146.00	1,146.00	1,146.00	
	15 mm pillar cock with 200 mm extended lever handle	"	1,515.00	1,515.00	1,515.00	
	15 mm Bib cock with 200 mm extended lever handle	"	1,598.00	1,598.00	1,598.00	

SANITARY WORK

एक ईकाई का दर

सि.नं	निर्माण सामग्री को विवरण	एक ईकाई का दर	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5,956.00	5,956.00	5,956.00	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5,776.00	5,776.00	5,776.00	
	Sensor mixer for wash basin (Battery operated)	"	20,481.00	20,481.00	20,481.00	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20,481.00	20,481.00	20,481.00	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16,221.00	16,221.00	16,221.00	
	Sensor valve for Urinal	"	10,651.00	10,651.00	10,651.00	
	Basin cock Sensor	"	14,418.00	14,418.00	14,418.00	
	15mm U shaped sink cock	"	1,712.00	1,712.00	1,712.00	
	Sink Mixture with U shape swinging spout	"	3,358.00	3,358.00	3,358.00	
	15mm metallic Health Faucet (Commode Spray)	"	2,171.00	2,171.00	2,171.00	
7	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	11,241.00	11,241.00	11,241.00	
	ii) 25 lit cap. " " "	"	17,331.00	17,331.00	17,331.00	
	iii) 35 lit cap " " "	"	21,546.00	21,546.00	21,546.00	
	iv) 50 lit cap " " "	"	25,762.00	25,762.00	25,762.00	
	iv) Gas water heater with cylinder	"	-	-	-	
	vi) 200 lit cap. 3 panel solar heater with fittings	"	-	-	-	
	vii) 300 lit cap. 3 panel solar heater with fittings	"	-	-	-	
	viii) 400 lit cap. 4 panel solar heater with fittings	"	-	-	-	
	x) 500 lit cap. 4 panel solar heater with fittings	"	-	-	-	
	xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12,123.00	12,123.00	12,123.00	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" x 10" (4 Kg.)	सेट	590.00	590.00	590.00	
	ii) 12" x 12" (5 Kg.)	"	730.00	730.00	730.00	
	iii) 14" x 14" (7 Kg.)	"	1,090.00	1,090.00	1,090.00	
	v) 16" x 16" (10 Kg.)	"	1,460.00	1,460.00	1,460.00	
	vi) 18" x 18" (14 Kg.)	"	2,270.00	2,270.00	2,270.00	
	viii) 20" x 20" (16 Kg.)	"	2,560.00	2,560.00	2,560.00	
	ix) 22" x 22" (20 Kg.)	"	2,930.00	2,930.00	2,930.00	
	x) 24" x 24" (24 Kg.)	"	4,070.00	4,070.00	4,070.00	
	xi) 27" x 27" (31 Kg.)	"	5,130.00	5,130.00	5,130.00	
	Heavy Duty					
	iii) 14" x 14" (14 Kg.)	"	-	-	-	
	viii) 20" x 20" (16 Kg.)	"	2,220.00	2,220.00	2,220.00	
	ix) 22" x 22" (22 Kg.)	"	3,620.00	3,620.00	3,620.00	
	xi) 27" x 27" (45 Kg.)	"	4,950.00	4,950.00	4,950.00	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	8,780.00	8,780.00	8,780.00	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	10,240.00	10,240.00	10,240.00	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	14,630.00	14,630.00	14,630.00	
	iv) 22" dia. Medium class. (125 Kg.)	"	18,380.00	18,380.00	18,380.00	
	v) 22" dia. Heavy class. (208Kg.)	"	30,490.00	30,490.00	30,490.00	

SANITARY WORK



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	vi) 24" dia. Medium class. (40 Kg.)	"	10,530.00	10,530.00	10,530.00	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	12,710.00	12,710.00	12,710.00	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	10,290.00	10,290.00	10,290.00	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	12,500.00	12,500.00	12,500.00	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17,250.00	17,250.00	17,250.00	
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17,250.00	17,250.00	17,250.00	
8.3	C.I. Tank Cover Locking Types					
	Round		-	-	-	
	18" (8 Kg.)	सेट	1,690.00	1,690.00	1,690.00	
	20" (12 Kg.)	"	2,479.00	2,479.00	2,479.00	
	22" (14 Kg.)	"	2,816.00	2,816.00	2,816.00	
	24" (16 Kg.)	"	3,379.00	3,379.00	3,379.00	
	28" (24 Kg.)	"	5,069.00	5,069.00	5,069.00	
	Square		-	-	-	
	18" x 18" (13 Kg.)	सेट	2,788.00	2,788.00	2,788.00	
	24" x 24" (50 Kg.)	"	10,038.00	10,038.00	10,038.00	
	Rectangular		-	-	-	
	18" x 24" (27 Kg.)	सेट	5,633.00	5,633.00	5,633.00	
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty		-	-	-	
	4"	सेट	100.00	100.00	100.00	
	5"	"	134.00	134.00	134.00	
	6"	"	178.00	178.00	178.00	
	10"	"	613.00	613.00	613.00	
	Square Jali Strip Medium Duty		-	-	-	
	4" x 4"	सेट	89.00	89.00	89.00	
	5" x 5"	"	112.00	112.00	112.00	
	6" x 6"	"	134.00	134.00	134.00	
	9" x 9"	"	390.00	390.00	390.00	
	10" x 10"	"	502.00	502.00	502.00	
	12" x 12"	"	725.00	725.00	725.00	
	C.I. Gully Gratings		-	-	-	
	i) 15" x 18" Medium (18 Kg.)	सेट	3,718.00	3,718.00	3,718.00	
	ii) 15" x 18" Heavy (25 Kg.)	सेट	5,069.00	5,069.00	5,069.00	
	Grit Cover		-	-	-	
	फलामे एडलको फ्रेममा फलामे पत्तिको जाली बनाई फोब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	164.00	164.00	164.00	
	Aluminum Grating 4" dia.	गोटा	42.00	42.00	42.00	
9	G.I. Water Tank (17 Gauge)					
	i) 100 gls	गोटा	8,317.00	8,317.00	8,317.00	
	ii) 200 gls	"	13,066.00	13,066.00	13,066.00	
	iii) 300 gls	"	16,434.00	16,434.00	16,434.00	
	iv) 400 gls	"	19,730.00	19,730.00	19,730.00	
	v) 500 gls	"	23,036.00	23,036.00	23,036.00	
	G.I. Water Tank (16 BWG TATA Sheet)		-	-	-	
	i) 100 gls	गोटा	8,773.00	8,773.00	8,773.00	
	ii) 200 gls	"	13,267.00	13,267.00	13,267.00	
	iii) 300 gls	"	17,615.00	17,615.00	17,615.00	
	iv) 400 gls	"	21,106.00	21,106.00	21,106.00	

Page 105

SANITARY WORK



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	v) 500 gls	"	24,597.00	24,597.00	24,597.00	
10	Roof Top PVC Water Tank					
	i) 200 lit – 5000 lit cap.	सी	11.00	11.00	11.00	
	ii) 5000 lit – 10,000 lit cap	"	12.00	12.00	12.00	
	iii) Horizontal PVC water tank	"	12.00	12.00	12.00	
11	Water Pumps/Hand Pumps					
	Indian Mark-III , Deep Well Hand Pump		-	-	-	
	6 No. hand pump	गोटा	1,582.00	1,582.00	1,582.00	
	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10,885.00	10,885.00	11,320.00	
	ii) ½ H.P. Water Pump mono block type	"	6,258.00	6,258.00	6,570.00	
	iii) 1.0 H.P. water pump Multistage	"	14,258.00	14,258.00	14,828.00	
	iv) 1.0 H.P. water pump (mono block type)	"	9,465.00	9,465.00	9,938.00	
	v) 2.0 H.P. water pump	"	22,587.00	22,587.00	23,490.00	
	vi) 2.0 H.P. 3 phase water pump	"	23,847.00	23,847.00	24,800.00	
	vii) 5.0 HP 3 phase water pump	"	28,656.00	28,656.00	29,802.00	
A.	KSB made of equivalent Submersible Water Pump Set 100 mm Bore Well, NRV Size =50					
	Pump Type+Motor Type	Power				
1	CORA 12C/7 + XUMA DX(S) 100 - 7/22	2 HP			102,610.00	
2	CORA 12C/7 + UMAI (T) 100 - 1.5/22	2 HP			1,02,610.00	
3	CORA 12C/10 + XUMA DX(S) 100 - 10/23	3 HP			1,19,170.00	
4	CORA 12C/10 + UMAI (T) 100 - 2.2/22	3 HP			1,19,170.00	
5	CORA 12C/13 + UMAI (T) 100 - 3.0/22	4 HP			137,830.00	
6	CORA 12C/17+UMAI (T) 100 - 3.7/22	5 HP			1,56,480.00	
7	CORA 12C/21 + UMAI (T) 100 - 4.5/22	6 HP			1,85,400.00	
8	CORA 12C/27 + UMAI (T) 100-5.5/22	7.5 HP			211,520.00	
B.	KSB made or equivalent Submersible Water Pump Set 100 mm Bore Well, NRV Size=65					
1	CORA 18C/5 + XUMA DX(S) 100 - 7/22	2 HP			99,110.00	
2	CORA 12C/7 + UMAI (T) 100 - 1.5/22	2 HP			99,110.00	
3	CORA 12C/10 + XUMA DX(S) 100 - 10/23	3 HP			1,09,140.00	
4	CORA 12C/10 + UMAI (T) 100 - 2.2/22	3 HP			1,09,140.00	
5	CORA 12C/13 + UMAI (T) 100 - 3.0/22	4 HP			1,26,400.00	
6	CORA 12C/17 + UMAI (T) 100 - 3.7/22	4 HP			1,32,230.00	
7	CORA 12C/21 + UMAI (T) 100 - 4.5/22	5 HP			1,41,790.00	
8	CORA 12C/27 + UMAI (T) 100 - 5.5/22	5 HP			1,50,650.00	
9	CORA 12C/27 + UMAI (T) 100 - 5.5/22	6 HP			1,69,310.00	
10	CORA 12C/27 + UMAI (T) 100-5.5/22	7.5 HP			1,85,870.00	
C.	KSB made or equivalent Submersible Water Pump Set 100 mm Bore Well, NRV Size=38					
1	CORA 3HH/60+ UMAI (T) 100 - 5.5/22	7.5 HP			252,1555.00	
2	CORA 12C/7+ UMAI (T) 100 - 1.5/22	7.5 HP			2,08,555.00	
D.	KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV Size=65					
1	CORA Chrom 150-17/37+UMAH 150-17/23	25 HP			4,55,430.00	
2	CORA Chrom 150-17/43 + UMAH 150-28/22	30 HP			5,24,990.00	
E.	KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV Size=65					
1	UQD 112/15 + UMAI 150-3/22	5 HP			1,56,720.00	
2	UQD 112/18 + UMAI 150-4/22	6 HP			1,79,800.00	
3	UQD 112/20 + UMAI 150-6/22	7.5 HP			1,98,920.00	
4	UQD 112/23 + UMAI 150-6/22	7.5 HP			2,11,750.00	
5	UQD 112/25 + UMAI 150-8/22	10 HP			2,40,200.00	
6	UQD 112/28 + UMAI 150 - 8/22	10 HP			2,52,560.00	
7	UQD 112/34 + UMAI 150-9/22	10 HP			2,64,220.00	

SANITARY WORK



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
8	UQD 112/15 + UMAI 150-3/22	12.5 HP			2,97,800.00	
9	UQD 112/36 + UMAI 150-9/22	12.5 HP			3,03,400.00	
F. KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV Size=50						
1	UQD 152/10 + UMAI 150 - 3/22	5 HP				
2	UQD 152/15 + UMAI 150-6/22	7.5 HP			1,52,050.00	
3	UQD 152/17 + UMAI 150-6/22	7.5 HP			1,87,030.00	
4	UQD 152/20 + UMAI 150-8/22	10 HP			1,94,730.00	
5	UQD 152/22 + UMAI 150-8/22	10 HP			2,32,740.00	
6	UQD 152/26 + UMAI 150-9/22	12.5 HP			2,37,400.00	
7	UQD 152/30 + UMAI 150 - 13/23	15 HP			2,77,050.00	
8	UQD 152/35 + UMAI 150-14/23	17.5 HP			3,10,860.00	
G. KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV Size=50						
1	UQD 182/6 + UMAI 150 - 3/22	5 HP				
2	UQD 182/8 + UMAI 150 - 4/22	6 HP			1,50,520.00	
3	UQD 182/10 + UMAI 150 - 6/22	7.5 HP			1,58,790.00	
4	UQD 182/13 + UMAI 150-8/22	10 HP			1,68,380.00	
5	UQD 182/16 + UMAI 150-9/22	12.5 HP			1,94,260.00	
6	UQD 152/20 + UMAI 150-13/22	15 HP			2,16,880.00	
7	UQD 182/23 + UMAI 150-14/23	17.5 HP			2,54,190.00	
8	UQD 182/26 + UMAI 150-15/23	20 HP			2,65,620.00	
9	UQD 182/32 + UMAI 150-17/23	25 HP			3,02,700.00	
H. KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV Size=50						
1	QD 212/5 + UMAI 150-3/22	5 HP				
2	UQD 212/7 + UMAI 150-6/22	7.5 HP			1,32,800.00	
3	UQD 212/10 + UMAI 150-8/22	10 HP			1,75,860.00	
4	UQD 212/12 + UMAI 150-9/22	12.5 HP			1,94,490.00	
5	UQD 212/14 + UMAI 150-13/22	15 HP			2,27,140.00	
6	UQD 212/18+UMAI 150-14/23	17.5 HP			2,62,350.00	
7	UQD 182/20 + UMAI 150-15/23	20 HP			2,74,950.00	
8	UQD 182/24 + UMAI 150-17/23	25 HP			3,18,090.00	
I. KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV Size=50						
1	PBD 242/4A + UMAI 150 - 3/22	5 HP				
2	PBD 242/6A + UMAI 150 - 6/22	7.5 HP			1,42,020.00	
3	PBD 242/8A + UMAI 150-8/22	10 HP			1,70,940.00	
4	PBD 242/10A + UMAI 150-9/22	12.5 HP			1,94,030.00	
5	PBD 242/12A + UMAI 150-13/22	15 HP			2,38,800.00	
6	PBD 242/14A + UMAH 150-14/23	17.5 HP			2,71,450.00	
7	PBD 242/15A + UMAH 150-15/23	20 HP			3,25,090.00	
8	PBD 242/18A + UMAH 150-17/23	25 HP			3,60,530.00	
9	PBD 242/20B + UMAH 150-17/23	25 HP			4,05,770.00	
10	PBD 242/24A + UMAH 150-17/23	30 HP			4,33,575.00	
J. KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV						
1	PBD 273/3 + UMAI 150-3/22	5 HP				
2	PBD 273/4 + UMAI 150-6/22	7.5 HP			1,42,260.00	
3	PBD 273/5A+UMAI 150-6/22	7.5 HP			1,65,340.00	
4	PBD 273/6+UMAI 150-8/22	10 HP			1,75,140.00	
5	PBD 273/7A+UMAI 150-8/22	10 HP			2,10,120.00	
6	PBD 273/8A+UMAI 150-9/22	12.5 HP			2,20,850.00	
7	PBD 273/10A + UMAI 150-13/22	15 HP			2,54,890.00	
8	PBD 273/10 + UMAH 150-14/23	17.5 HP			2,86,610.00	
9	PBD 273/12+UMAH 150 - 15/23	20HP			2,84,980.00	
					327,420.00	

Page 107



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
K.	KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV					
1	PBD 302/3 + UMAI 150 - 6/22	7.5 HP				
2	PBD 302/4 + UMAI 150 - 6/22	7.5 HP			1,68,520.00	
3	PBD 302/5 + UMAI 150 - 8/22	10 HP			1,71,750.00	
4	PBD 302/6 + UMAI 150 - 9/22	12.5 HP			2,02,420.00	
5	PBD 302/6 + UMAI 150 - 13/22	15 HP			2,30,410.00	
6	PBD 302/7 + UMAI 150 - 13/22	15 HP			2,55,130.00	
7	PBD 302/8 + UMAI 150 - 14/23	17.5 HP			2,66,320.00	
8	PBD 302/8 + UMAI 150 - 15/23	20 HP			2,90,340.00	
9	PBD 302/9 + UMAI 150 - 15/23	20 HP			2,95,040.00	
10	PBD 302/10 + UMAI 150 -- 17/23	25 HP			3,06,200.00	
11	PBD 302/12 + UMAI 150 - 17/23	25 HP			3,61,000.00	
L.	KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV=50					
1	UPF 60/23 + UMAI 150 - 13/22	15 HP				
2	UPF 60/30 + UMAH 150 - 15/23	20 HP			3,34,860.00	
3	UPF 80/30 + UMAH 150 - 17/23	25 HP			4,19,070.00	
M.	KSB made or equivalent Submersible Water Pump Set 150 mm Bore Well, NRV=65					
1	UPF 125/20 + UMAHI 150 - 17/23	25 HP				
N.	KSB made or equivalent Submersible Water Pump Set 2000 mm Bore Well, NRV=65					
1	BPI 322/3A + UMAI 150 - 8/22	10 HP				
2	BPI 322/3C + UMAI 150 - 9/22	12.5 HP			1,89,600.00	
3	BPI 322/4B + UMAI 150 - 13/22	15 HP			2,16,410.00	
4	BPI 322/4C + UMAH 150 - 14/23	12.5 HP			2,43,230.00	
5	BPI 322/5C + UMAH 150 - 15/23	20 HP			2,84,510.00	
6	BPI 322/6C + UMAH 150-17/23	25 HP			2,86,610.00	
O.	KSB made or equivalent Submersible Water Pump Set 200 mm Bore Well, NRV=65					
1	BPHA 333/3B + UMAI 150 - 9/22	12.5 HP				
2	BPHA 333/3D + UMAI 150 - 13/22	15 HP			2,35,770.00	
3	BPHA 333/3C + UMAH 150 - 15/23	20 HP			2,48,360.00	
4	BPHA 333/4F + UMAH 150-17/23	25 HP			2,78,910.00	
P.	KSB made or equivalent Submersible Water Pump Set 200 mm Bore Well, NRV					
1	BPHA 373/2B + UMAH 150-15/23	20 HP				
2	BPHA 373/3C + UMAH 150 - 17/23	25 HP			2,76,240.00	
Q.	KSB made or equivalent Submersible Water Pump Set 200 mm Bore Well, NRV					
1	BPHA 384/2E + UMAI 150-9/22	12.5 HP				
2	BPHA 384/2F + UMAI 150-13/22	15 HP			2,21,120.00	
3	BPHA 384/2D + UMAI 150-15/23	20 HP			2,29,940.00	
4	BPHA 384/3G + UMAI 150 - 17/23	25 HP			2,71,220.00	
R.	KSB made or equivalent Submersible Water Pump Set 200 mm Bore Well, NRV					
1	UPHA 233/12 + HBC 303	30 HP				
2	UPHA 233/14 + HBC 333	33 HP			4,91,630.00	
3	UPHA 233/16 + HBC 413	41 HP			5,29,600.00	
S.	KSB made or equivalent Submersible Water Pump Set 200 mm Bore Well, NRV					
1	UPHA 263/8 + HBC 253	25HP				
2	UPHA 263/10 + HBC 303	30 HP			4,15,100.00	
3	UPHA 263/12 + HBC 333	33 HP			4,61,970.00	
4	UPHA 263/14 + HBC 413	41 HP			5,01,620.00	
T.	KSB made or equivalent Submersible Water Pump Set 200 mm Bore Well, NRV=75					
1	UPHA 293/5A + HBC 253	25 HP				
2	UPHA 293/6A + HBC 253	25 HP			3,70,560.00	
3	UPHA 293/6A + HBC 303	30 HP			3,88,050.00	
4	UPHA 293/7 + HBC 303	30 HP			4,22,560.00	
5	UPHA 293/7 + HBC 333	33 HP			4,38,650.00	
6	UPHA 293/8 + HBC 333	33 HP			4,64,310.00	
7	UPHA 293/8 + HBC 413	41 HP			5,04,650.00	
8	UPHA 293/10 + HBC 523	52 HP			6,20,950.00	
9	UPHA 293/11 + HBC 523	52 HP			8,12,470.00	
10	UPHA 293/12 + HBC 603	60 HP			8,26,470.00	

Page 108



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
11	UPHA 293/14 + HBC 603	60 HP				
12	UPHA 293/14 + HBC 683	68 HP			9,10,300.00	
13	UPHA 293/16 + HBC 753	75 HP			10,95,800.00	
U.	KSB made or equivalent Submersible Water Pump Set 200 mm Bore Well, NRV=75				11,10,900.00	
1	BPHA 333/4F + HBC 253	25 HP				
2	BPHA 333/4C + HBC 303	30 HP			3,92,710.00	
3	BPHA 333/5F + HBC 303	30 HP			4,17,200.00	
4	BPHA 333/5F + HBC 333	33 HP			4,31,660.00	
5	BPHA 333/6F + HBC 333	33 HP			4,47,280.00	
6	BPHA 333/6C + HBC 413	41 HP			4,72,230.00	
7	BPHA 333/7F + HBC 413	41 HP			5,91,170.00	
8	BPHA 333/7 + HBC 523	41 HP			6,17,980.00	
*	Submersible Flat Cable	unit			7,67,230.00	
1	1.5 sq mm 3 core Flat Flexible Copper Submersible Cable Jainson brand or equivalent	m			300.00	
2	2.5 sq mm 3 core Flat Flexible Copper Submersible Cable Jainson brand or equivalent	m			400.00	
3	4.0 sq mm 3 core Flat Flexible Copper Submersible Cable Jainson brand or equivalent	m			600.00	
4	6.0 sq mm 3 core Flat Flexible Copper Submersible Cable Jainson brand or equivalent	m			800.00	
5	10.0 sq mm 3 core Flat Flexible Copper Submersible Cable Jainson brand or equivalent	m			1,200.00	
6	16 sq mm 3 core Flat Flexible Copper Submersible Cable Jainson brand or equivalent	m			1,550.00	
7	25 sq mm 3 core Flat Flexible Copper Submersible Cable Jainson brand or equivalent	m			2,150.00	
*	Panel Board					
	3 Phase, 400 Volts, 50 Hz, fully automatic Control Panel Board suitable for the Submersible Water Pump Set with following capacity					
1		3 HP	Set			
2		4 HP	Set		45,000.00	
3		5 HP	Set		49,000.00	
4		6-7 HP	Set		53,000.00	
5		10 HP	Set		62,500.00	
6		12.5 HP	Set		88,750.00	
7		15 HP	Set		92,000.00	
8		17.5 HP	Set		4,000.00	
9		20 HP	Set		1,05,500.00	
10		25 HP	Set		1,18,000.00	
11		30 HP	Set		1,33,000.00	
12		33 HP	Set		1,60,000.00	
13		41 HP	Set		1,65,000.00	
*	Crossing Wire Rope				1,72,000.00	
1	8mm cable crossing wire rope	Rm				
2	10mm cable crossing wire rope	Rm			300.00	
3	12mm cable crossing wire rope	Rm			540.00	
4	16mm cable crossing wire rope	Rm			688.00	
5	Bulldog grip 8mm	No			918.00	
6	Bulldog grip 10mm	No			150.00	
7	Bulldog grip 12mm	No			195.00	
8	Bulldog grip 16mm	No			250.00	
*	Generator				380.00	
1	Generator 3 KVA	No				
2	Generator 5 KVA	No			2,30,000.00	
3	Generator 6 KVA	No			2,50,000.00	
4	HDPE HDPE Butt fusion Machine 8"	Set			2,65,000.00	
5	HDPE Casing Pipe 200 mm dia 3.5 mtrs long	Set			2,50,000.00	
					30,000.00	

Handwritten signatures and initials in the bottom left corner.

Handwritten signatures and initials in the bottom right corner.



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	Jet Water Pump		-	-	-	
	i) Double Stage jet 1.10 H.P.		25,956.00	25,956.00	26,994.00	
	ii) 1.5 H.P.	"	29,201.00	29,201.00	30,369.00	
	Super Sunction		-	-	-	
	i) ½ H.P	सेट	8,922.00	8,922.00	9,368.00	
	ii) 0.75 H.P.	"	8,328.00	8,328.00	8,744.00	
	iii) 1.0 H.P.	"	14,276.00	14,276.00	14,847.00	
	Water Pump (Grundfoss, pentair, Pedrello or equiv)		-	-	-	
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18,202.00	18,202.00	18,930.00	
	ii) 2 H.P. single pump set " "	"	29,233.00	29,233.00	30,402.00	
	Fire pump		-	-	-	
	Submersible Pump (Italian)		-	-	-	
	i) 1.0 H.P.	"	26,089.00	26,089.00	27,132.00	
	ii) 2.0 H.P.	"	48,397.00	48,397.00	50,332.00	
	Electric Water Pump (Chinese)		-	-	-	
	i) ½ H.P	"	1,703.00	1,703.00	1,788.00	
	ii) ¾ H.P.	"	2,219.00	2,219.00	2,329.00	
	iii) 1.0 H.P.	"	3,270.00	3,270.00	3,433.00	
	Submersible Pump Sarvo/Bimal or equivalent		-	-	-	
	i) ½ H.P open well type	"	16,655.00	16,655.00	17,321.00	
	ii) 1.1 H.P open well type	"	24,388.00	24,388.00	25,363.00	
	iii) 1.5 H.P open well type	"	29,741.00	29,741.00	30,930.00	
	Vertical Submersible Pump Sarvo/Bimal or equivalent		-	-	-	
	i) 1.1 H.P	"	27,254.00	27,254.00	28,344.00	
	iii) 1.5 H.P	"	32,932.00	32,932.00	34,249.00	
12	Fire fighting equipment and accessories (safeguard india or equiv)					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट	-	-	-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"	-	-	-	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"	-	-	-	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"	-	-	-	
13	Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री ९ safeguard india or equivalent)					
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-	
	ii) 2 kg size ABC " " "	गोटा	-	-	-	
	iii) 3.0kg size ABC " " "	"	-	-	-	
	iii) 5.0kg size ABC " " "	"	-	-	-	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	-	-	-	

Page 110

SANITARY WORK



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	-	-	-	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	-	-	-	
	viii) 2.5 kg size ABC ,, ,, ,,	"	-	-	-	
	ix) Co ₂ Type fire extinguisher 6.80 lit .	"	-	-	-	
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-	
14	Insulation for hot water pipe 'Acroflex'		-	-	-	
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-	
	20mm Insulation 6 mm wall thickness	"	-	-	-	
	25mm Insulation 6 mm wall thickness	"	-	-	-	
	32mm Insulation 6 mm wall thickness '	"	-	-	-	
15	ACRYLIC GLASS SHELF		-	-	-	
	i) Acrylic glass shelf best quality	सेट	-	-	-	
	ii) Acrylic glass shelf ordinary	"	-	-	-	
	iii) Shower curtain	"	-	-	-	
16	Water Purification System		-	-	-	
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-	
	Euro-guard water purification system (hi-flow 3 lit/min)	"	-	-	-	
	AQUA-ALO water purifier (1.0 lit/min)	"	-	-	-	
	AQUA-power water purifier	"	-	-	-	
	RO feed pump	सेट	-	-	-	
	Fire Sprinkler	"	-	-	-	
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"	-	-	-	
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-	
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	-	-	-	
	Filter Media for existing filtration system		-	-	-	
	Pebbles	के.जी	-	-	-	
	Coarse silex	"	-	-	-	
	Gravel	"	-	-	-	
	Golden sand	"	-	-	-	
	Anthracite	"	-	-	-	
	MNo ₂	"	-	-	-	
	Activated Carbon	"	-	-	-	
	Motor starter switch	"	-	-	-	
	Pressure sensor switch for water tank(Italian)	"	-	-	-	
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)					
	a) Bath tub – 3'6" Medium	सेट	-	-	-	
	Bath tub – 3'6" Heavy	"	-	-	-	
	b) Bath tub – 4'0" Medium	"	6,705.00	6,705.00	6,705.00	
	Bath tub _ 4'0" Heavy	"	7,787.00	7,787.00	7,787.00	
	c) Bath Tub – 4'6" Medium	"	8,111.00	8,111.00	8,111.00	
	Bath tub – 4'6" Heavy	"	8,137.00	8,137.00	8,137.00	
	d) Bath tub – 5'0" Medium	"	8,868.00	8,868.00	8,868.00	
	Bath tub _ 5'0" Heavy	"	29,355.00	29,355.00	29,355.00	
	e) Bath Tub – 5'6" Medium	"	7,957.00	7,957.00	7,957.00	
	Bath tub – 5'6" Heavy	"	9,373.00	9,373.00	9,373.00	



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	f) Bath Tub – 6'0" Medium	"	12,875.00	12,875.00	12,875.00	
	Bath tub – 6'0" Heavy	"	36,823.00	36,823.00	36,823.00	
18	Shower Tray 3'0"×3'0"	गोटा	-	-	-	
	Pipes and fittings					
19	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)		-	-	-	
	1) PP-R Pipe (PN-10)					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	62.65	62.65	62.65	
	25mm " 2.3 mm thick 0.164kg/m	"	95.04	95.04	95.04	
	32mm 2.9 mm thick 0.26kg/m	"	151.86	151.86	151.86	
	40mm 3.7 mm thick 0.412kg/m	"	239.47	239.47	239.47	
	50mm 4.6 mm thick 0.638kg/m	"	371.68	371.68	371.68	
	63 mm 8.6 mm thick 0.638kg/m	"	587.79	587.79	587.79	
	75 mm	"	819.82	819.82	819.82	
	90 mm	"	1,180.88	1,180.88	1,180.88	
	110 mm	"	1,751.15	1,751.15	1,751.15	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	"	83.89	83.89	83.89	
	25mm 3.50 mm thick 0.26kg/m	"	130.62	130.62	130.62	
	32mm 3.7 mm thick 0.230kg/m	"	208.67	208.67	208.67	
	40mm 5.50 mm thick 0.575kg/m	"	334.51	334.51	334.51	
	50mm 6.90 mm thick 0.896kg/m	"	521.42	521.42	521.42	
	63 mm 4.6 mm thick 0.638kg/m	"	819.82	819.82	819.82	
	75 mm	"	1,169.20	1,169.20	1,169.20	
	90 mm	"	1,669.91	1,669.91	1,669.91	
	110 mm	"	2,501.42	2,501.42	2,501.42	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	"	99.82	99.82	99.82	
	25mm 4.20 mm thick 0.266kg/m	"	155.04	155.04	155.04	
	32mm 5.40 mm thick 0.434kg/m	"	252.21	252.21	252.21	
	40mm 6.70 mm thick 0.671kg/m	"	390.27	390.27	390.27	
	50mm 8.30 mm thick 1.04kg/m	"	605.31	605.31	605.31	
	63mm 8.6mm thick 1.04kg/m	"	960.00	960.00	960.00	
	75 mm	"	1,361.42	1,361.42	1,361.42	
	90 mm	"	1,955.04	1,955.04	1,955.04	
	110 mm	"	2,914.51	2,914.51	2,914.51	
	PP-R Pipe Accessories :					
	Elbow (90 ^o)					
	20mm	गोटा	13.27	13.27	13.27	
	25mm	"	26.55	26.55	26.55	
	32mm	गोटा	45.13	45.13	45.13	
	40mm	"	94.51	94.51	94.51	
	50mm	"	159.29	159.29	159.29	
	63 mm	"	280.35	280.35	280.35	
	75 mm	"	525.66	525.66	525.66	
	90 mm	"	887.79	887.79	887.79	
	110 mm	"	1,653.45	1,653.45	1,653.45	
	Equal Tee					
	20mm	"	18.05	18.05	18.05	
	25mm	"	32.39	32.39	32.39	
	32mm	"	56.28	56.28	56.28	
	40mm	"	108.85	108.85	108.85	
	50mm	"	184.78	184.78	184.78	

Page 112



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	63mm	"	336.64	336.64	336.64	
	75 mm	"	584.07	584.07	584.07	
	90 mm	"	1,069.38	1,069.38	1,069.38	
	110 mm	"	1,857.88	1,857.88	1,857.88	
	Coupler					
	20mm	गोटा	10.62	10.62	10.62	
	25mm	"	13.27	13.27	13.27	
	32mm	"	26.55	26.55	26.55	
	40mm	"	51.50	51.50	51.50	
	50mm	"	86.02	86.02	86.02	
	63 mm	"	150.80	150.80	150.80	
	75 mm	"	292.04	292.04	292.04	
	90 mm	"	431.68	431.68	431.68	
	110 mm	"	788.50	788.50	788.50	
	45 Degree Elbow					
	20 mm	"	18.05	18.05	18.05	
	25 mm	"	29.73	29.73	29.73	
	32 mm	"	46.19	46.19	46.19	
	40 mm	"	86.02	86.02	86.02	
	50 mm	"	143.89	143.89	143.89	
	63 mm	"	237.88	237.88	237.88	
	75 mm	"	467.26	467.26	467.26	
	90 mm	"	788.50	788.50	788.50	
	110 mm	"	1,378.41	1,378.41	1,378.41	
	Union (Plastic)					
	20mm	गोटा	69.56	69.56	69.56	
	25mm	"	118.94	118.94	118.94	
	32mm	"	191.68	191.68	191.68	
	40mm	"	290.44	290.44	290.44	
	50mm	"	455.58	455.58	455.58	
	63mm	"	544.25	544.25	544.25	
	Reducing Coupler					
	25mm*20mm	"	14.40	14.40	14.40	
	32mm*20mm	"	19.48	19.48	19.48	
	32mm*25mm	"	21.17	21.17	21.17	
	40mm*20mm	"	31.34	31.34	31.34	
	40mm*25mm	"	37.27	37.27	37.27	
	40mm*32mm	"	44.04	44.04	44.04	
	50mm*20mm	"	58.44	58.44	58.44	
	50mm*25mm	"	63.52	63.52	63.52	
	50mm*32mm	"	68.60	68.60	68.60	
	50mm*40mm	"	76.23	76.23	76.23	
	63mm*32mm	"	116.88	116.88	116.88	
	63mm*40mm	"	121.96	121.96	121.96	
	63mm*50mm	"	131.28	131.28	131.28	
	75mm*40mm	"	194.80	194.80	194.80	
	75mm*50mm	"	238.85	238.85	238.85	
	75mm*63mm	"	241.39	241.39	241.39	
	90mm*50mm	"	482.77	482.77	482.77	
	90mm*63mm	"	520.89	520.89	520.89	
	90mm*75mm	"	614.05	614.05	614.05	
	110mm*75mm	"	818.17	818.17	818.17	
	110mm*90mm	"	949.46	949.46	949.46	

Page 113



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Reducing Tee					
	25*20*25 mm	"	26.26	26.26	26.26	
	32*20*32 mm	"	41.50	41.50	41.50	
	32*25*32 mm	"	44.89	44.89	44.89	
	40*20*40 mm	"	66.06	66.06	66.06	
	40*25*40 mm	"	68.60	68.60	68.60	
	40*32*40 mm	"	76.23	76.23	76.23	
	50*20*50 mm	"	88.09	88.09	88.09	
	50*25*50 mm	"	93.17	93.17	93.17	
	50*32*50 mm	"	150.76	150.76	150.76	
	50*40*50 mm	"	160.92	160.92	160.92	
	63*32*63 mm	"	199.04	199.04	199.04	
	63*40*63 mm	"	193.11	193.11	193.11	
	63*50*63 mm	"	214.28	214.28	214.28	
	75*50*75 mm	"	438.73	438.73	438.73	
	75*63*75 mm	"	458.21	458.21	458.21	
	90*63*90 mm	"	925.74	925.74	925.74	
	90*75*90 mm	"	993.50	993.50	993.50	
	110*75*110 mm	"	1,621.95	1,621.95	1,621.95	
	110*90*110 mm	"	1,699.87	1,699.87	1,699.87	
	Reducing Elbow					
	25mm*20mm	"	22.02	22.02	22.02	
	32mm*20mm	"	32.18	32.18	32.18	
	32mm*25mm	"	40.65	40.65	40.65	
	High Footed Pipe Clip					
	20mm	गोटा	14.40	14.40	14.40	
	25mm	"	16.94	16.94	16.94	
	32mm	"	22.02	22.02	22.02	
	40mm	"	25.41	25.41	25.41	
	50mm	"	33.88	33.88	33.88	
	63 mm	"	38.96	38.96	38.96	
	Low Footed Pipe Clip					
	20mm	"	6.78	6.78	6.78	
	25mm	"	7.62	7.62	7.62	
	32mm	"	14.40	14.40	14.40	
	40mm	"	18.63	18.63	18.63	
	50mm	"	29.64	29.64	29.64	
	63 mm	"	38.11	38.11	38.11	
	"Y" type Pipe Clip					
	20mm	"	24.56	24.56	24.56	
	25mm	"	25.41	25.41	25.41	
	32mm	"	33.88	33.88	33.88	
	40 mm	"	48.28	48.28	48.28	
	End Plug (short)					
	20mm	"	14.40	14.40	14.40	
	25mm	"	22.02	22.02	22.02	
	32mm	"	33.88	33.88	33.88	
	End Plug with Ring					
	20mm	"	24.56	24.56	24.56	
	End Plug (long)					
	20mm	"	10.16	10.16	10.16	
	End Cap					
	20mm	"	14.40	14.40	14.40	

Page 114



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	25mm	"	22.02	22.02	22.02	
	32mm	"	33.88	33.88	33.88	
	40mm	"	52.51	52.51	52.51	
	50mm	"	88.09	88.09	88.09	
	63 mm	"	164.31	164.31	164.31	
	75 mm	"	245.62	245.62	245.62	
	Cross Tee					
	20mm	"	25.41	25.41	25.41	
	25mm	"	36.42	36.42	36.42	
	32mm	"	63.52	63.52	63.52	
	Short Passover					
	20mm	"	70.30	70.30	70.30	
	25mm	"	99.10	99.10	99.10	
	32mm	"	143.14	143.14	143.14	
	Long Bypass					
	20mm	"	93.17	93.17	93.17	
	25mm	"	134.67	134.67	134.67	
	32mm	"	190.57	190.57	190.57	
	Male Tee					
	20mmx1/2"	"	144.83	144.83	144.83	
	25mmx1/2"	"	142.29	142.29	142.29	
	25mmx3/4"	"	176.17	176.17	176.17	
	32mmx1/2"	"	219.37	219.37	219.37	
	32mmx3/4"	"	224.45	224.45	224.45	
	32mmx1"	"	400.62	400.62	400.62	
	Female Tee					
	20mmx1/2"	"	107.57	107.57	107.57	
	25mmx1/2"	"	121.96	121.96	121.96	
	25mmx3/4"	"	160.08	160.08	160.08	
	32mmx1/2"	"	181.25	181.25	181.25	
	32mmx3/4"	"	199.89	199.89	199.89	
	32mmx1"	"	322.70	322.70	322.70	
	Male elbow					
	20mmx1/2"	"	138.90	138.90	138.90	
	25mmx1/2"	"	143.14	143.14	143.14	
	25mmx3/4"	"	173.63	173.63	173.63	
	32mmx1/2"	"	188.03	188.03	188.03	
	32mmx3/4"	"	204.97	204.97	204.97	
	32mmx1"	"	396.38	396.38	396.38	
	Female elbow					
	20mmx1/2"	"	105.02	105.02	105.02	
	25mmx1/2"	"	148.22	148.22	148.22	
	25mmx3/4"	"	136.36	136.36	136.36	
	32mmx1/2"	"	199.89	199.89	199.89	
	32mmx3/4"	"	228.68	228.68	228.68	
	32mmx1"	"	281.19	281.19	281.19	
	Male Coupling					
	20mmx1/2"	"	136.36	136.36	136.36	
	20mmx3/4"	"	162.62	162.62	162.62	
	25mmx1/2"	"	130.43	130.43	130.43	
	25mmx3/4"	"	164.31	164.31	164.31	
	32mmx1/2"	"	182.10	182.10	182.10	
	32mmx3/4"	"	22.87	22.87	22.87	

Page 115



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	32mmx1"	"	384.53	384.53	384.53	
	40mmx1-1/4"	"	547.99	547.99	547.99	
	50mmx1-1/2"	"	828.34	828.34	828.34	
	63mmx2"	"	1,201.01	1,201.01	1,201.01	
	75mmx2-1/2"	"	329.47	329.47	329.47	
	Female Coupling					
	20mmx1/2"	"	102.48	102.48	102.48	
	20mmx3/4"	"	124.50	124.50	124.50	
	25mmx1/2"	"	114.34	114.34	114.34	
	25mmx3/4"	"	127.89	127.89	127.89	
	32mmx1/2"	"	122.81	122.81	122.81	
	32mmx3/4"	"	131.28	131.28	131.28	
	32mmx1"	"	299.83	299.83	299.83	
	40mmx1-1/4"	"	481.93	481.93	481.93	
	50mmx1-1/2"	"	625.91	625.91	625.91	
	63mmx2"	"	921.51	921.51	921.51	
	75mmx2-1/2"	"	1,821.84	1,821.84	1,821.84	
	Male Union					
	20mmx1/2"	"	244.77	244.77	244.77	
	25mmx3/4"	"	352.34	352.34	352.34	
	32mmx1"	"	505.64	505.64	505.64	
	40mmx1 ^{1/4} "	"	976.56	976.56	976.56	
	50mmx1/2"	"	1,341.60	1,341.60	1,341.60	
	63mmx2"	"	3,116.86	3,116.86	3,116.86	
	Female Union					
	20mmx1/2"	"	238.00	238.00	238.00	
	25mmx3/4"	"	346.41	346.41	346.41	
	32mmx1"	"	487.01	487.01	487.01	
	40mmx1 ^{1/4} "	"	746.18	746.18	746.18	
	50mmx1/2"	"	1,252.67	1,252.67	1,252.67	
	63mmx2"	"	2,371.52	2,371.52	2,371.52	
	Stop Valve					
	a) 20 mm	"	287.97	287.97	287.97	
	b) 25 mm	"	381.14	381.14	381.14	
	c) 32 mm	"	461.60	461.60	461.60	
	d) 40mm	"	609.82	609.82	609.82	
	e)50 mm	"	1,012.98	1,012.98	1,012.98	
	f) 63 mm	"	1,461.03	1,461.03	1,461.03	
	Male base elbow					
	20mm x 1/2"	"	138.90	138.90	138.90	
	25mm x 3/4"	"	179.56	179.56	179.56	
	Female base elbow					
	20mm x 1/2"	"	146.53	146.53	146.53	
	25mm x 1/2"	"	175.32	175.32	175.32	
	25mm x 3/4"	"	161.77	161.77	161.77	
	Metal Ball valve (double)					
	20mmx1/2"	"	657.25	657.25	657.25	
	25mmx3/4"	"	886.78	886.78	886.78	
	32mmx1"	"	1,284.01	1,284.01	1,284.01	
	40mmx1-1/4"	"	3,257.45	3,257.45	3,257.45	
	50mmx1-1/2"	"	4,586.35	4,586.35	4,586.35	
	Metal Ball valve (Single)					
	20mmx1/2"	"	647.93	647.93	647.93	

Page 116

SANITARY WORK



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	25mmx3/4"	"	871.53	871.53	871.53	
	32mmx1"	"	1,273.85	1,273.85	1,273.85	
	Conceal Valve (Lux)					
	20mm	"	754.65	754.65	754.65	
	Conceal Valve (Nor)					
	20mm	"	719.08	719.08	719.08	
	Ball Valve (Plastic)					
	20mm	"	111.80	111.80	111.80	
	25mm	"	150.76	150.76	150.76	
	32mm	"	243.93	243.93	243.93	
	40mm	"	477.69	477.69	477.69	
	50mm	"	614.05	614.05	614.05	
	63 mm	"	1,090.90	1,090.90	1,090.90	
	Ball Valve (Brass)					
	20mm	"	310.84	310.84	310.84	
	25mm	"	441.27	441.27	441.27	
	32mm	"	737.71	737.71	737.71	
	40mm	"	1,761.70	1,761.70	1,761.70	
21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia	Rm	122.00	122.00	122.00	
	3/4" dia	"	170.00	170.00	170.00	
	1" dia	"	223.00	223.00	223.00	
	1-1/4" dia	"	277.00	277.00	277.00	
	1-1/2" dia	"	387.00	387.00	387.00	
	2" dia	"	592.00	592.00	592.00	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia	"	141.00	141.00	141.00	
	3/4" dia	"	188.00	188.00	188.00	
	1" dia	"	263.00	263.00	263.00	
	1-1/4" dia	"	318.00	318.00	318.00	
	1-1/2" dia	"	443.00	443.00	443.00	
	2" dia	"	718.00	718.00	718.00	
	CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia	Rm	125.68	125.68	125.68	
	3/4" dia	"	168.17	168.17	168.17	
	1" dia	"	234.40	234.40	234.40	
	1-1/4" dia	"	288.65	288.65	288.65	
	1-1/2" dia	"	402.34	402.34	402.34	
	2" dia	"	679.01	679.01	679.01	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	365.42	365.42	365.42	
	3/4"	"	485.98	485.98	485.98	
	1"	"	587.69	587.69	587.69	
	1-1/4"	"	1,371.28	1,371.28	1,371.28	
	1-1/2"	"	1,642.52	1,642.52	1,642.52	
	2"	"	2,117.20	2,117.20	2,117.20	



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	CPVC Reducer Brass Coupling	गोटा	-	-	-	
	3/4" X 1/2"	"	137.93	137.93	137.93	
	1" X 1/2"	"	180.84	180.84	180.84	
	CPVC Tee	गोटा	-	-	-	
	1/2"	"	36.01	36.01	36.01	
	3/4"	"	76.63	76.63	76.63	
	1"	"	117.24	117.24	117.24	
	1-1/4"	"	219.92	219.92	219.92	
	1-1/2"	"	320.30	320.30	320.30	
	2"	"	686.57	686.57	686.57	
	CPVC Reducer Tee	गोटा	-	-	-	
	1/2" x 1/2" x 3/4"	"	70.50	70.50	70.50	
	3/4" x 3/4" x 1/2"	"	107.28	107.28	107.28	
	3/4" x 1/2" x 3/4"	"	134.10	134.10	134.10	
	3/4" x 1/2" x 1/2"	"	153.25	153.25	153.25	
	1" x 1" x 3/4"	"	160.91	160.91	160.91	
	1-1/2" x 1-1/2" x 1"	"	250.57	250.57	250.57	
	2" x 2" x 1"	"	436.00	436.00	436.00	
	1-1/4" x 1-1/4" x 1/2"	"	141.76	141.76	141.76	
	1-1/4" x 1-1/4" x 1"	"	153.25	153.25	153.25	
	2" x 2" x 1/2"	"	428.34	428.34	428.34	
	1" x 1" x 1/2"	"	99.61	99.61	99.61	
	CPVC Brass FPT Tee	गोटा	-	-	-	
	1/2" x 1/2" x 1/2"	"	120.30	120.30	120.30	
	3/4" x 3/4" x 1/2"	"	124.90	124.90	124.90	
	1" x 1" x 1/2"	"	138.69	138.69	138.69	
	1-1/4" x 1-1/4" x 1-1/4"	"	501.13	501.13	501.13	
	1-1/4" x 1-1/4" x 1/2"	"	272.02	272.02	272.02	
	CPVC Elbow 90°	गोटा	-	-	-	
	1/2"	"	25.29	25.29	25.29	
	3/4"	"	52.11	52.11	52.11	
	1"	"	95.02	95.02	95.02	
	1-1/4"	"	179.30	179.30	179.30	
	1-1/2"	"	267.42	267.42	267.42	
	2"	"	572.40	572.40	572.40	
	CPVC Reducer Elbow 90°		-	-	-	
	3/4" X 1/2"		52.87	52.87	52.87	
	CPVC Brass FPT Elbow 90°	गोटा	-	-	-	
	1/2" x 1/2"	"	83.52	83.52	83.52	
	3/4" x 1/2"	"	97.32	97.32	97.32	
	3/4" x 3/4"	"	111.11	111.11	111.11	
	1" X 1/2"	"	214.55	214.55	214.55	
	1" X 1"	"	596.15	596.15	596.15	
	1-1/4" x 1-1/4"	"	773.92	773.92	773.92	
	CPVC Elbow 45°	गोटा	-	-	-	
	1/2"	"	29.88	29.88	29.88	
	3/4"	"	54.40	54.40	54.40	
	1"	"	77.39	77.39	77.39	
	1-1/4"	"	136.39	136.39	136.39	
	1-1/2"	"	196.93	196.93	196.93	
	2"	"	426.81	426.81	426.81	
	CPVC Male Adapter (CPVC Threads)	गोटा	-	-	-	
	1/2"	"	22.22	22.22	22.22	

[Handwritten signature]

[Handwritten signature]

SANITARY WORK



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	3/4"	"	39.08	39.08	39.08	
	1"	"	59.00	59.00	59.00	
	1-1/4"	"	105.74	105.74	105.74	
	1-1/2"	"	148.65	148.65	148.65	
	2"	"	290.41	290.41	290.41	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा	-	-	-	
	3/4" x 1/2"	"	40.61	40.61	40.61	
	CPVC Male Adapters (Brass Threads)					
	1/2"	"	206.12	206.12	206.12	
	3/4"	"	266.66	266.66	266.66	
	1"	"	421.44	421.44	421.44	
	1-1/4"	"	925.64	925.64	925.64	
	1-1/2"	"	1,080.43	1,080.43	1,080.43	
	2"	"	2,223.69	2,223.69	2,223.69	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	"	229.11	229.11	229.11	
	CPVC Female Adapter (CPVC Threads)					
	1/2"	"	30.65	30.65	30.65	
	3/4"	"	51.34	51.34	51.34	
	1"	"	76.63	76.63	76.63	
	CPVC Female Adapters Brass Threads	गोटा	-	-	-	
	1/2"	"	197.70	197.70	197.70	
	3/4"	"	268.96	268.96	268.96	
	1"	"	349.41	349.41	349.41	
	1-1/4"	"	917.21	917.21	917.21	
	1-1/2"	"	1,019.89	1,019.89	1,019.89	
	2"	"	1,993.81	1,993.81	1,993.81	
	CPVC Caps					
	1/2"	"	13.03	13.03	13.03	
	3/4"	"	24.52	24.52	24.52	
	1"	"	36.78	36.78	36.78	
	1-1/4"	"	72.03	72.03	72.03	
	1-1/2"	"	105.74	105.74	105.74	
	2"	"	225.28	225.28	225.28	
	CPVC Union					
	1/2"	"	270.49	270.49	270.49	
	3/4"	"	397.69	397.69	397.69	
	1"	"	471.25	471.25	471.25	
	1-1/4"	"	862.04	862.04	862.04	
	1-1/2"	"	942.50	942.50	942.50	
	2"	"	1,352.45	1,352.45	1,352.45	
	CPVC Cross Tee					
	1/2"	"	49.04	49.04	49.04	
	3/4"	"	105.74	105.74	105.74	
	CPVC Step Over Bend					
	1/2"	"	62.83	62.83	62.83	
	3/4"	"	104.21	104.21	104.21	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	661.28	661.28	661.28	
	3/4"	"	805.34	805.34	805.34	
	1"	"	921.04	921.04	921.04	
	1-1/4"	"	1,878.87	1,878.87	1,878.87	
	1-1/2"	"	2,390.73	2,390.73	2,390.73	

Page 119



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	2"	"	3,075.00	3,075.00	3,075.00	
	CPVC Flow Guard Adhesive Solution		-	-	-	
	50ML	"	199.23	199.23	199.23	
	118ML	"	329.49	329.49	329.49	
	237ML	"	532.55	532.55	532.55	
	473ML	"	838.29	838.29	838.29	
	946ML	"	1,471.22	1,471.22	1,471.22	
	Plastic Strap		-	-	-	
	1/2"	"	4.60	4.60	4.60	
	3/4"	"	5.36	5.36	5.36	
	1"	"	7.66	7.66	7.66	
	1-1/4"	"	11.49	11.49	11.49	
	1-1/2"	"	14.56	14.56	14.56	
	2"	"	18.39	18.39	18.39	
	Metal Strap		-	-	-	
	1/2"	"	13.03	13.03	13.03	
	3/4"	"	16.09	16.09	16.09	
	1"	"	20.69	20.69	20.69	
	1-1/4"	"	24.52	24.52	24.52	
	1-1/2"	"	26.82	26.82	26.82	
	2"	"	29.12	29.12	29.12	
	Tee Holder		-	-	-	
	1/2" X 1/2" X 1/2"	"	5.36	5.36	5.36	
	3/4" X 3/4" X 1/2"	"	7.66	7.66	7.66	
	Elbow Holder		-	-	-	
	1/2" X 1/2"	"	5.36	5.36	5.36	
	1/2" X 3/4"	"	6.90	6.90	6.90	
	Snap Fix Repair Coupling		-	-	-	
	1/2"	"	229.11	229.11	229.11	
	3/4"	"	248.27	248.27	248.27	
	End plug threaded 1/2"	"	11.49	11.49	11.49	
22	MS SEAMLESS PIPES		-	-	-	
	-PIPES: ASTM-A-106 Gr.'B'/SA-106 Gr.'B'/SA-1(API 5L Gr.'B'/IS:1239 (Part/53		-	-	-	
	MS PIPE SEAMLESS SIZE OD (MM)		-	-	-	
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	419.00	419.00	419.00	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	503.00	503.00	503.00	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	630.00	630.00	630.00	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	778.00	778.00	778.00	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	890.00	890.00	890.00	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1,143.00	1,143.00	1,143.00	
	73mm OD 3" SCH.40,5.16 .mm thickness	"	1,757.00	1,757.00	1,757.00	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2,299.00	2,299.00	2,299.00	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2,972.00	2,972.00	2,972.00	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3,274.00	3,274.00	3,274.00	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4,433.00	4,433.00	4,433.00	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5,755.00	5,755.00	5,755.00	
23	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)		-	-	-	
	Single Socket (R/R)	Mtr	410.40	410.40	410.40	
	Single Socket (R/R)	"	762.30	762.30	762.30	
	Single Socket (R/R)	"	820.80	820.80	820.80	
	Single Socket Self Fit	"	1,058.40	1,058.40	1,058.40	

Page 120

SANITARY WORK



सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	Single Socket Self Fit	"	1,294.20	1,294.20	1,294.20	
	Single Socket Self Fit	"	1,778.40	1,778.40	1,778.40	
	Single Socket Self Fit	"	2,092.50	2,092.50	2,092.50	
	Single Socket Self Fit	"	2,794.50	2,794.50	2,794.50	
	Single Socket Self Fit	"	3,330.90	3,330.90	3,330.90	
	Long Radius Bend - 45 Degree	Pc	1,082.70	1,082.70	1,082.70	
	Long Radius Bend - 45 Degree	"	1,977.30	1,977.30	1,977.30	
	Long Radius Bend - 45 Degree	"	3,569.40	3,569.40	3,569.40	
	Long Radius Bend - 45 Degree	"	6,921.00	6,921.00	6,921.00	
	Long Radius Bend - 60 Degree	"	1,193.40	1,193.40	1,193.40	
	Long Radius Bend - 60 Degree	"	2,186.10	2,186.10	2,186.10	
	Long Radius Bend - 60 Degree	"	4,010.40	4,010.40	4,010.40	
	Long Radius Bend - 60 Degree	"	7,593.30	7,593.30	7,593.30	
	Long Radius Bend - 90 Degree	"	585.00	585.00	585.00	
	Long Radius Bend - 90 Degree	"	1,413.00	1,413.00	1,413.00	
	Long Radius Bend - 90 Degree	"	2,606.40	2,606.40	2,606.40	
	Long Radius Bend - 90 Degree	"	4,873.50	4,873.50	4,873.50	
	Long Radius Bend - 90 Degree	"	8,980.20	8,980.20	8,980.20	
	Fab. Coupler	"	168.30	168.30	168.30	
	Fab. Coupler	"	404.10	404.10	404.10	
	Fab. Coupler	"	869.40	869.40	869.40	
	Fab. Coupler	"	1,700.10	1,700.10	1,700.10	
	Fab. Coupler	"	3,126.60	3,126.60	3,126.60	
	End Cap	"	360.00	360.00	360.00	
	End Cap	"	592.20	592.20	592.20	
	End Cap	"	945.00	945.00	945.00	
	End Cap	"	1,379.70	1,379.70	1,379.70	
	Equal Tee	"	10,303.20	10,303.20	10,303.20	
	Equal Tee	"	5,929.20	5,929.20	5,929.20	
	Equal Tee	"	3,291.30	3,291.30	3,291.30	
	Gully Trap with grating	"	962.10	962.10	962.10	
	Rodding Point	"	569.70	569.70	569.70	
	Adjustable Bend 7 Degree to 37.5 Degree	"	608.40	608.40	608.40	
	Adjustable Bend 7 Degree to 87.5 Degree	"	834.30	834.30	834.30	
	Inspection Chamber Body	"	2,999.70	2,999.70	2,999.70	
	Inspection Chamber Riser	"	1,490.40	1,490.40	1,490.40	
	Inspection Chamber Lid with Cover	"	2,828.70	2,828.70	2,828.70	
	Inspection Chamber Body	"	8,283.60	8,283.60	8,283.60	
	Inspection Chamber Riser	"	2,634.30	2,634.30	2,634.30	
	Inspection Chamber Lid with Cover	"	4,394.70	4,394.70	4,394.70	
24	GEBERIT		-	-	-	
	Geberit Products		-	-	-	
	Concealled Cisterns 9cm	"	7,431.30	7,431.30	7,431.30	
	Concealled Cisterns Kombo fix 8cm	"	9,102.60	9,102.60	9,102.60	
	Dual Flush Actuator Plate Shiny Chrome	"	3,645.90	3,645.90	3,645.90	
	Concealled Cisterns 12cm	"	9,140.40	9,140.40	9,140.40	
	Dual Flush Actuator Plate Shiny Chrome	"	3,645.90	3,645.90	3,645.90	
	Traps for Wash Basins	"	1,004.40	1,004.40	1,004.40	
	Sensor for Urinal 9V DC	"	25,764.30	25,764.30	25,764.30	
	Sensor for Urinal 230V AC	"	25,764.30	25,764.30	25,764.30	
	control box for urinal sensor	"	7,077.60	7,077.60	7,077.60	
	Sensor Faucet Cold / Mixed water 6V DC	"	32,158.80	32,158.80	32,158.80	
	Sensor Faucet Cold / Mixed water 230V AC	"	32,158.80	32,158.80	32,158.80	

Page 121



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
25	PVC Lead Free White Pipes SCHEDULE 40		-	-	-	
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564		-	-	-	
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.	-	-	-	
	1/2" dia. (42.19 Kg/cm2)	"				
	3/4" dia. (33.75 Kg/cm2)	"	114.30	114.30	114.30	
	1" dia. (31.64 Kg/cm2)	"	146.70	146.70	146.70	
	1-1/4" dia. (26.01 Kg/cm2)	"	225.90	225.90	225.90	
	1-1/2" dia. (23.20 Kg/cm2)	"	279.00	279.00	279.00	
	2" dia. (19.69 Kg/cm2)	"	342.00	342.00	342.00	
	2-1/2" dia. (21.09 Kg/cm2)	"	485.10	485.10	485.10	
	3" dia. (18.28 Kg/cm2)	"	677.70	677.70	677.70	
	4" dia. (15.47 Kg/cm2)	"	855.90	855.90	855.90	
	6" dia. (12.66 Kg/cm2)	"	1,256.40	1,256.40	1,256.40	
	6" dia. (12.66 Kg/cm2)	"	2,616.30	2,616.30	2,616.30	
	PVC Tee - Soc	गोटा	-	-	-	
	1/2"	"				
	3/4"	"	31.50	31.50	31.50	
	1"	"	44.10	44.10	44.10	
	1-1/4"	"	69.30	69.30	69.30	
	1-1/2"	"	108.90	108.90	108.90	
	2"	"	143.10	143.10	143.10	
	2-1/2"	"	220.50	220.50	220.50	
	3"	"	632.70	632.70	632.70	
	4"	"	830.70	830.70	830.70	
	6"	"	1,503.00	1,503.00	1,503.00	
	6"	"	8,335.80	8,335.80	8,335.80	
	PVC Reducer Tee - Soc	गोटा	-	-	-	
	3/4 x 1/2	"	63.00	63.00	63.00	
	1 x 1/2	"	97.20	97.20	97.20	
	1 x 3/4	"	97.20	97.20	97.20	
	1-1/2 X 1/2	"	329.40	329.40	329.40	
	1-1/2 X 3/4	"	329.40	329.40	329.40	
	1-1/2 X 1	"	329.40	329.40	329.40	
	1-1/2 X 1-1/4	"	329.40	329.40	329.40	
	2 X 1/2	"	405.90	405.90	405.90	
	2 X 3/4	"	405.90	405.90	405.90	
	2 X 1	"	405.90	405.90	405.90	
	2 X 1-1/4	"	405.90	405.90	405.90	
	2 X 1-1/2	"	405.90	405.90	405.90	
	2-1/2 X 1/2	"	405.90	405.90	405.90	
	2-1/2 X 3/4	"	1,043.10	1,043.10	1,043.10	
	2-1/2 X 1	"	1,043.10	1,043.10	1,043.10	
	2-1/2 X 1-1/4	"	1,043.10	1,043.10	1,043.10	
	2-1/2 X 1-1/2	"	1,043.10	1,043.10	1,043.10	
	2-1/2 X 2	"	1,043.10	1,043.10	1,043.10	
	3 X 1/2	"	1,522.80	1,522.80	1,522.80	
	3 X 3/4	"	1,522.80	1,522.80	1,522.80	
	3 X 1	"	1,522.80	1,522.80	1,522.80	
	3 X 1-1/4	"	1,522.80	1,522.80	1,522.80	
	3 X 1-1/2	"	1,522.80	1,522.80	1,522.80	
	3 X 2	"	1,522.80	1,522.80	1,522.80	

Page 122



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	3 X 2-1/2	"	1,522.80	1,522.80	1,522.80	
	6 X 1-1/4	"	8,007.30	8,007.30	8,007.30	
	6 X 1-1/2	"	8,007.30	8,007.30	8,007.30	
	6 X 2	"	8,007.30	8,007.30	8,007.30	
	6 X 2-1/2	"	8,007.30	8,007.30	8,007.30	
	6 X 3	"	8,007.30	8,007.30	8,007.30	
	6 X 4	"	8,007.30	8,007.30	8,007.30	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा	-	-	-	
	1/2"	"	161.10	161.10	161.10	
	3/4"	"	291.60	291.60	291.60	
	3/4" X 1/2"	"	236.70	236.70	236.70	
	1" X 1/2"	"	420.30	420.30	420.30	
	PVC 90° Elbow - Soc	गोटा	-	-	-	
	1/2"	"	26.10	26.10	26.10	
	3/4"	"	29.70	29.70	29.70	
	1"	"	53.10	53.10	53.10	
	1-1/4"	"	92.70	92.70	92.70	
	1-1/2"	"	108.90	108.90	108.90	
	2"	"	167.40	167.40	167.40	
	2-1/2"	"	495.90	495.90	495.90	
	3"	"	594.00	594.00	594.00	
	4"	"	1,215.90	1,215.90	1,215.90	
	6"	"	5,121.00	5,121.00	5,121.00	
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा	-	-	-	
	1/2"	"	172.80	172.80	172.80	
	3/4"	"	242.10	242.10	242.10	
	3/4" X 1/2"	"	250.20	250.20	250.20	
	PVC 45° Elbow - Soc	गोटा	-	-	-	
	1/2"	"	54.90	54.90	54.90	
	3/4"	"	85.50	85.50	85.50	
	1"	"	101.70	101.70	101.70	
	1-1/4"	"	143.10	143.10	143.10	
	1-1/2"	"	180.00	180.00	180.00	
	2"	"	234.00	234.00	234.00	
	2-1/2"	"	668.70	668.70	668.70	
	3"	"	1,039.50	1,039.50	1,039.50	
	4"	"	1,865.70	1,865.70	1,865.70	
	6"	"	5,135.40	5,135.40	5,135.40	
	PVC Coupling - Soc	गोटा	-	-	-	
	1/2"	"	17.10	17.10	17.10	
	3/4"	"	26.10	26.10	26.10	
	1"	"	41.40	41.40	41.40	
	1-1/4"	"	55.80	55.80	55.80	
	1-1/2"	"	75.60	75.60	75.60	
	2"	"	117.00	117.00	117.00	
	2-1/2"	"	246.60	246.60	246.60	
	3"	"	386.10	386.10	386.10	
	4"	"	603.90	603.90	603.90	
	6"	"	2,420.10	2,420.10	2,420.10	
	PVC Reducer Coupling - Soc	गोटा	-	-	-	
	3/4 X 1/2	"	42.30	42.30	42.30	
	1 X 3/4	"	72.90	72.90	72.90	
	1-1/2 X 1-1/4	"	130.50	130.50	130.50	

Page 123



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	2 X 1-1/2	"	207.90	207.90	207.90	
	4 x 2	"	1,392.30	1,392.30	1,392.30	
	4 X 3	"	1,392.30	1,392.30	1,392.30	
	6 X 4	"	2,895.30	2,895.30	2,895.30	
	PVC Reducer Bushing - (Flush Style)	गोटा	-	-	-	
	3/4 X 1/2	"	35.10	35.10	35.10	
	1 X 1/2	"	49.50	49.50	49.50	
	1 X 3/4	"	49.50	49.50	49.50	
	1-1/4 X 1/2	"	85.50	85.50	85.50	
	1-1/4 X 3/4	"	85.50	85.50	85.50	
	1-1/4 X 1	"	85.50	85.50	85.50	
	1-1/2 X 1/2	"	90.00	90.00	90.00	
	1-1/2 X 3/4	"	90.00	90.00	90.00	
	1-1/2 X 1	"	90.00	90.00	90.00	
	1-1/2 X 1-1/4	"	90.00	90.00	90.00	
	2 X 1/2	"	164.70	164.70	164.70	
	2 X 3/4	"	164.70	164.70	164.70	
	2 X 1	"	164.70	164.70	164.70	
	2 X 1-1/4	"	164.70	164.70	164.70	
	2 X 1-1/2	"	164.70	164.70	164.70	
	2-1/2 X 1-1/4	"	232.20	232.20	232.20	
	2-1/2 X 1-1/2	"	232.20	232.20	232.20	
	2-1/2 X 2	"	232.20	232.20	232.20	
	3 X 1-1/2	"	343.80	343.80	343.80	
	3 X 2	"	343.80	343.80	343.80	
	3 X 2-1/2	"	343.80	343.80	343.80	
	4 X 2	"	675.90	675.90	675.90	
	4 X 3	"	675.90	675.90	675.90	
	6 X 2	"	2,270.70	2,270.70	2,270.70	
	6 X 3	"	2,270.70	2,270.70	2,270.70	
	6 X 4	"	2,270.70	2,270.70	2,270.70	
	PVC Cap - Soc	गोटा	-	-	-	
	1/2"	"	24.30	24.30	24.30	
	3/4"	"	29.70	29.70	29.70	
	1"	"	42.30	42.30	42.30	
	1-1/4"	"	60.30	60.30	60.30	
	1-1/2"	"	65.70	65.70	65.70	
	2"	"	79.20	79.20	79.20	
	2-1/2"	"	253.80	253.80	253.80	
	3"	"	278.10	278.10	278.10	
	4"	"	632.70	632.70	632.70	
	6"	"	2,498.40	2,498.40	2,498.40	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा	-	-	-	
	1/2"	"	253.80	253.80	253.80	
	3/4"	"	290.70	290.70	290.70	
	1"	"	297.90	297.90	297.90	
	1-1/4"	"	960.30	960.30	960.30	
	1-1/2"	"	1,000.80	1,000.80	1,000.80	
	2"	"	1,350.00	1,350.00	1,350.00	
	2-1/2"	"	1,889.10	1,889.10	1,889.10	
	3"	"	3,017.70	3,017.70	3,017.70	
	4"	"	4,177.80	4,177.80	4,177.80	
	PVC Male Adaptor - Soc x MBSP	गोटा	-	-	-	

Page 124



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	1/2"	"	45.90	45.90	45.90	
	3/4"	"	54.00	54.00	54.00	
	1"	"	71.10	71.10	71.10	
	1-1/4"	"	87.30	87.30	87.30	
	1-1/2"	"	120.60	120.60	120.60	
	2"	"	155.70	155.70	155.70	
	2-1/2"	"	545.40	545.40	545.40	
	3"	"	648.00	648.00	648.00	
	4"	"	1,025.10	1,025.10	1,025.10	
	6"	"	2,358.90	2,358.90	2,358.90	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा	-	-	-	
	1/2"	"	261.90	261.90	261.90	
	3/4"	"	350.10	350.10	350.10	
	1"	"	526.50	526.50	526.50	
	PVC Female Adaptor - Soc x FBSP	गोटा	-	-	-	
	1/2"	"	59.40	59.40	59.40	
	3/4"	"	61.20	61.20	61.20	
	1"	"	63.90	63.90	63.90	
	1-1/4"	"	166.50	166.50	166.50	
	1-1/2"	"	244.80	244.80	244.80	
	2"	"	237.60	237.60	237.60	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा	-	-	-	
	1/2"	"	219.60	219.60	219.60	
	3/4"	"	311.40	311.40	311.40	
	1"	"	398.70	398.70	398.70	
	PVC Ball Valve - Soc	गोटा	-	-	-	
	1/2"	"	881.10	881.10	881.10	
	3/4"	"	1,047.60	1,047.60	1,047.60	
	1"	"	1,466.10	1,466.10	1,466.10	
	1-1/4"	"	1,984.50	1,984.50	1,984.50	
	1-1/2"	"	3,026.70	3,026.70	3,026.70	
	2"	"	3,827.70	3,827.70	3,827.70	
	3"	"	6,323.40	6,323.40	6,323.40	
	4"	"	10,017.90	10,017.90	10,017.90	
	6"	"	16,555.50	16,555.50	16,555.50	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा	-	-	-	
	118ML	"	306.00	306.00	306.00	
	237ML	"	439.20	439.20	439.20	
	473ML	"	794.70	794.70	794.70	
	946ML	"	1,307.70	1,307.70	1,307.70	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा	-	-	-	
	118ML	"	492.30	492.30	492.30	
	237ML	"	648.90	648.90	648.90	
	473ML	"	1,137.60	1,137.60	1,137.60	
	946ML	"	1,969.20	1,969.20	1,969.20	
26	Rainwater Collection System sintex or Prince Brand Roof)		-	-	-	
	140 mm Dia.		-	-	-	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159.30	159.30	159.30	


SANITARY WORK



सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	JOINT BRACKET To connect two lengths of roof water	Pc.	256.50	256.50	256.50	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	351.90	351.90	351.90	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432.00	432.00	432.00	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432.00	432.00	432.00	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95.40	95.40	95.40	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305.10	305.10	305.10	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	76.50	76.50	76.50	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50.40	50.40	50.40	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	31.50	31.50	31.50	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77.40	77.40	77.40	
	RUBBER GASKET To provide leak proof joints.	Pc.	29.70	29.70	29.70	
	75 mm dia.		-	-	-	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63.00	63.00	63.00	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	37.80	37.80	37.80	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126.00	126.00	126.00	
	180 mm dia.		-	-	-	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	301.50	301.50	301.50	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358.20	358.20	358.20	

SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	517.50	517.50	517.50	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592.20	592.20	592.20	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592.20	592.20	592.20	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140.40	140.40	140.40	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	423.90	423.90	423.90	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108.00	108.00	108.00	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	90.90	90.90	90.90	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51.30	51.30	51.30	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	109.80	109.80	109.80	
	RUBBER GASKET To provide leak proof joints.	Pc.	40.50	40.50	40.50	
	110 mm dia.		-	-	-	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68.40	68.40	68.40	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44.10	44.10	44.10	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243.00	243.00	243.00	
	250 mm dia.		-	-	-	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585.00	585.00	585.00	
	JOINT BRACKET To connect two lengths of roof water	Pc.	613.80	613.80	613.80	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	964.80	964.80	964.80	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1,386.90	1,386.90	1,386.90	





SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1,386.90	1,386.90	1,386.90	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	301.50	301.50	301.50	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	801.90	801.90	801.90	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	299.70	299.70	299.70	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	163.80	163.80	163.80	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	121.50	121.50	121.50	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	317.70	317.70	317.70	
	RUBBER GASKET To provide leak proof joints.	Pc.	165.60	165.60	165.60	
	160 mm dia.		-	-	-	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	81.90	81.90	81.90	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	190.80	190.80	190.80	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437.40	437.40	437.40	
			-	-	-	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems		-	-	-	
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY		-	-	-	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	246.51	246.51	246.51	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	437.58	437.58	437.58	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262.35	262.35	262.35	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470.25	470.25	470.25	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447.48	447.48	447.48	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673.20	673.20	673.20	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473.22	473.22	473.22	



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	695.97	695.97	695.97	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959.31	959.31	959.31	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1,195.92	1,195.92	1,195.92	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1,021.68	1,021.68	1,021.68	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1,350.36	1,350.36	1,350.36	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY		-	-	-	
	DWV Bend 45 Degree 75 mm size	pcs	139.59	139.59	139.59	
	DWV Bend 87.5 Degree	"	177.21	177.21	177.21	
	DWV Bend 87.5 Degree with Door	"	81.18	81.18	81.18	
	DWV Socket Plug	"	189.09	189.09	189.09	
	DWV Cleansing Pipe	"	113.85	113.85	113.85	
	DWV Coupler	"	201.96	201.96	201.96	
	DWV Single Tee	"	221.76	221.76	221.76	
	DWV Single Tee with Door	"	349.47	349.47	349.47	
	DWV Cross Tee	"	491.04	491.04	491.04	
	DWV Cross Tee with Door	"	361.35	361.35	361.35	
	DWV Double 'Y'	"	481.14	481.14	481.14	
	DWV Double 'Y' with Door	"	225.72	225.72	225.72	
	DWV Single 'Y'	"	288.09	288.09	288.09	
	DWV Single 'Y' with Door	"	11.88	11.88	11.88	
	DWV Pipe Clip	"	24.75	24.75	24.75	
	DWV Vent Cowel	"	229.68	229.68	229.68	
	DWV Bend 45 Degree 110mm size	"	282.15	282.15	282.15	
	DWV Bend 87.5 Degree	"	322.74	322.74	322.74	
	DWV Bend 87.5 Degree with Door	"	102.96	102.96	102.96	
	DWV Socket Plug	"	370.26	370.26	370.26	
	DWV Cleansing Pipe	"	205.92	205.92	205.92	
	DWV Coupler	"	684.09	684.09	684.09	
	DWV Double 'Y'	"	807.84	807.84	807.84	
	DWV Double 'Y' with Door	"	566.28	566.28	566.28	
	DWV Cross Tee	"	641.52	641.52	641.52	
	DWV Cross Tee with Door	"	370.26	370.26	370.26	
	DWV Single Tee	"	436.59	436.59	436.59	
	DWV Single Tee with Door	"	453.42	453.42	453.42	
	DWV Single 'Y'	"	475.20	475.20	475.20	
	DWV Single 'Y' with Door	"	46.53	46.53	46.53	
	DWV Vent Cowel	"	161.37	161.37	161.37	
	DWV Reducer 110*75 mm	"	35.64	35.64	35.64	
	DWV Pipe Clip 110mm size	"	435.60	435.60	435.60	
	DWV W.C. Connectore (Straight type)	"	348.48	348.48	348.48	
	DWV W.C. Connectore (Bend type)	"	174.24	174.24	174.24	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	23.76	23.76	23.76	
	DWV Nahani Trap Jali	"	538.56	538.56	538.56	
	DWV P-Trap with Leap Ring 10*110 mm	"	773.19	773.19	773.19	
	DWV P-Trap with Leap Ring 25*110 mm	"	231.66	231.66	231.66	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470.25	470.25	470.25	
	DWV Reducer 60*110 mm	"	449.46	449.46	449.46	

[Handwritten signatures and marks]

[Handwritten signatures and marks]



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	DWV Coupler 160mm size	"	1,077.12	1,077.12	1,077.12	
	DWV Single Tee	"	1,157.31	1,157.31	1,157.31	
	DWV Single Tee with Door	"	2,015.64	2,015.64	2,015.64	
	DWV Single 'Y'	"	2,117.61	2,117.61	2,117.61	
	DWV Single 'Y' with Door	"	741.51	741.51	741.51	
	DWV Bend 87.5 Degree	"	988.02	988.02	988.02	
	DWV Bend 87.5 Degree with Door	"	864.27	864.27	864.27	
	DWV Bend 45 Degree	"	-	-	-	
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584.10	584.10	584.10	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	605.88	605.88	605.88	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	629.64	629.64	629.64	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593.01	593.01	593.01	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	603.90	603.90	603.90	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1,078.11	1,078.11	1,078.11	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1,119.69	1,119.69	1,119.69	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1,163.25	1,163.25	1,163.25	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1,095.93	1,095.93	1,095.93	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1,115.73	1,115.73	1,115.73	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1,687.95	1,687.95	1,687.95	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1,717.65	1,717.65	1,717.65	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1,746.36	1,746.36	1,746.36	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2,800.71	2,800.71	2,800.71	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2,849.22	2,849.22	2,849.22	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2,898.72	2,898.72	2,898.72	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3,708.54	3,708.54	3,708.54	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3,772.89	3,772.89	3,772.89	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3,838.23	3,838.23	3,838.23	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4,582.71	4,582.71	4,582.71	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4,662.90	4,662.90	4,662.90	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4,743.09	4,743.09	4,743.09	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583.11	583.11	583.11	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	597.96	597.96	597.96	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	612.81	612.81	612.81	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594.00	594.00	594.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	604.89	604.89	604.89	

Page 130

SANITARY WORK



सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1,077.12	1,077.12	1,077.12	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1,108.80	1,108.80	1,108.80	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1,139.49	1,139.49	1,139.49	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1,096.92	1,096.92	1,096.92	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1,115.73	1,115.73	1,115.73	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1,687.95	1,687.95	1,687.95	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1,717.65	1,717.65	1,717.65	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1,747.35	1,747.35	1,747.35	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2,800.71	2,800.71	2,800.71	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2,849.22	2,849.22	2,849.22	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2,897.73	2,897.73	2,897.73	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3,708.54	3,708.54	3,708.54	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3,772.89	3,772.89	3,772.89	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3,838.23	3,838.23	3,838.23	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4,582.71	4,582.71	4,582.71	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4,662.90	4,662.90	4,662.90	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4,743.09	4,743.09	4,743.09	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR		-	-	-	
	DWV Coupler SN-8 110mm	per pc	294.03	294.03	294.03	
	DWV Coupler SN-4 160 mm	"	707.85	707.85	707.85	
	DWV Coupler SN-4 200 mm	"	1,447.38	1,447.38	1,447.38	
	DWV Coupler SN-4 250 mm	"	2,696.76	2,696.76	2,696.76	
	DWV Coupler SN-2 315mm	"	4,338.18	4,338.18	4,338.18	
	DWV Coupler SN-4 315 mm	"	4,736.34	4,736.34	4,736.34	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1,000.76	1,000.76	1,000.76	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2,786.81	2,786.81	2,786.81	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5,205.06	5,205.06	5,205.06	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11,667.92	11,667.92	11,667.92	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27,704.57	27,704.57	27,704.57	
27	Multilayer Composite Pipe (Sanghai, or eqv.)		-	-	-	
	Cold Water Pipe (White)		-	-	-	
	12-16 mm ½"	Rm	100.98	100.98	100.98	
	14-18 mm ½"	"	110.88	110.88	110.88	
	16-20 mm ½"	"	118.80	118.80	118.80	
	20-25 mm ¾"	"	180.18	180.18	180.18	
	26-32 mm 1"	"	281.16	281.16	281.16	
	32-40 mm 1¼"	"	445.50	445.50	445.50	

Page 131



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	41-50 mm 1/2"					
	Hot Water Pipe (Orange)		653.40	653.40	653.40	
	12-16 mm 1/2"	Rm	-	-	-	
	14-18 mm 1/2"	"	110.88	110.88	110.88	
	16-20 mm 1/2"	"	122.76	122.76	122.76	
	20-25 mm 3/4"	"	140.58	140.58	140.58	
	26-32 mm 1"	"	207.90	207.90	207.90	
	32-40 mm 1 1/4"	"	301.95	301.95	301.95	
	Gas Lines Pipe (Yellow)		465.30	465.30	465.30	
	12-16 mm 1/2"	Rm	-	-	-	
	14-18 mm 1/2"	"	87.12	87.12	87.12	
	MULTILAYER COMPOSITE Fittings		87.12	87.12	87.12	
	a. Equal Straight Union		-	-	-	
	1/2"ø (16mm ø)	गोटा	-	-	-	
	1/2"ø (18mm ø)	"	133.20	133.20	133.20	
	1/2"ø (20mm ø)	"	140.40	140.40	140.40	
	3/4"ø (25 mm ø)	"	153.90	153.90	153.90	
	1"ø (32 mm ø)	"	225.00	225.00	225.00	
	1 1/4"ø (40 mm ø)	"	351.00	351.00	351.00	
	1 1/2"ø (50 mm ø)	"	1,296.00	1,296.00	1,296.00	
	b. Unequal Straight Union		1,957.50	1,957.50	1,957.50	
	25 - 16 mm ø	"	-	-	-	
	25 - 18 mm ø	"	252.00	252.00	252.00	
	25 - 20 mm ø	"	261.00	261.00	261.00	
	32 - 16 mm ø	"	274.50	274.50	274.50	
	32 - 18 mm ø	"	337.50	337.50	337.50	
	32 - 20 mm ø	"	355.50	355.50	355.50	
	32 - 25 mm ø	"	382.50	382.50	382.50	
	40 - 32 mm ø	"	409.50	409.50	409.50	
	50 - 20 mm ø	"	1,120.50	1,120.50	1,120.50	
	50 - 32 mm ø	"	1,633.50	1,633.50	1,633.50	
	50 - 40 mm ø	"	1,957.50	1,957.50	1,957.50	
	c. Male Union		1,845.00	1,845.00	1,845.00	
	16mm x 1/2"M	गोटा	-	-	-	
	18mm x 1/2"M	"	94.50	94.50	94.50	
	20mm x 1/2"M	"	109.80	109.80	109.80	
	25mm x 1/2"M	"	126.00	126.00	126.00	
	25mm x 3/4"M	"	153.00	153.00	153.00	
	25mm x 1"M	"	193.50	193.50	193.50	
	32mm x 3/4"M	"	247.50	247.50	247.50	
	32mm x 1"M	"	283.50	283.50	283.50	
	32mm x 1 1/2"M	"	310.50	310.50	310.50	
	40mm x 1"M	"	315.00	315.00	315.00	
	40mm x 1 1/2"M	"	994.50	994.50	994.50	
	50mm x 1"M	"	1,029.60	1,029.60	1,029.60	
	50mm x 1 1/4"M	"	1,563.30	1,563.30	1,563.30	
	50mm x 1 1/2"M	"	1,590.30	1,590.30	1,590.30	
	50mm x 2"M	"	2,160.00	2,160.00	2,160.00	
	d. Female Straight Union		1,622.70	1,622.70	1,622.70	
	16mm x 1/2"F	गोटा	-	-	-	
	18mm x 1/2"F	"	103.50	103.50	103.50	
	20mm x 1/2"F	"	112.50	112.50	112.50	
	25mm x 1/2"F	"	122.40	122.40	122.40	
		"	162.00	162.00	162.00	



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	25mm x 3/4"F	"				
	25mm x 1"F	"	193.50	193.50	193.50	
	32mm x 1/2"F	"	198.00	198.00	198.00	
	32mm x 3/4"F	"	202.50	202.50	202.50	
	32mm x 1"F	"	207.00	207.00	207.00	
	40mm x 1 1/2"F	"	292.50	292.50	292.50	
	50mm x 1 1/4"F	"	1,168.20	1,168.20	1,168.20	
	50mm x 1 1/2"F	"	1,575.00	1,575.00	1,575.00	
	50mm x 2"F	"	2,160.00	2,160.00	2,160.00	
	e. Equal Elbow		1,638.00	1,638.00	1,638.00	
	1/2" ø (16mm ø)	"	-	-	-	
	1/2" ø (18mm ø)	गोटा	126.00	126.00	126.00	
	1/2" ø (20mm ø)	"	153.00	153.00	153.00	
	3/4" ø (25 mm ø)	"	207.00	207.00	207.00	
	1" ø (32 mm ø)	"	315.00	315.00	315.00	
	1 1/4" ø (40 mm ø)	"	508.50	508.50	508.50	
	1 1/2" ø (50 mm ø)	"	1,656.00	1,656.00	1,656.00	
	f. Unequal Elbow		2,565.00	2,565.00	2,565.00	
	40 - 32 mm ø	"	-	-	-	
	50 - 20 mm ø	"	1,836.00	1,836.00	1,836.00	
	50 - 40 mm ø	"	2,115.00	2,115.00	2,115.00	
	g. Female Elbow		2,155.50	2,155.50	2,155.50	
	16mm x 1/2"F	"	-	-	-	
	18mm x 1/2"F	गोटा	166.50	166.50	166.50	
	20mm x 1/2"F	"	184.50	184.50	184.50	
	25mm x 1/2"F	"	202.50	202.50	202.50	
	25mm x 3/4"F	"	225.00	225.00	225.00	
	25mm x 1"F	"	279.00	279.00	279.00	
	32mm x 3/4"F	"	306.00	306.00	306.00	
	32mm x 1"F	"	329.40	329.40	329.40	
	50mm x 1 1/4"F	"	409.50	409.50	409.50	
	h. Male Elbow		2,115.00	2,115.00	2,115.00	
	25mm x 3/4"M	"	-	-	-	
	25mm x 1"M	"	225.00	225.00	225.00	
	32mm x 3/4"M	"	292.50	292.50	292.50	
	32mm x 1"M	"	221.40	221.40	221.40	
	40mm x 1"M	"	373.50	373.50	373.50	
	50mm x 1"M	"	1,215.00	1,215.00	1,215.00	
	i. Equal Tee		1,731.60	1,731.60	1,731.60	
	1/2" ø (16mm ø)	"	-	-	-	
	1/2" ø (18mm ø)	गोटा	225.00	225.00	225.00	
	1/2" ø (20mm ø)	"	252.00	252.00	252.00	
	3/4" ø (25 mm ø)	"	315.00	315.00	315.00	
	1" ø (32 mm ø)	"	454.50	454.50	454.50	
	1 1/4" ø (40 mm ø)	"	711.00	711.00	711.00	
	1 1/2" ø (50 mm ø)	"	2,657.70	2,657.70	2,657.70	
	j. Unequal Tee		3,883.50	3,883.50	3,883.50	
	20 mm x 16 mm x 20 mm	"	-	-	-	
	20 mm x 18 mm x 20 mm	"	202.50	202.50	202.50	
	25 mm x 16 mm x 25 mm	"	225.00	225.00	225.00	
	25 mm x 18 mm x 25 mm	"	337.50	337.50	337.50	
	25 mm x 20 mm x 25 mm	"	382.50	382.50	382.50	
	32 mm x 16 mm x 32 mm	"	396.00	396.00	396.00	
			652.50	652.50	652.50	



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	32 mm x 18 mm x 32 mm	"	675.00	675.00	675.00	
	32 mm x 20 mm x 32 mm	"	702.00	702.00	702.00	
	32 mm x 25 mm x 32 mm	"	720.00	720.00	720.00	
	40 mm x 32 mm x 32 mm	"	1,966.50	1,966.50	1,966.50	
	40 mm x 32 mm x 40 mm	"	2,277.90	2,277.90	2,277.90	
	50 mm x 20 mm x 50 mm	"	3,105.00	3,105.00	3,105.00	
	50 mm x 32 mm x 32 mm	"	2,046.60	2,046.60	2,046.60	
	50 mm x 32 mm x 50 mm	"	3,136.50	3,136.50	3,136.50	
	50 mm x 40 mm x 40 mm	"	3,147.30	3,147.30	3,147.30	
	50 mm x 40 mm x 50 mm	"	3,594.60	3,594.60	3,594.60	
	k. Female Tee					
	16mm x 1/2" F x 16mm	गोटा	225.00	225.00	225.00	
	18mm x 1/2" F x 18mm	"	234.00	234.00	234.00	
	20mm x 1/2" F x 20mm	"	252.00	252.00	252.00	
	25mm x 1/2" F x 25mm	"	236.70	236.70	236.70	
	25mm x 3/4" F x 25mm	"	261.00	261.00	261.00	
	25mm x 1" F x 25mm	"	338.40	338.40	338.40	
	32mm x 1/2" F x 32mm	"	364.50	364.50	364.50	
	32mm x 3/4" F x 32mm	"	373.50	373.50	373.50	
	32mm x 1" F x 32mm	"	506.70	506.70	506.70	
	40mm x 3/4" F x 32mm	"	1,495.80	1,495.80	1,495.80	
	50mm x 3/4" F x 40mm	"	2,219.40	2,219.40	2,219.40	
	l. Equal Ball Valve Union					
	1/2" ø (16mm ø)	गोटा	261.90	261.90	261.90	
	1/2" ø (18mm ø)	"	290.70	290.70	290.70	
	1/2" ø (20mm ø)	"	382.50	382.50	382.50	
	3/4" ø (25 mm ø)	"	634.50	634.50	634.50	
	1" ø (32 mm ø)	"	882.00	882.00	882.00	
	1 1/4" ø (40 mm ø)	"	2,881.80	2,881.80	2,881.80	
	1 1/2" ø (50 mm ø)	"	4,158.90	4,158.90	4,158.90	
	m. Female Ball Valve Union					
	16mm x 1/2" F	गोटा	243.90	243.90	243.90	
	18mm x 1/2" F	"	279.90	279.90	279.90	
	20mm x 1/2" F	"	313.20	313.20	313.20	
	20mm x 3/4" F	"	351.00	351.00	351.00	
	25mm x 3/4" F	"	652.50	652.50	652.50	
	25mm x 1" F	"	666.00	666.00	666.00	
	32mm x 1" F	"	702.00	702.00	702.00	
	n. Plug					
	1 1/4" ø (40 mm ø)	"	1,440.00	1,440.00	1,440.00	
	1 1/2" ø (50 mm ø)	"	1,980.00	1,980.00	1,980.00	
	p. Wall Plated Female Elbow					
	16mm x 1/2" F	गोटा	189.00	189.00	189.00	
	18mm x 1/2" F	"	207.00	207.00	207.00	
	20mm x 1/2" F	"	225.00	225.00	225.00	
	q. Nipple					
	N 1/2F*1/2F	गोटा	48.60	48.60	48.60	
	N 1/2M*1/2M	"	48.60	48.60	48.60	
	N 3/4F*1/2F	"	67.50	67.50	67.50	
	N 1F*1/2F	"	77.40	77.40	77.40	
	N 1F*3/4F	"	87.30	87.30	87.30	
	N 3/4M*1/2M	"	67.50	67.50	67.50	
	N 1M*1/2M	"	77.40	77.40	77.40	

Page 134



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	N 1M*3/4M	"	87.30	87.30	87.30	
	N 1/2F*1/2M	"	58.50	58.50	58.50	
	N 1/2F*3/4M	"	67.50	67.50	67.50	
	N 1/2F*1M	"	107.10	107.10	107.10	
	N 1/2M*3/4F	"	67.50	67.50	67.50	
	N 1/2M*1F	"	111.60	111.60	111.60	
	N 3/4F*3/4M	"	87.30	87.30	87.30	
	N 3/4F*1M	"	96.30	96.30	96.30	
	N 3/4M*1F	"	126.90	126.90	126.90	
28	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually		-	-	-	
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486.00	486.00	486.00	
	a.2) Failure chagre per well	संख्या	1,350.00	1,350.00	1,350.00	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693.00	693.00	693.00	
	b.2) Failure chagre per well	संख्या	3,600.00	3,600.00	3,600.00	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1,323.00	1,323.00	1,323.00	
	c.2) Failure chagre per well	संख्या	4,680.00	4,680.00	4,680.00	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1,872.00	1,872.00	1,872.00	
	d.2) Failure chagre per well	संख्या	5,400.00	5,400.00	5,400.00	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1,575.00	1,575.00	1,575.00	
29	R.C.C. Hume Pipe & Hume Pipe Collar		-	-	-	
	PIPES		-	-	-	
	a) NP-2		-	-	-	
	150 mm dia.	र.मि	617.00	617.00	617.00	
	200 mm dia.	"	801.00	801.00	801.00	
	250 mm dia.	"	1,003.00	1,003.00	1,003.00	
	300 mm dia.	"	1,357.00	1,357.00	1,357.00	
	350 mm dia.	"	1,415.00	1,415.00	1,415.00	
	375 mm dia.	"	1,550.00	1,550.00	1,550.00	
	400 mm dia.	"	1,889.00	1,889.00	1,889.00	
	450 mm dia.	"	1,999.00	1,999.00	1,999.00	
	500 mm dia.	"	2,244.00	2,244.00	2,244.00	
	600 mm dia.	"	2,959.00	2,959.00	2,959.00	
	700 mm dia.	"	3,861.00	3,861.00	3,861.00	
	750 mm dia.	"	3,941.00	3,941.00	3,941.00	
	800 mm dia.	"	4,660.00	4,660.00	4,660.00	
	900 mm dia.	"	6,296.00	6,296.00	6,296.00	
	1000 mm dia.	"	7,419.00	7,419.00	7,419.00	
	1200 mm dia.	"	8,960.00	8,960.00	8,960.00	
	1500 mm dia.	"	17,784.00	17,784.00	17,784.00	
	b) NP-3		-	-	-	
	150 mm dia.	र.मि	1,317.00	1,317.00	1,317.00	
	200 mm dia.	"	1,754.00	1,754.00	1,754.00	
	250 mm dia.	"	2,192.00	2,192.00	2,192.00	
	300 mm dia.	"	3,150.00	3,150.00	3,150.00	
	350 mm dia.	"	3,514.00	3,514.00	3,514.00	
	375 mm dia.	"	3,756.00	3,756.00	3,756.00	

Page 135

SANITARY WORK



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	400 mm dia.	"	4,027.00	4,027.00	4,027.00	
	450 mm dia.	"	4,521.00	4,521.00	4,521.00	
	500 mm dia.	"	5,040.00	5,040.00	5,040.00	
	600 mm dia.	"	6,227.00	6,227.00	6,227.00	
	700 mm dia.	"	7,519.00	7,519.00	7,519.00	
	750 mm dia.	"	8,635.00	8,635.00	8,635.00	
	800 mm dia.	"	9,424.00	9,424.00	9,424.00	
	900 mm dia.	"	12,225.00	12,225.00	12,225.00	
	1000 mm dia.	"	13,582.00	13,582.00	13,582.00	
	1200 mm dia.	"	16,168.00	16,168.00	16,168.00	
	1500 mm dia.	"	25,255.00	25,255.00	25,255.00	
	R.C.C. Hume Pipe Collar					
	a) NP-2		-	-	-	
	150 mm dia.	गोटा	131.00	131.00	131.00	
	200 mm dia.	"	173.00	173.00	173.00	
	250 mm dia.	"	215.00	215.00	215.00	
	300 mm dia.	"	291.00	291.00	291.00	
	350 mm dia.	"	321.00	321.00	321.00	
	375 mm dia.	"	352.00	352.00	352.00	
	400 mm dia.	"	405.00	405.00	405.00	
	450 mm dia.	"	428.00	428.00	428.00	
	500 mm dia.	"	481.00	481.00	481.00	
	600 mm dia.	"	635.00	635.00	635.00	
	700 mm dia.	"	828.00	828.00	828.00	
	750 mm dia.	"	895.00	895.00	895.00	
	800 mm dia.	"	999.00	999.00	999.00	
	900 mm dia.	"	1,350.00	1,350.00	1,350.00	
	1000 mm dia.	"	1,575.00	1,575.00	1,575.00	
	1200 mm dia.	"	1,922.00	1,922.00	1,922.00	
	1500 mm dia.	"	4,041.00	4,041.00	4,041.00	
	b) NP-3		-	-	-	
	150 mm dia.	"	294.00	294.00	294.00	
	200 mm dia.	"	392.00	392.00	392.00	
	250 mm dia.	"	490.00	490.00	490.00	
	300 mm dia.	"	704.00	704.00	704.00	
	350 mm dia.	"	791.00	791.00	791.00	
	375 mm dia.	"	845.00	845.00	845.00	
	400 mm dia.	"	900.00	900.00	900.00	
	450 mm dia.	"	1,012.00	1,012.00	1,012.00	
	500 mm dia.	"	1,129.00	1,129.00	1,129.00	
	600 mm dia.	"	1,395.00	1,395.00	1,395.00	
	700 mm dia.	"	1,683.00	1,683.00	1,683.00	
	750 mm dia.	"	1,932.00	1,932.00	1,932.00	
	800 mm dia.	"	2,109.00	2,109.00	2,109.00	
	900 mm dia.	"	2,736.00	2,736.00	2,736.00	
	1000 mm dia.	"	3,041.00	3,041.00	3,041.00	
	1200 mm dia.	"	3,619.00	3,619.00	3,619.00	
	1500 mm dia.	"	5,688.00	5,688.00	5,688.00	
	150 mm dia.	र.मि	1,332.00	1,332.00	1,332.00	
	200 mm dia.	"	1,809.00	1,809.00	1,809.00	
	250 mm dia.	"	2,257.00	2,257.00	2,257.00	
	300 mm dia.	"	3,244.00	3,244.00	3,244.00	
	350 mm dia.	"	-	-	-	

Page 136

SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	400 mm dia.	..	4,148.00	4,148.00	4,148.00	
	450 mm dia.	..	4,657.00	4,657.00	4,657.00	
	500 mm dia.	..	5,190.00	5,190.00	5,190.00	
	600 mm dia.	..	6,413.00	6,413.00	6,413.00	
	700 mm dia.	..	7,744.00	7,744.00	7,744.00	
	750 mm dia.	..	-	-	-	
	800 mm dia.	..	9,707.00	9,707.00	9,707.00	
	900 mm dia.	..	12,592.00	12,592.00	12,592.00	
	1000 mm dia.	..	13,991.00	13,991.00	13,991.00	
	1200 mm dia.	..	16,653.00	16,653.00	16,653.00	
	1500 mm dia.	..	26,771.00	26,771.00	26,771.00	
	1600 mm dia.	..	30,880.00	30,880.00	30,880.00	
	1800 mm dia.	..	41,129.00	41,129.00	41,129.00	
30	High Density Polythene Pipe(PE:100) NS-40		-	-	-	
	Pipes of different sizes, series & pressure as per NS standard		-	-	-	
	HDPE Pipe	Kg	283.50	290.00	290.00	
31	UPVC (Pipe NS 206/046		-	-	-	
31.1	A) pipe 2.5 kg /cm² pressure		-	-	-	
	a) 90 mm	र.मी	166.00	166.00	166.00	
	b) 110 mm	"	247.00	247.00	247.00	
	c) 125 mm	"	315.00	315.00	315.00	
	d) 140 mm	"	389.00	389.00	389.00	
	e) 160 mm	"	508.00	508.00	508.00	
	f) 180 mm	"	651.00	651.00	651.00	
	g) 200 mm	"	796.00	796.00	796.00	
31.2	B) PVC Pipe 4 kg / cm²		-	-	-	
	a) 63mm	र.मी	132.00	132.00	132.00	
	b) 75 mm	"	181.00	181.00	181.00	
	c) 90 mm	"	260.00	260.00	260.00	
	d) 110 mm	"	357.00	357.00	357.00	
	e) 125 mm	"	492.00	492.00	492.00	
	f) 140 mm	"	625.00	625.00	625.00	
	g) 160 mm	"	808.00	808.00	808.00	
	h) 180 mm	"	1,040.00	1,040.00	1,040.00	
	i) 200 mm	"	1,262.00	1,262.00	1,262.00	
31.3	C) PVC Pipe 6 Kg/ cm² pressure		-	-	-	
	a) 40 mm	र.मी	77.00	77.00	77.00	
	b) 50 mm	"	117.00	117.00	117.00	
	c) 63 mm	"	189.00	189.00	189.00	
	d) 75 mm	"	263.00	263.00	263.00	
	e) 90 mm	"	378.00	378.00	378.00	
	f) 110 mm	"	548.00	548.00	548.00	
	g) 125 mm	"	730.00	730.00	730.00	
	h) 140 mm	"	909.00	909.00	909.00	
	i) 160 mm	"	1,164.00	1,164.00	1,164.00	
	j) 180 mm	र.मी	1,485.00	1,485.00	1,485.00	
	k) 200 mm	"	1,819.00	1,819.00	1,819.00	
31.4	C) PVC Pipe 10 Kg/ cm² pressure		-	-	-	
	a) 20 mm	र.मी	30.00	30.00	30.00	
	b) 25 mm	"	47.00	47.00	47.00	
	c) 32mm	"	77.00	77.00	77.00	

Page 137



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	a) 40 mm	"	116.00	116.00	116.00	
	b) 50 mm	"	183.00	183.00	183.00	
	c) 63 mm	"	292.00	292.00	292.00	
	d) 75 mm	"	415.00	415.00	415.00	
	e) 90 mm	"	593.00	593.00	593.00	
	f) 110 mm	"	880.00	880.00	880.00	
	g) 125 mm	"	1,126.00	1,126.00	1,126.00	
	h) 140 mm	"	1,442.00	1,442.00	1,442.00	
	i) 160 mm	"	1,830.00	1,830.00	1,830.00	
	j) 180 mm	"	2,332.00	2,332.00	2,332.00	
	k) 200 mm	"	2,883.00	2,883.00	2,883.00	
31.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	30.97	30.97	30.97	
	75 mm	"	74.96	74.96	74.96	
	110 mm	"	127.61	127.61	127.61	
	Bend 87.5 degree					
	50 mm	गोटा	45.84	45.84	45.84	
	75 mm	"	108.41	108.41	108.41	
	110 mm	"	200.09	200.09	200.09	
	Bend 45 degree					
	50 mm	गोटा	44.60	44.60	44.60	
	75 mm	"	87.96	87.96	87.96	
	110 mm	"	157.96	157.96	157.96	
	Single Tee					
	50 mm	गोटा	68.14	68.14	68.14	
	75 mm	"	146.81	146.81	146.81	
	110 mm	"	278.76	278.76	278.76	
	Pipe clip					
	50 mm	गोटा	14.25	14.25	14.25	
	75 mm	"	27.88	27.88	27.88	
	110 mm	"	37.17	37.17	37.17	
	Bend 87.5 degree with door					
	75 mm	गोटा	138.76	138.76	138.76	
	110 mm	"	241.59	241.59	241.59	
	Single Tee with door					
	75 mm	गोटा	198.23	198.23	198.23	
	110 mm	"	368.58	368.58	368.58	
	Double Tee					
	75 mm	गोटा	322.12	322.12	322.12	
	110 mm	"	509.82	509.82	509.82	
	Double Tee with door					
	75 mm	गोटा	427.43	427.43	427.43	
	110 mm	"	662.21	662.21	662.21	
	Vent cowl					
	75 mm	गोटा	52.65	52.65	52.65	
	110 mm	"	87.35	87.35	87.35	
	Socket plug					
	75 mm	गोटा	66.28	66.28	66.28	
	110 mm	"	107.79	107.79	107.79	
	Single "Y"					
	75 mm	गोटा	189.56	189.56	189.56	
	110 mm	"	363.01	363.01	363.01	

Page 138



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
	Single "Y" with door		-	-	-	
	75 mm	गोटा	230.44	230.44	230.44	
	110 mm	"	437.96	437.96	437.96	
	Double "Y"		-	-	-	
	75 mm	गोटा	253.36	253.36	253.36	
	110 mm	"	499.29	499.29	499.29	
	Double "Y" with door		-	-	-	
	75 mm	गोटा	324.60	324.60	324.60	
	110 mm	"	522.83	522.83	522.83	
	Cleaning pipe		-	-	-	
	75 mm	"	147.43	147.43	147.43	
	110 mm	"	284.34	284.34	284.34	
	Reducer		-	-	-	
	110x 75 mm	"	131.33	131.33	131.33	
	75X50 mm	"	68.76	68.76	68.76	
	P -Trap		-	-	-	
	125mmx110mm	"	538.94	538.94	538.94	
	110mmx110mm	"	505.49	505.49	505.49	
	75mmx75mm	"	193.27	193.27	193.27	
	Multi-Floor -Trap		-	-	-	
	110mmx75mm	"	280.00	280.00	280.00	
	Nahani-Trap		-	-	-	
	110mmx75mm	"	255.22	255.22	255.22	
	W.C. Connector (bent type)	"	260.80	260.80	260.80	
	Square tile with jali	"	83.63	83.63	83.63	
	Round jali	"	38.41	38.41	38.41	
	End cap 50mm	"	24.78	24.78	24.78	
32.0	G.I Pipe threaded , 6 m. length With Cap					
	a) Light class					
	i. ½" (15 mm)	र.मी	185.53	185.53	185.53	
	ii. ¾" (20 mm)	"	252.08	252.08	252.08	
	iii. 1" (25 mm)	"	351.67	351.67	351.67	
	iv. 1 ¼" (32 mm)	"	451.33	451.33	451.33	
	v. 1 ½" (40 mm)	"	555.67	555.67	555.67	
	vi. 2" (50 mm)	"	702.00	702.00	702.00	
	vii. 2 ½" (65 mm)	"	966.00	966.00	966.00	
	viii. 3" (80 mm)	"	1,135.33	1,135.33	1,135.33	
	ix. 4" (100 mm)	"	1,622.50	1,622.50	1,622.50	
	x. 5" (125 mm)	"	2,725.00	2,725.00	2,725.00	
	xi. 6" (150 mm)	"	3,237.50	3,237.50	3,237.50	
	xii. 8" (200 mm)	"	3,523.33	3,523.33	3,523.33	
	b) Medium class					
	i. ½" (15 mm)	र.मी	216.00	231.00	247.00	
	ii. ¾" (20 mm)	"	274.83	294.00	314.00	
	iii. 1" (25 mm)	"	411.67	440.00	470.00	
	iv. 1 ¼" (32 mm)	"	536.50	574.00	614.00	
	v. 1 ½" (40 mm)	र.मि	615.67	658.00	704.00	
	vi. 2" (50 mm)	"	840.00	898.00	960.00	
	vii. 2 ½" (65 mm)	"	1,072.83	1,147.00	1,227.00	
	viii. 3" (80 mm)	"	1,329.67	1,422.00	1,521.00	
	ix. 4" (100 mm)	"	1,975.33	2,113.00	2,260.00	
	x. 5" (125 mm)	"	2,736.00	2,927.00	3,131.00	
	xi. 6" (150 mm)	"	3,307.33	3,538.00	3,785.00	

SANITARY WORK



सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	xii. 8" (200 mm)	"	4,003.33	4,283.00	4,582.00	
	e) Heavy duty					
	i. ½" (15 mm)	र मि	242.00	258.00	276.00	
	ii. ¾" (20 mm)	"	321.67	344.00	368.00	
	iii. 1" (25 mm)	"	482.50	516.00	552.00	
	iv. 1 ¼" (32 mm)	"	615.67	658.00	704.00	
	v. 1 ½" (40 mm)	"	710.50	760.00	813.00	
	vi. 2" (50 mm)	"	1,034.50	1,106.00	1,183.00	
	vii. 2 ½" (65 mm)	"	1,294.83	1,385.00	1,481.00	
	viii. 3" (80 mm)	"	1,525.33	1,632.00	1,746.00	
	ix. 4" (100 mm)	"	2,365.33	2,530.00	2,707.00	
	x. 5" (125 mm)	"	3,063.67	3,278.00	3,507.00	
	xi. 6" (150 mm)	"	3,475.33	3,718.00	3,978.00	
	xii. 8" (200 mm)	"	4,243.33	4,540.00	4,857.00	
33.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
	i. ½"	गोटा	925.00	925.00	925.00	
	ii. ¾"	"	1,153.00	1,153.00	1,153.00	
	iii. 1"	"	1,856.00	1,856.00	1,856.00	
	iv. 1 ¼"	"	2,649.00	2,649.00	2,649.00	
	v. 1 ½"	"	3,336.00	3,336.00	3,336.00	
	vi. 2"	"	5,312.00	5,312.00	5,312.00	
	vii. 2 ½"	"	10,982.00	10,982.00	10,982.00	
	viii. 3"	"	13,655.00	13,655.00	13,655.00	
	ix. 4"	"	22,366.00	22,366.00	22,366.00	
	b) G.M Check valve					
	i. ½"	गोटा	893.00	893.00	893.00	
	ii. ¾"	"	1,201.00	1,201.00	1,201.00	
	iii. 1"	"	1,776.00	1,776.00	1,776.00	
	iv. 1 ¼"	"	2,625.00	2,625.00	2,625.00	
	v. 1 ½"	"	3,038.00	3,038.00	3,038.00	
	vi. 2"	"	5,038.00	5,038.00	5,038.00	
	vii. 2 ½"	"	10,236.00	10,236.00	10,236.00	
	viii. 3"	"	13,670.00	13,670.00	13,670.00	
	ix. 4"	"	19,319.00	19,319.00	19,319.00	
	c) G.I. Ebow					
	i. ½"	गोटा	49.00	49.00	49.00	
	ii. ¾"	"	89.00	89.00	89.00	
	iii. 1"	"	140.00	140.00	140.00	
	iv. 1 ¼"	"	211.00	211.00	211.00	
	v. 1 ½"	"	297.00	297.00	297.00	
	vi. 2"	"	446.00	446.00	446.00	
	vii. 2 ½"	"	775.00	775.00	775.00	
	viii. 3"	"	1,205.00	1,205.00	1,205.00	
	ix. 4"	"	2,077.00	2,077.00	2,077.00	
	x. 5"	"	5,142.00	5,142.00	5,142.00	
	xi. 6"	"	6,188.00	6,188.00	6,188.00	
	d) G.I. Tee					
	i. ½"	गोटा	76.00	76.00	76.00	
	ii. ¾"	"	122.00	122.00	122.00	
	iii. 1"	"	178.00	178.00	178.00	
	iv. 1 ¼"	"	285.00	285.00	285.00	



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
v.	1 1/2 "	"	394.00	394.00	394.00	
vi.	2"	"	645.00	645.00	645.00	
vii.	2 1/2 "	"	1,013.00	1,013.00	1,013.00	
viii.	3"	"	1,371.00	1,371.00	1,371.00	
ix.	4"	"	2,490.00	2,490.00	2,490.00	
x.	5"	"	6,891.00	6,891.00	6,891.00	
xi.	6"	"	7,986.00	7,986.00	7,986.00	
e) G.I Union						
i.	1/2 "	गोटा	163.00	163.00	163.00	
ii.	3/4"	"	228.00	228.00	228.00	
iii.	1"	"	336.00	336.00	336.00	
iv.	1 1/4"	"	462.00	462.00	462.00	
v.	1 1/2 "	"	571.00	571.00	571.00	
vi.	2"	"	850.00	850.00	850.00	
vii.	2 1/2 "	"	1,741.00	1,741.00	1,741.00	
viii.	3"	"	2,345.00	2,345.00	2,345.00	
ix.	4"	"	3,089.00	3,089.00	3,089.00	
x.	5"	"	6,891.00	6,891.00	6,891.00	
xi.	6"	"	8,338.00	8,338.00	8,338.00	
f) G.I. Socket						
i.	1/2 "	गोटा	44.00	44.00	44.00	
ii.	3/4"	"	70.00	70.00	70.00	
iii.	1"	"	95.00	95.00	95.00	
iv.	1 1/4"	"	147.00	147.00	147.00	
v.	1 1/2 "	"	199.00	199.00	199.00	
vi.	2"	"	293.00	293.00	293.00	
vii.	2 1/2 "	"	533.00	533.00	533.00	
viii.	3"	"	786.00	786.00	786.00	
ix.	4"	"	1,361.00	1,361.00	1,361.00	
x.	5"	"	3,401.00	3,401.00	3,401.00	
xi.	6"	"	4,573.00	4,573.00	4,573.00	
g) C.I. Plug						
i.	1/2 "	गोटा	29.00	29.00	29.00	
ii.	3/4"	"	40.00	40.00	40.00	
iii.	1"	"	49.00	49.00	49.00	
iv.	1 1/4"	"	98.00	98.00	98.00	
v.	1 1/2 "	"	124.00	124.00	124.00	
vi.	2"	"	149.00	149.00	149.00	
vii.	2 1/2 "	"	213.00	213.00	213.00	
viii.	3"	"	437.00	437.00	437.00	
ix.	4"	"	838.00	838.00	838.00	
h) Hex Nipple						
i.	1/2 "	गोटा	56.00	56.00	56.00	
ii.	3/4"	"	85.00	85.00	85.00	
iii.	1"	"	139.00	139.00	139.00	
iv.	1 1/4"	"	216.00	216.00	216.00	
v.	1 1/2 "	"	275.00	275.00	275.00	
vi.	2"	"	409.00	409.00	409.00	
vii.	2 1/2 "	"	750.00	750.00	750.00	
viii.	3"	"	969.00	969.00	969.00	
ix.	4"	"	1,485.00	1,485.00	1,485.00	
i) Reducing Tee						
i.	3/4"	गोटा	134.00	134.00	134.00	

Page 141



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०/८१	आ.व २०८१/८२	आ.व २०८२/८३	
ii.	1"	"	196.00	196.00	196.00	
iii.	1 ¼"	"	312.00	312.00	312.00	
iv.	1 ½"	"	434.00	434.00	434.00	
v.	2"	"	709.00	709.00	709.00	
vi.	2 ½"	"	1,116.00	1,116.00	1,116.00	
vii.	3"	"	1,509.00	1,509.00	1,509.00	
viii.	4"	"	2,758.00	2,758.00	2,758.00	
x.	5"	"	7,587.00	7,587.00	7,587.00	
xi.	6"	"	8,784.00	8,784.00	8,784.00	
i) Reducing Elbow						
i.	¾"	गोटा	102.00	102.00	102.00	
ii.	1"	"	159.00	159.00	159.00	
iii.	1 ¼"	"	243.00	243.00	243.00	
iv.	1 ½"	"	342.00	342.00	342.00	
v.	2"	"	512.00	512.00	512.00	
vi.	2 ½"	"	883.00	883.00	883.00	
vii.	3"	"	1,362.00	1,362.00	1,362.00	
viii.	4"	"	2,412.00	2,412.00	2,412.00	
x.	5"	"	5,883.00	5,883.00	5,883.00	
xi.	6"	"	7,079.00	7,079.00	7,079.00	
j) Reducing socket						
i.	¾"	गोटा	77.00	77.00	77.00	
ii.	1"	"	103.00	103.00	103.00	
iii.	1 ¼"	"	162.00	162.00	162.00	
iv.	1 ½"	"	217.00	217.00	217.00	
v.	2"	"	324.00	324.00	324.00	
vi.	2 ½"	"	580.00	580.00	580.00	
vii.	3"	"	827.00	827.00	827.00	
viii.	4"	"	1,493.00	1,493.00	1,493.00	
x.	5"	"	4,270.00	4,270.00	4,270.00	
xi.	6"	"	5,020.00	5,020.00	5,020.00	
K) Short bend						
i.	½"	गोटा	133.00	133.00	133.00	
ii.	¾"	"	205.00	205.00	205.00	
iii.	1"	"	315.00	315.00	315.00	
iv.	1 ¼"	"	606.00	606.00	606.00	
v.	1 ½"	"	916.00	916.00	916.00	
vi.	2"	"	1,341.00	1,341.00	1,341.00	
vii.	2 ½"	"	3,441.00	3,441.00	3,441.00	
viii.	3"	"	5,336.00	5,336.00	5,336.00	
ix.	4"	"	7,560.00	7,560.00	7,560.00	
l) Cross Tee						
i.	½"	गोटा	130.00	130.00	130.00	
ii.	¾"	"	186.00	186.00	186.00	
iii.	1"	"	293.00	293.00	293.00	
iv.	1 ¼"	"	509.00	509.00	509.00	
v.	1 ½"	"	610.00	610.00	610.00	
vi.	2"	"	990.00	990.00	990.00	
vii.	2 ½"	"	1,671.00	1,671.00	1,671.00	
viii.	3"	"	2,422.00	2,422.00	2,422.00	
ix.	4"	"	3,271.00	3,271.00	3,271.00	
M) Tanki nipple						
i.	½"	गोटा	153.00	153.00	153.00	

Page 142



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
ii.	¾"	"	214.00	214.00	214.00	
iii.	1"	"	318.00	318.00	318.00	
iv.	1 ¼"	"	480.00	480.00	480.00	
v.	1 ½"	"	610.00	610.00	610.00	
vi.	2"	"	990.00	990.00	990.00	
vii.	2 ½"	"	1,907.00	1,907.00	1,907.00	
viii.	3"	"	2,540.00	2,540.00	2,540.00	
ix.	4"	"	3,370.00	3,370.00	3,370.00	
G.I. Nipple Medium Class ISI or NS						
2" Long						
i.	½"	गोटा	24.00	24.00	24.00	
ii.	¾"	"	36.00	36.00	36.00	
iii.	1"	"	48.00	48.00	48.00	
iv.	1 ¼"	"	65.00	65.00	65.00	
v.	1 ½"	"	80.00	80.00	80.00	
vi.	2"	"	122.00	122.00	122.00	
3" Long						
i.	½"	गोटा	36.00	36.00	36.00	
ii.	¾"	"	54.00	54.00	54.00	
iii.	1"	"	72.00	72.00	72.00	
iv.	1 ¼"	"	97.00	97.00	97.00	
v.	1 ½"	"	121.00	121.00	121.00	
vi.	2"	"	181.00	181.00	181.00	
vii.	2 ½"	"	249.00	249.00	249.00	
viii.	3"	"	363.00	363.00	363.00	
4" Long						
i.	½"	गोटा	48.00	48.00	48.00	
ii.	¾"	"	71.00	71.00	71.00	
iii.	1"	"	97.00	97.00	97.00	
iv.	1 ¼"	"	130.00	130.00	130.00	
v.	1 ½"	"	158.00	158.00	158.00	
vi.	2"	"	243.00	243.00	243.00	
vii.	2 ½"	"	333.00	333.00	333.00	
viii.	3"	"	485.00	485.00	485.00	
ix.	4"	"	625.00	625.00	625.00	
6" Long						
i.	½"	गोटा	72.00	72.00	72.00	
ii.	¾"	"	108.00	108.00	108.00	
iii.	1"	"	145.00	145.00	145.00	
iv.	1 ¼"	"	197.00	197.00	197.00	
v.	1 ½"	"	243.00	243.00	243.00	
vi.	2"	"	364.00	364.00	364.00	
vii.	2 ½"	"	498.00	498.00	498.00	
viii.	3"	"	713.00	713.00	713.00	
ix.	4"	"	882.00	882.00	882.00	
9" Long						
i.	½"	गोटा	108.00	108.00	108.00	
ii.	¾"	"	160.00	160.00	160.00	
iii.	1"	"	194.00	194.00	194.00	
iv.	1 ¼"	"	295.00	295.00	295.00	
v.	1 ½"	"	397.00	397.00	397.00	
vi.	2"	"	547.00	547.00	547.00	
vii.	2 ½"	"	739.00	739.00	739.00	

Page 143



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
viii.	3"	"	1,093.00	1,093.00	1,093.00	
ix.	4"	"	4,688.00	4,688.00	4,688.00	
	12" Long		-	-	-	
i.	½ "	गोटा	145.00	145.00	145.00	
ii.	¾"	"	212.00	212.00	212.00	
iii.	1"	"	241.00	241.00	241.00	
iv.	1 ¼"	"	395.00	395.00	395.00	
v.	1 ½ "	"	485.00	485.00	485.00	
vi.	2"	"	729.00	729.00	729.00	
vii.	2 ½ "	"	984.00	984.00	984.00	
viii.	3"	"	1,457.00	1,457.00	1,457.00	
ix.	4"	"	1,740.00	1,740.00	1,740.00	
	18" Long		-	-	-	
i.	½ "	गोटा	226.00	226.00	226.00	
ii.	¾"	"	279.00	279.00	279.00	
iii.	1"	"	378.00	378.00	378.00	
iv.	1 ¼"	"	615.00	615.00	615.00	
v.	1 ½ "	"	755.00	755.00	755.00	
vi.	2"	"	1,137.00	1,137.00	1,137.00	
vii.	2 ½ "	"	1,537.00	1,537.00	1,537.00	
viii.	3"	"	2,251.00	2,251.00	2,251.00	
ix.	4"	"	2,745.00	2,745.00	2,745.00	
	G.I./G.I. Flange		-	-	-	
i.	1 ¼"	गोटा	964.00	964.00	964.00	
ii.	1 ½ "	"	1,187.00	1,187.00	1,187.00	
iii.	2"	"	1,454.00	1,454.00	1,454.00	
iv.	2 ½ "	"	1,699.00	1,699.00	1,699.00	
v.	3"	"	1,894.00	1,894.00	1,894.00	
vi.	4"	"	2,350.00	2,350.00	2,350.00	
vii.	5"	"	3,360.00	3,360.00	3,360.00	
viii.	6"	"	3,491.00	3,491.00	3,491.00	
ix.	8"	"	6,954.00	6,954.00	6,954.00	
	G.I./HDP Flange					
i.	1 ¼"	गोटा	1,038.00	1,038.00	1,038.00	
ii.	1 ½ "	"	1,323.00	1,323.00	1,323.00	
iii.	2"	"	1,563.00	1,563.00	1,563.00	
iv.	2 ½ "	"	1,825.00	1,825.00	1,825.00	
v.	3"	"	1,951.00	1,951.00	1,951.00	
vi.	4"	"	2,408.00	2,408.00	2,408.00	
vii.	5"	"	3,360.00	3,360.00	3,360.00	
viii.	6"	"	3,509.00	3,509.00	3,509.00	
ix.	8"	"	7,634.00	7,634.00	7,634.00	
	HDP/HDP Flange set with adaptor					
i.	1 ¼"	गोटा	1,038.00	1,038.00	1,038.00	
ii.	1 ½ "	"	1,323.00	1,323.00	1,323.00	
iii.	2"	"	1,563.00	1,563.00	1,563.00	
iv.	2 ½ "	"	1,825.00	1,825.00	1,825.00	
v.	3"	"	1,951.00	1,951.00	1,951.00	
vi.	4"	"	2,408.00	2,408.00	2,408.00	
vii.	5"	"	3,817.00	3,817.00	3,817.00	
viii.	6"	"	3,509.00	3,509.00	3,509.00	
ix.	8"	"	7,634.00	7,634.00	7,634.00	
	Brass tap ½"		-	-	-	

SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
i.	½" (Wt. 400 gm)	गोटा	872.00	915.00	960.00	
ii.	½" ordinary	गोटा	197.00	206.00	216.00	
Globe Valve (GM)			-	-	-	
i.	½"	गोटा	924.00	924.00	924.00	
ii.	¾"	"	1,506.00	1,506.00	1,506.00	
iii.	1"	"	1,860.00	1,860.00	1,860.00	
iv.	1 ¼"	"	2,955.00	2,955.00	2,955.00	
v.	1 ½"	"	3,720.00	3,720.00	3,720.00	
vi.	2"	"	4,644.00	4,644.00	4,644.00	
vii.	2 ½"	"	9,123.00	9,123.00	9,123.00	
viii.	3"	"	15,074.00	15,074.00	15,074.00	
ix.	4"	"	24,374.00	24,374.00	24,374.00	
Float Valve			-	-	-	
i.	½"	गोटा	1,135.00	1,135.00	1,135.00	
ii.	¾"	"	1,283.00	1,283.00	1,283.00	
iii.	1"	"	1,557.00	1,557.00	1,557.00	
iv.	1 ¼"	"	2,693.00	2,693.00	2,693.00	
v.	1 ½"	"	4,045.00	4,045.00	4,045.00	
vi.	2"	"	5,386.00	5,386.00	5,386.00	
C.I. Air valve (Heavy)			-	-	-	
i.	½"	गोटा	3,615.00	3,615.00	3,615.00	
ii.	¾"	"	5,186.00	5,186.00	5,186.00	
iii.	1"	"	5,751.00	5,751.00	5,751.00	
Brass Union with Adopter			-	-	-	
i.	½"	गोटा	235.00	235.00	235.00	
ii.	¾"	"	362.00	362.00	362.00	
iii.	1"	"	548.00	548.00	548.00	
iv.	1 ¼"	"	713.00	713.00	713.00	
v.	1 ½"	"	1,272.00	1,272.00	1,272.00	
vi.	2"	"	1,887.00	1,887.00	1,887.00	
Saddle Ferrule			-	-	-	
i.	1 ½"	गोटा	340.00	340.00	340.00	
ii.	2"	"	449.00	449.00	449.00	
iii.	2 ½"	"	1,256.00	1,256.00	1,256.00	
iv.	3"	"	1,662.00	1,662.00	1,662.00	
v.	4"	"	2,370.00	2,370.00	2,370.00	
Flow Regulating Valve (G.M.)			-	-	-	
i.	½"	गोटा	1,323.00	1,323.00	1,323.00	
C.I Sluice Valve			-	-	-	
i.	1 ½"	गोटा	6,588.00	6,588.00	6,588.00	
ii.	2"	"	8,788.00	8,788.00	8,788.00	
iii.	2 ½"	"	10,977.00	10,977.00	10,977.00	
iv.	3"	"	13,176.00	13,176.00	13,176.00	
v.	4"	"	17,564.00	17,564.00	17,564.00	
v.	5"	"	26,696.00	26,696.00	26,696.00	
v.	6"	"	32,039.00	32,039.00	32,039.00	
v.	8"	"	44,855.00	44,855.00	44,855.00	
Brass Ferrule Cock			-	-	-	
i.	½"	गोटा	1,448.00	1,448.00	1,448.00	
ii.	¾"	"	1,887.00	1,887.00	1,887.00	
iii.	1"	"	2,770.00	2,770.00	2,770.00	
Ball valve			-	-	-	
a)	15mm	गोटा	513.00	513.00	513.00	



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	b) 20 mm	"	650.00	650.00	650.00	
	c) 25 mm	"	873.00	873.00	873.00	
	d) 32 mm	"	1,051.00	1,051.00	1,051.00	
	e) 40 mm	"	2,036.00	2,036.00	2,036.00	
	f) 50 mm	"	3,343.00	3,343.00	3,343.00	
34.0	Supplying of RCC Ring for Construction of Well		-	-	-	
34.1	Ring		-	-	-	
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	580.00	580.00	580.00	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	718.00	718.00	718.00	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	835.00	835.00	835.00	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1,106.00	1,106.00	1,106.00	
34.2	Supplying & fixing of metal frame and Rcc cover		-	-	-	
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1,751.00	1,751.00	1,751.00	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2,318.00	2,318.00	2,318.00	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2,544.00	2,544.00	2,544.00	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	3,039.00	3,039.00	3,039.00	
35.0	ईनार खनको लागि R.C.C. रिङ आपूर्ति गरि माटो खन्ने ,आवश्यक फील्डर सामाग्री राख्ने तथा जडान समेतको सवै कार्यहरु (२० देखि २५ फीट सम्म को गहीराइमा ढक्कन बाहेक)		-	-	-	
	i) 28" dia. R.C.C. Ring	र.मी	4,009.00	4,009.00	4,009.00	
	ii) 36" dia. R.C.C. Ring	"	5,088.00	5,088.00	5,088.00	
	iii) 42" dia. R.C.C. Ring	"	5,922.00	5,922.00	5,922.00	
	iv) 48" dia. R.C.C. Ring	"	7,305.00	7,305.00	7,305.00	
35.1	२५ फीट देखि माथीको गहीराइ भएमा		-	-	-	
	ईनार खनको लागि R.C.C. रिङ आपूर्ति गरि माटो खन्ने ,आवश्यक फील्डर सामाग्री राख्ने तथा जडान समेतको सवै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)		-	-	-	
	i) 28" dia. R.C.C. Ring	र.मी	5,380.00	5,380.00	5,380.00	
	ii) 36" dia. R.C.C. Ring	"	9,097.00	9,097.00	9,097.00	
	iii) 42" dia. R.C.C. Ring	"	11,011.00	11,011.00	11,011.00	
	iv) 48" dia. R.C.C. Ring	"	13,228.00	13,228.00	13,228.00	
36.0	Accessories for Deep boring works by machine .		-	-	-	
	i) MS Slotted pipe	Kg	-	-	-	
	ii) Submersible pump with motor 15 hp per set, head 80 m.discharge 10 lps. with control pannel	Set	-	-	-	
	iii) Submersible pump with motor 12.5 hp per set, head 80 m.discharge 8 lps.with control pannel	"	-	-	-	
	iv) Submersible pump with motor 10 hp per set, head 70 m.discharge 7 lps. with control pannel	"	-	-	-	
	v) Submersible pump with motor 7.5 hp per set, head 70 m.discharge 5 lps. with control pannel	"	-	-	-	
	vi) 10 mm sq. submersible Cable three phase per meter	र मि	-	-	-	
	vii) 6 mm sq. submersible Cable three phase per meter	"	-	-	-	
	viii) 4 mm sq. submersible Cable three phase per meter	"	-	-	-	
	ix) 2.5 mm sq. submersible Cable three phase per meter	"	-	-	-	

Page 146



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट धरि			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	x) Pannel Board Suitable for above pumps 20 H P	set	-	-	-	
	xi) Pannel Board Suitable for above pumps 15 H P	"	-	-	-	
	xii) Pannel Board Suitable for above pumps 12.50 H P	"	-	-	-	
	xiii) Pannel Board Suitable for above pumps 10 H P	"	-	-	-	
	xiv) Pannel Board Suitable for above pumps 7.5 H P	"	-	-	-	
	xv) 10" dia flange and flange cover with nut bolt , thickness 10 mm	"	-	-	-	
	xvi) 8" dia flange and flange cover with nut bolt , thickness 10 mm	"	-	-	-	
	xvii) 6" dia flange and flange cover with nut bolt , thickness 10 mm	"	-	-	-	
	xviii) 10" MS collar (socket) suitable for above pipe thickness 7 mm	"	-	-	-	
	xix) 8" MS collar (socket) suitable for above pipe thickness 6 mm	"	-	-	-	
	xx) 6" MS collar (socket) suitable for above pipe thickness 6 mm	"	-	-	-	
	xxi) 4" MS collar (socket) suitable for above pipe thickness 6 mm	"	-	-	-	
	vi) 200 mm dia ms pipe of 7 mm thick	र.मि	-	-	-	
	vi) 200 mm dia ms pipe of 7 mm thick Slotted pipe	"	-	-	-	
	vi) 150 mm dia ms pipe of 5.4 mm thick	"	-	-	-	
	vi) 150 mm dia ms pipe of 5.4 mm thick Slotted pipe	"	-	-	-	
	Construction material for deep boring		-	-	-	
	Bentonite	Ton	-	-	-	
	Barite	Ton	-	-	-	
	Drill bit	nos	-	-	-	
	Oxyzen gs	cy,	-	-	-	
	Acetylene gas	cy,	-	-	-	
	Bucket	nos	-	-	-	
	Liner	nos	-	-	-	
	Piston rod	nos	-	-	-	
	Gland packing	set	-	-	-	
	swivel packing	Set	-	-	-	
	V-packing	Set	-	-	-	
	Valve / Steel ball	nos	-	-	-	
	Valve sheat	nos	-	-	-	
	Valve Packing	nos	-	-	-	
	Machinery for Deep boring		-	-	-	
	Rig machine	Hrs	-	-	-	
	Elec. Generator	"	-	-	-	
	Water truck	"	-	-	-	
	Cargo truck	"	-	-	-	
	Picup truck	"	-	-	-	
	Water pump	"	-	-	-	
	Electric logger	"	-	-	-	
37.0	Sanitary Tools		-	-	-	
a	Adjustable spanner		-	-	-	
	10"	Pc	265.00	265.00	265.00	
	12"	Pc	500.00	500.00	500.00	
	15"	Pc	1,442.00	1,442.00	1,442.00	
	18"	Pc	1,707.00	1,707.00	1,707.00	
b	Blow Torch		-	-	-	
	1/2 pint	Pc	1,489.00	1,489.00	1,489.00	

Page 147



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	1 pint	Pc	1,836.00	1,836.00	1,836.00	
c	Building Trowel	Pc	82.00	82.00	82.00	
d	Chain Pipe wrench		-	-	-	
	50mm	Pc	1,707.00	1,707.00	1,707.00	
	75mm	Pc	2,030.00	2,030.00	2,030.00	
	100mm	Pc	2,383.00	2,383.00	2,383.00	
	150mm	Pc	3,354.00	3,354.00	3,354.00	
	200mm	Pc	5,708.00	5,708.00	5,708.00	
e	Chain Pulley in Ton		-	-	-	
	3 ton	Pc	18,244.00	18,244.00	18,244.00	
	5 ton	Pc	30,131.00	30,131.00	30,131.00	
f	Stone Chisel 1"x12"	Pc	383.00	383.00	383.00	
g	Die teeth oil with cane (250 ml size)	Pc	294.00	294.00	294.00	
h	Smooth steel file half round		-	-	-	
	8"	Pc	560.00	560.00	560.00	
	10"	Pc	1,071.00	1,071.00	1,071.00	
i	Flat file 10"	Pc	559.00	559.00	559.00	
j	Hacksaw Blade		-	-	-	
	Single	Pc	4.40	4.40	4.40	
	double	Pc	8.80	8.80	8.80	
k	Hacksaw Frame 6mm	Pc	187.00	187.00	187.00	
l	Handle die set		-	-	-	
	25 mm	Pc	3,325.00	3,325.00	3,325.00	
	50 mm	Pc	3,766.00	3,766.00	3,766.00	
	60 mm	Pc	10,005.00	10,005.00	10,005.00	
m	Heating Plate		-	-	-	
	80 mm	Pc	1,000.00	1,000.00	1,000.00	
	100 mm	Pc	1,148.00	1,148.00	1,148.00	
	125 mm	Pc	1,471.00	1,471.00	1,471.00	
	150 mm	Pc	1,754.00	1,754.00	1,754.00	
	200 mm	Pc	2,837.00	2,837.00	2,837.00	
	250 mm	Pc	3,437.00	3,437.00	3,437.00	
	300 mm	Pc	4,014.00	4,014.00	4,014.00	
n	Iron Brush 12"	Pc	77.00	77.00	77.00	
o	Iron Pan (madium)	Pc	271.00	271.00	271.00	
p	Pick Axe 1.7 Kg.	Pc	447.00	447.00	447.00	
q	Pipe Cutter		-	-	-	
	15-50 mm	Pc	2,119.00	2,119.00	2,119.00	
	65-80 mm	Pc	3,296.00	3,296.00	3,296.00	
	100 mm	Pc	5,297.00	5,297.00	5,297.00	
	125 mm	Pc	5,885.00	5,885.00	5,885.00	
	150 mm	Pc	10,475.00	10,475.00	10,475.00	
r	Pipe Jack Machine (Heavy)	Pc	33,545.00	33,545.00	33,545.00	
s	Pipe Vice		-	-	-	
	2"	Pc	2,589.00	2,589.00	2,589.00	
	3"	Pc	3,766.00	3,766.00	3,766.00	
	4"	Pc	5,679.00	5,679.00	5,679.00	
	5"	Pc	10,534.00	10,534.00	10,534.00	
t	Pipe Wrench		-	-	-	
	10"	Pc	330.00	330.00	330.00	
	12"	Pc	612.00	612.00	612.00	
	14"	Pc	730.00	730.00	730.00	
	18"	Pc	1,159.00	1,159.00	1,159.00	

Page 148



SANITARY WORK

मु.अ.क बाहेको दररेट
सहित

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	24"	Pc	1,601.00	1,601.00	1,601.00	
	36"	Pc	5,650.00	5,650.00	5,650.00	
	48"	Pc	10,005.00	10,005.00	10,005.00	
u	Plumb Bob Line	Pc	94.00	94.00	94.00	
v	Rachet Die Set		-	-	-	
	1/2"-1"	Pc	4,473.00	4,473.00	4,473.00	
	1 1/4" -2"	Pc	8,357.00	8,357.00	8,357.00	
	2 1/2"-3"	Pc	18,244.00	18,244.00	18,244.00	
w	Round File 10"	Pc	383.00	383.00	383.00	
x	Screw Driver 12"	Pc	212.00	212.00	212.00	
y	Shovel 1.5 Kg	Pc	383.00	383.00	383.00	
z	Slide wrench		-	-	-	
	10"	Pc	377.00	377.00	377.00	
	12"	Pc	506.00	506.00	506.00	
	15"	Pc	1,477.00	1,477.00	1,477.00	
aa	Spade	Pc	459.00	459.00	459.00	
A	Spare Die Teeth		-	-	-	
	15 mm	Pc	612.00	612.00	612.00	
	20 mm	Pc	612.00	612.00	612.00	
	25 mm	Pc	612.00	612.00	612.00	
	32 mm	Pc	971.00	971.00	971.00	
	40 mm	Pc	1,660.00	1,660.00	1,660.00	
	50 mm	Pc	1,677.00	1,677.00	1,677.00	
	65 mm	Pc	1,942.00	1,942.00	1,942.00	
	80 mm	Pc	2,177.00	2,177.00	2,177.00	
B	Telflon Cover		-	-	-	
	5'x5'	Pc	324.00	324.00	324.00	
	7'x7'	Pc	441.00	441.00	441.00	
C	Telflon Cloth	m	3,560.00	3,560.00	3,560.00	
D	Telflon Tape 10 mm roll	Roll	18.00	18.00	18.00	
E	Thermochrome Crayon		-	-	-	
	Indian	Pc	794.00	794.00	794.00	
	Germany	Pc	1,589.00	1,589.00	1,589.00	
F	Tool Box (14"x8"x22")	Pc	2,183.00	2,183.00	2,183.00	
38	Anaerobic treatment for waste water (smc equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤37.5 mm . Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc.)					
	800 lts for 4 persons	nos	63,750.00	63,750.00	63,750.00	
	1200 lts for 6 people	nos	79,050.00	79,050.00	79,050.00	
	1600 lts for 10 persons	nos	95,200.00	95,200.00	95,200.00	
39	Irrigation Works excluding pipes including installation (Rainbird or equivalent)					

Handwritten signatures and initials at the bottom of the page.



SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
1	Supply flexible, kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150.00	150.00	150.00	
2	Supply of Xeri bug emitter pressure compensating with self piercing barbs, flow rates 1.89LPH to 7.57LPH UV resistant colour coded with working pressure 1.0 to 3.5 bar	Nos	30.00	30.00	30.00	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660.00	660.00	660.00	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps. The Spray Head body, stem, nozzle, ratchet and screen shall be constructed of heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1,200.00	1,200.00	1,200.00	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps. The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1,200.00	1,200.00	1,200.00	
	gear rotors 5004	No.	3,100.00	3,100.00	3,100.00	
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm ² at 43oC and a surge pressure of 16.6 kg/cm ² . The fittings shall be made of UV resistant thermo plastic. SA Series	No.	390.00	390.00	390.00	
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm ² at 43oC and a surge pressure of 16.6 kg/cm ² . The fittings shall be made of UV resistant thermo plastic. SA	No.	480.00	480.00	480.00	
	Providing and fixing of HDPE service saddle of varying size		850.00	850.00	850.00	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve, security pivot to maintain lever in space, double water tight joint, direct injection stem non mechanical, with a base which permits maximum penetration into the valve of size 63mm.	No.	1,800.00	1,800.00	1,800.00	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced. The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2,100.00	2,100.00	2,100.00	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7,500.00	7,500.00	7,500.00	
	6" Round box.	No.	1,250.00	1,250.00	1,250.00	

Page 150



SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०८०।८१	आ.व २०८१।८२	आ.व २०८२।८३	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13,500.00	13,500.00	13,500.00	
	Key threads into top of QCV to provide water access 33DK	No.	9,750.00	9,750.00	9,750.00	

नोट : माथि उल्लेखित दररेटमा नपरेका सामानहरू काठमाडौं तथा अन्य जोडिएका जिल्लाहरूले निर्धारण गरेको स्वीकृत दररेटलाई आधार मानी ढुवानी दिनु पर्ने भए सो समेत जोडी नर्स अनुसार दर निर्धारण गरी कार्यान्वयन गर्ने निर्णय गरियो ।

(Handwritten signatures and initials)



सरकारी कार्यालयमा आवश्यक हुने वायो-ईन्जिनियरिङ्ग एवं अन्य मालसामान सम्बन्धि दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			०८०/८१	०८१/८२	०८२/८३	
१.						
क)	Grass Seeds	के.जी				
i)	घाँसको बिउ र औषधि जिल्ला भित्र दुवानी गर्दा	,,	१.००	१.००	१.००	
ii)	घाँसको बिउ जिल्ला बाहिरबाट दुवानी गर्दा	,,	२.००	२.००	२.००	
iii)	२०० गेजको बिरुवा उमार्ने कालो चार प्वाल भएको विभिन्न साईज भएको पोलीथैला	"	४६२.००	४६२.००	४६२.००	
iv)	माटो भर्ने खाली बोरा	गोटा	१६.००	१६.००	१६.००	
v)	बास काटेको सिगो घना	घना	४६२.००	४६२.००	४६२.००	
vi)	बासको कटिंग स्टम्प बिरुवा (२ बर्ष नर्सरी राखेको) १'६" देखि २' लामो	प्रति कटिंग	१९८.००	२१८.००	२१८.००	
vii)	बासको पोलिट्युब १ बर्ष	गोटा	७३.००	७३.००	७३.००	
viii)	बासको पोलिट्युब २ बर्ष	गोटा	१६५.००	१६५.००	१६५.००	
ix)	बाँसको बिजु पोलिथिन	गोटा		१२०.००	१२५.००	
ख)	Vegetation/Shrubs Cuttings/Slip/Plants/etc.					
i)	अलैची गानो	,,	१५.००	१५.००	१५.००	
ii)	अलैची बिरुवा	,,	११.००	११.००	११.००	
iii)	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	,,	७.००	७.००	७.००	
iv)	नेपियर कटिङ्गस् सेटेस	,,	३.००	५.००	५.००	
v)	NB ₂₁ घाँस	Slip	३.००	३.००	३.००	
vi)	निगालो राईजोम	set	६६.००	६६.००	६६.००	
vii)	बाबियो ताइवानी दुबो	,,	४.००	४.००	४.००	
viii)	सिजनल फुल न इन्च पोली	गोटा	५०.००	५०.००	५०.००	
ix)	गुलाफ फुल न इन्च पोली	,,	१९८.००	१९८.००	१९८.००	
x)	हेज न इन्च पोली	,,	४०.००	४०.००	४०.००	
xi)	कार्पेट दुबो	व.फी.	४०.००	४०.००	४०.००	
xii)	कार्पेट दुबो को लागी छान्ने कार्यको ज्याला	,,	२७.००	२७.००	२७.००	
xiii)	निगालो (जरा सहीत)	गोटा	१६.००	१८.००	२०.००	
xiv)	स्थानीय स्तरमा उत्पादीत बिरुवा फलफुल बाहेक	,,	७.००	७.००	७.००	
xv)	गोठे मल तयारी	के.जी.	७.००	७.००	७.००	
xvi)	डाले घासको बिरुवा (नांगो जरा)	गोटा	८.००	८.००	८.००	
xvii)	डाले घासको बिरुवा (पोलिव्याग थैला)	गोटा	२०.००	२०.००	२०.००	
xviii)	मोलाटो बिरुवा	,,	३.००	३.००	३.००	
xix)	नरीवल डोरी	के.जी.	१६०.००	१६०.००	१६०.००	
xx)	नाइलन डोरी	,,	३३०.००	३३०.००	३३०.००	
xxi)	धुन्से/डोको	गोटा		४५०.००	४५०.००	
२	भर्मि कम्पोष्ट मल	के.जी.		३०.००	३०.००	
३	भर्मि गडघौला	के.जी.		१८००.००	१८००.००	
४	नर्सरी ट्रे (७२ कोठा)	थान		७५.६०	७५.६०	
५	कोको पिट (५ के जि ब्लक)	ब्लक		५५०.००	५५०.००	
	कोको पिट (७५० ग्राम ब्लक)	ब्लक		१२०.००	१२०.००	
६	धानको बिरुवा खरिद					
६.०१	धानको बीउहरु (साबित्री)	के.जी.		१०८.००	१०८.००	
६.०२	धानको बीउहरु (राम)	के.जी.		१०८.००	१०८.००	
६.०३	धानको बीउहरु (US-३१२ हाइब्रिड)	के.जी.		५४०.००	५४०.००	

(Handwritten signatures and initials)

(Handwritten signatures and initials)



सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.			
			०८०/८२	०८१/८२	०८२/८३	
६.०४	धानको बीउहरु (च्यामपियन हाइब्रिड)	के.जी.		५४०.००	५४०.००	
६.०५	धानको बीउहरु (राजा हाइब्रिड)	के.जी.		५४०.००	५४०.००	
६.०६	धानको बीउहरु (PAC-८०१ हाइब्रिड)	के.जी.		५४०.००	५४०.००	
६.०७	धानको बीउहरु (एराइज ६४४४ गोल्ड हाइब्रिड)	के.जी.		५४०.००	५४०.००	
६.०८	धानको बीउहरु	के.जी.		११९.००	११९.००	
७	फलफुलको बिरुवा सम्बन्धि					
	सुन कागति पोलिव्याग	गोटा		६५.००	७२.००	
	कागति पोलिव्याग समेत	गोटा		३५.००	३९.००	
	सुन्तला (कलमी)	गोटा		७०.००	७७.००	
	आँप साधारण (कलमी)	गोटा		९०.००	९९.००	
	लिचि (कलमी)	गोटा		१३७.००	१५०.००	
	अम्रपालि आँप (कलमी)	गोटा		१३८.००	१५०.००	
	खुर्पाणि (कलमी)	गोटा		८५.००	९३.००	
	दाँते ओखर (पोलिव्याग)	गोटा		१३२.००	१४५.००	
	जापानिज हलुवा वेद (कलमी)	गोटा		२५०.००	२५०.००	
	कफी (बिजु)	गोटा		३०.००	३३.००	
	अम्वा कलमि	गोटा		१४०.००	१५०.००	
८	फापर	के.जी.		१६२.००	१६२.००	
९	जौ	के.जी.		१४०.००	१४०.००	
१०	उवा	के.जी.		१४०.००	१४०.००	
११	चिनो	के.जी.		३२४.००	३२४.००	
१२	कागुनो	के.जी.		५४०.००	५४०.००	
१३	कोदोको बीउ (डल्ले/ओख्ले)	के.जी.		१६२.००	१६२.००	
१४	तरकारीको बीउहरु (काउली, गोलभेंडा, लहरे बालीहरु, अदुवा) विभिन्न जातहरु					
१४.०१	काउली हाइब्रिड	प्याकेट १० ग्राम		४००.००	४००.००	
१४.०२	बन्दा हाइब्रिड	प्याकेट १० ग्राम		३४०.००	३४०.००	
१४.०३	गोलभेंडा (सृजना)	प्याकेट २ ग्राम		२९२.००	२९२.००	
१४.०४	करेला (हाइब्रिड)	प्याकेट १० ग्राम		२५९.००	२५९.००	
१४.०५	घिरोला (हाइब्रिड)	१० ग्राम/प्याकेट		१६२.००	१६२.००	
१४.०६	काँक्रो (उन्नत)	प्याकेट १० ग्राम		१०८.००	१०८.००	
१४.०७	काँक्रो (हाइब्रिड)	प्याकेट १० ग्राम		३७८.००	३७८.००	
१४.०८	फर्सी (उन्नत)	प्याकेट १० ग्राम		५४.००	५४.००	
१४.०९	फर्सी (हाइब्रिड)	प्याकेट १० ग्राम		२७०.००	२७०.००	
१४.१०	जुकिनी (हाइब्रिड)	प्याकेट १० ग्राम		३७८.००	३७८.००	
१४.११	सिमी (उन्नत)	के.जी.		४८६.००	४८६.००	
१४.१२	सिमी (हाइब्रिड)	के.जी.		२१६०.००	२१६०.००	
१४.१३	बोडी (मिटरे)	के.जी.		२१६०.००	२१६०.००	
१४.१४	बोडी (आकाश/प्रकाश)	के.जी.		५४०.००	५४०.००	
१४.१५	खुर्सानी पिरो	प्याकेट १० ग्राम		३३५.००	३३५.००	
१४.१६	अकबरे	प्याकेट १० ग्राम		३०२.००	३०२.००	
१४.१७	अदुवा बीउ (नसे)	के.जी.		१६२.००	१६२.००	

(Handwritten signatures and marks)

(Handwritten signatures and marks)



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
धनकुटा

सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.			
			०८०/८१	०८१/८२	०८२/८३	
१४.१८	अदुवा बीउ (बोसे)	के.जी.		१९४.००	१९४.००	
१४.१९	बेसार	के.जी.		१०८.००	१०८.००	
१४.२०	पिँडालु	के.जी.		५४.००	५४.००	
ग)	बन कार्यालयबाट सम्पादन गरिने कार्यहरु(काठ लोड अनलोड तथा ढुवानीआदि)					
१	रुख/गोलिया काठ कटान मुछान					
१.०१	रुख छपान	संख्या	४०.००	४४.००	४४.००	
१.०२	गोलिया कटान मुछान	घनफिट	४४.००	४९.००	४९.००	
१.०३	गोलियाको बोका भिक्ने, रिङ्ग काट्ने	घनफिट	१.००	२.००	२.००	
१.०४	गोलिया लोडिङ्ग	घनफिट	४४.००	४९.००	४९.००	
१.०५	गोलिया अनलोडिङ्ग	घनफिट	१८.००	२०.००	२०.००	
१.०६	गोलिया जंगल यार्डिङ्ग	घनफिट	४५.००	५०.००	५०.००	
१.०७	गोलिया पाईलिङ्ग	घनफिट	१४.००	१६.००	१६.००	
२	गोलिया काठ ढुवानी					
२.०१	०-५ कि.मि.सम्मको ढुवानी	घनफिट	६१.००	६७.००	६७.००	
२.०२	५-१० कि.मि.सम्मको ढुवानी	घनफिट	८०.००	८८.००	८८.००	
२.०३	१०-१५ कि.मि.सम्मको ढुवानी	घनफिट	८६.००	९५.००	९५.००	
२.०४	१५-२० कि.मि.सम्मको ढुवानी	घनफिट	९३.००	१००.००	१००.००	
२.०५	२० कि.मि. देखि माथिको ढुवानी	घनफिट	१०६.००	११५.००	११५.००	
२.०६	बाहिरी जिल्ला बाट शाखा रोड तथा राजमार्ग हुदै जिल्ला भित्र ढुवानी गर्दा	प्रति घनफिट प्रति कि.मि	२.००	२.००	२.००	
३	दाउरा कटान मूछान					
३.०१	कटान मुछान	चट्टा	७२६०.००	८०००.००	८०००.००	
३.०२	लोडिङ्ग	चट्टा	३९६०.००	४३५०.००	४३५०.००	
३.०३	अनलोडिङ्ग	चट्टा	१५८४.००	१६००.००	१६००.००	
३.०४	चट्टा निर्माण	चट्टा	१९८०.००	२२००.००	२२००.००	
४	दाउरा ढुवानी					
४.०१	०-५ कि.मि.सम्मको ढुवानी	चट्टा	३९६०.००	४३५०.००	४३५०.००	
४.०२	५-१० कि.मि.सम्मको ढुवानी	चट्टा	४६२०.००	५०००.००	५०००.००	
४.०३	१०-१५ कि.मि.सम्मको ढुवानी	चट्टा	५२८०.००	५२८०.००	५२८०.००	
४.०४	१५ कि.मि. देखि माथिको ढुवानी	चट्टा	५८०८.००	६२००.००	६२००.००	
५	गोलिया काठ सःमिलमा ल्याई चिरान गरिने कार्यको लागि					
५.०१	चिरान ज्याला (चिरान गरी साईज चिरान, वाकल, अनसाईज चिरान, भुस समेतका उत्पादनलाई मिल हातामा व्यवस्थित गर्ने)	घनफिट	९३.००	१००.००	१००.००	
५.०२	चिरान लोडिङ्ग	घनफिट	२७.००	३०.००	३०.००	
५.०३	चिरान अनलोडिङ्ग	घनफिट	१२.००	१४.००	१४.००	
५.०४	वाकल लोडिङ्ग	क्विण्टल	३३.००	३५.००	३५.००	
५.०५	वाकल अनलोडिङ्ग	क्विण्टल	१२.००	१४.००	१४.००	
५.०६	चिरान पाईलिङ्ग	घनफिट	९.००	११.००	११.००	
५.०७	गोलिया मिल यार्डि- (१०० मि.सम्म)	घनफिट	१२.००	१४.००	१४.००	
५.०८	घाटगद्दीबाट मिल सम्मको गोलिया सिपमेण्ट (जिल्लाभरबाट)	घनफिट	५३.००	५५.००	५५.००	



सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.			
			०८०/८१	०८१/८२	०८२/८३	
५.०९	मिल सिपमेन्टको लागि गोलिया लोडिङ्ग	घनफिट	४४.००	४६.००	४६.००	
५.१०	मिल सिपमेन्टको लागि गोलिया अनलोडिङ्ग	घनफिट	१५.००	१७.००	१७.००	
६	चिरान ढुवानी					
६.०१	०-५ कि.मि.सम्मको ढुवानी	घनफिट	३३.००	३५.००	३५.००	
६.०२	५-१० कि.मि.सम्मको ढुवानी	घनफिट	३७.००	४०.००	४०.००	
६.०३	१० कि.मि. भन्दा बढीको ढुवानी	घनफिट	४३.००	४५.००	४५.००	
७	बाकल/अनसाईज/कटपीस ढुवानी					
७.०१	०-५ कि.मि.सम्मको ढुवानी	क्विण्टल	१३२.००	१४०.००	१४०.००	
७.०१	५-१० कि.मि.सम्मको ढुवानी	क्विण्टल	१४६.००	१५५.००	१५५.००	
७.०२	१० कि.मि. भन्दा बढीको ढुवानी	क्विण्टल	१७२.००	१७५.००	१७५.००	
८	विरुवा खरिद (अर्नामेण्टल विरुवा)					
८.०१	अशोक (ठूलो)	गोटा	५९४.००	५९४.००	५९४.००	
८.०२	अशोक (सानो)	गोटा	९३.००	९३.००	९३.००	
८.०३	कल्कीफूल	गोटा	८६.००	९०.००	९०.००	
८.०४	ज्याकारान्डा	गोटा	६६.००	७०.००	७०.००	
८.०५	गोल्डमोहर	गोटा	५३.००	६०.००	६०.००	
८.०६	काँगियो	गोटा	८६.००	९०.००	९०.००	
८.०७	म्याङ्गोस्टिक	गोटा	२१८.००	८०.००	८०.००	
८.०८	बोटल पाम	गोटा	६६०.००	१५०.००	६६०.००	आ.व. २०८०/८१ अनुसार
८.०९	फिसटेल पाम	गोटा	५२८.००	१५०.००	५२८.००	आ.व. २०८०/८१ अनुसार
८.१०	एरिका पाम	गोटा	५२८.००	१५०.००	५२८.००	आ.व. २०८०/८१ अनुसार
८.११	कपुर	गोटा	८६.००	८६.००	८६.००	
८.१२	धुपी	गोटा	८६.००	८६.००	८६.००	
८.१३	क्यासिया	गोटा	३३.००	३३.००	३३.००	
८.१४	क्रिसमस ट्रि (सानो)	गोटा	६००.००	४५०.००	४५०.००	
८.१५	क्रिसमस ट्रि (ठूलो)	गोटा	१०००.००	८००.००	८००.००	
९	विरुवा खरिद (बहुउपयोगी वन विरुवा)					
९.०१	बोधिचिन्त १ वर्ष (बिउ बाटे)	गोटा	७९२.००	५०.००	२००.००	
	बोधिचिन्त २ वर्ष (बिउ बाटे)				३५०.००	
	बोधिचिन्त ३ वर्ष वा सो भन्दा बढी (बिउ बाटे)				५००.००	
९.०२	रुद्राक्ष	गोटा	४६२.००	१५०.००	१५०.००	
९.०३	लप्सी (ग्राफिटड)	गोटा	८०.००	८०.००	८८.००	
९.०४	चिराइतो	गोटा	११.००	१५.००	१५.००	
९.०५	तेजपात, सुगन्धकोकिला, ठूलो अमला	गोटा	४०.००	४०.००	४०.००	
९.०६	टिमुर (पोलिथिन बाहेकको)	गोटा	५०.००	५०.००	५०.००	
	टिमुर पोलिथिन सहितको १ वर्ष			६०.००	६०.००	
	टिमुर पोलिथिन सहितको १ वहु वर्ष			७०.००	७०.००	
९.०७	लौठ सल्ला (नेपाली) बीउबाट	गोटा	१५०.००	१५०.००	१५०.००	
९.०८	लौठ सल्ला (नेपाली) कटिड	गोटा	९०.००	९०.००	९०.००	
९.०९	बेल	गोटा	४०.००	४०.००	४०.००	
९.१०	एभोकाडो	गोटा	१५०.००	१६०.००	१७०.००	
९.११	सतुवा (बिउ बाटे)	गोटा	६०.००	६०.००	६०.००	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			जिल्ला कृषि
			आ.व.			
			०८०/८१	०८१/८२	०८२/८३	
	सतुवा बिरुवा रईजोम (कम्तीमा १.५ से.मी. लम्बाई)	गोटा			८०.००	
९.१२	जडिवुटी (अन्य)	गोटा	६०.००	६०.००	६०.००	
९.१३	टिक, सिसौ, वकाइनो, इपिल इपिल, जेट्रोफा, जामुन, चिउरी, हर्रो, बर्रो आदी	गोटा	२०.००	२०.००	२०.००	स्टम्प काटिड, न्याकेट रुटा प्रचलित बजारको दरभाउमा आधारित
९.१४	शिरिष, वकाइनो, कपोक, मसला, ववुल, इपिल इपिल, टाँकी, कोईरालो, काब्रो, कोइरालो, कुटमेरो, राजवृक्ष, कदम, खयर, अमला, टुनी, सल्लो, उत्तिस, सिसौ, बाँभी, बाँभ, जेट्रोफा, जामुन, हर्रो, बर्रो आदी	गोटा	२७.००	२७.००	३०.००	३"×७", ४"×७" साईजको प्लाष्टिक थैलोमा ट्रान्सप्लान्ट गरी तयार गरिएको
९.१५	निमारो, वडहर, राईखन्यु, निम, टिक, चिउरी, कटहर आदी	गोटा	५०.००	५०.००	५०.००	३"×७", ४"×७" साईजको प्लाष्टिक थैलोमा ट्रान्सप्लान्ट गरी तयार गरिएको
९.१६	अम्रिसो गानो राइजोम	गोटा	८.००	९.००	१५.००	
९.१७	नेपियर सेट्स	गोटा	४.००	५.००	५.००	
९.१८	नेपियर जरा सहितको	गोटा	५.००	६.००	६.००	
९.१९	बाँस कटिड/राईजोम (२ वर्षे)	गोटा	१९८.००	२१८.००	२४०.००	
९.२०	अन्य सौन्दर्यमुलक बिरुवा (उचाई अनुसार)					
९.२१	४ फिट सम्मको	गोटा	९९०.००		५५०.००	
९.२२	४-५ फिट सम्मको	गोटा	१४५२.००		६५०.००	
९.२३	५-६ फिट सम्मको	गोटा	१७४९.००		७००.००	
९.२४	६ फिट भन्दा अग्लो	गोटा	२१७८.००		७५०.००	
९.२५	मेकाडामिया	गोटा	२००.००	२००.००	२२०.००	
९.२६	पिकानट	गोटा	३००.००	३००.००	३३०.००	
९.२७	भेटिभर ग्रास	गोटा	१०.००	१२.००	१३.००	
९.२८	बिष	गोटा			५०.००	
९.२९	कुरीलो जरा प्रयोग हुने थैला सहित	गोटा			२५.००	
९.३०	कुरीलो जरा प्रयोग हुने थैला रहित	गोटा			१५.००	
९.३१	लोक्ता, अगेली कटिङ्गबाट	गोटा			२०.००	
९.३२	लोक्ता, अगेली बिउबाट	गोटा			३५.००	
९.३३	नीरमसी	गोटा			६०.००	
९.३४	सुगन्धवाल, जटामसी बीउबाट	गोटा			१०.००	
१०	बिरुवा रोपण					
१०.०१	ठूला बिरुवा (५-१० फिट)	गोटा	१७५.००	१७५.००	१७५.००	
१०.०२	अगला बिरुवा (१०-१५ फिट)	गोटा	२५०.००	२५०.००	२५०.००	
११	सुराकी भत्ता	महिना	१०५६०.००	११५००.००	११५००.००	
१२	काठ विक्री डिपो चौकिदार	महिना	१९८००.००	१९८००.००	१९८००.००	
१३	वृक्षारोपण चौकिदार	महिना	१३२००.००	१४५००.००	१४५००.००	
१४	नर्सरी नाईके (चौकिदार)	महिना	१९८००.००	२२०००.००	२२०००.००	
१५	खरघाँस खरिद (नर्सरी प्रयोजन)	मुश्र	६६.००	६८.००	६८.००	
१६	३"×७", ४"×७" साईजको प्लाष्टिक थैला खरिद	कि.ग्रा.	५२८.००	५२८.००	५२८.००	



सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.) आ.व.			कैफियत
			०८०/८१	०८१/८२	०८२/८३	
१७	३"X७", ४"X७" साइजको प्लाष्टिक थैलोमा ट्रान्सप्लान्ट गरी तयार गरिएको विरुवा ढुवानी (०-१० कि.मी. सम्म)	गोटा	७.००	७.००	७.००	
१८	आर.सि.सि. पोल (फेन्सिड प्रयोजनको लागि) ४"X४"X७.५' साइजको	गोटा	१२००.००	१२००.००	१२००.००	
	नर्सरी प्लाष्टिक सिट	के.जी.		३४०.००	३४०.००	
	प्लाष्टिक क्रेट नेपाली २५ के.जी. अट्टने	थान		६००.००	६००.००	
	प्लाष्टिक क्रेट नेपाली १५ के.जी. अट्टने	थान		४००.००	४००.००	
	इन्सेक्ट नेट (४० मेश)	वर्ग मि.		११५.००	११५.००	
	इन्सेक्ट नेट (३० मेश)	वर्ग मि		७०.००	७०.००	
	ग्रिन नेट					
	Green net ५०% Indian					
	१.५*५० मिटर	रोल		२५००.००	२५००.००	
	२*५० मिटर	रोल		३९००.००	३९००.००	
	३*५० मिटर	रोल		४८००.००	४८००.००	
१९	मौरीपालन सम्बन्धि					
१३.०१	आधुनिक मौरीघार मात्र (मौरी बाहेक) न्युटन बि टुनीबाट बनेको	थान		५०००.००	५०००.००	
१३.०२	आधुनिक मौरीघार मात्र (मौरी बाहेक) न्युटन बि अन्य काठबाट बनेको	थान		४०००.००	४०००.००	
१३.०३	मौरी सहितको घर (४फ्रेम) सेरेना मौरी न्युटन बि घर	थान		१००००.००	१००००.००	
१३.०४	मौरी (सेरेना)	प्रति फ्रेम		१२५०.००	१२५०.००	
१३.०५	मौरीको आधार चाका (सेरेना)	के.जी.		१५००.००	१५००.००	
१३.०६	मौरी क्वीनगेट (सेरेना)	थान		१००.००	१००.००	
१३.०७	घुम्टी (बाक्लो)	थान		६००.००	६००.००	
१३.०८	घुम्टी (पातलो)	थान		३५०.००	३५०.००	
१३.०९	पञ्जा (रबर)	जोर		१५०.००	१५०.००	
१३.१०	पञ्जा (डबल लेयर प्रोटेक्ट)	जोर		६५०.००	६५०.००	
१३.११	मौरीघार स्टेण्ड (फलामको)	थान		४५०.००	४५०.००	
१३.१२	मह मदानी (टिनको)	थान		१०५००.००	१०५००.००	
१३.१३	मह मदानी (स्टिल स्टेनलेस)	थान		१५५००.००	१५५००.००	
१९	विषादीहरु					
१३.०१	डाइथेन एम-५०० ग्राम	पाकेट		३७८.००	३७८.००	
१३.०२	क्रिलोक्सिल १०० ग्राम	पाकेट		२१६.००	२१६.००	
१३.०३	कार्बेन्डाजिम १०० ग्राम	पाकेट		१६२.००	१६२.००	
१३.०४	हेक्जाकोनाजोल १०० मि.लि,	बोटल		१०८.००	१०८.००	
१३.०५	साइपरमेथ्रिन १०० मि.लि	बोटल		१०८.००	१०८.००	
१३.०६	क्लोरोपाइरिफस १०० मि.लि,	बोटल		१६२.००	१६२.००	



सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.			
			०८०/८१	०८१/८२	०८२/८३	
१३.०७	इमिड्याक्लोप्रिड १०० मि.लि.	बोटल				
१३.०८	इमामेक्विटन बेन्जोयट ५ ग्रा.	पाकेट		३२४.००	३२४.००	
१३.०९	एजाडिरेक्विटन (नीम जन्य)	एम.एल.		५४.००	५४.००	
१३.१०	स्ट्रेप्टोमाइसिन सल्फेट+टेट्रासाइक्लिन १०० ग्रा	पाकेट		१.८०	१.८०	
घ)	पशु सेवा कार्यालयबाट सम्पादन गरिने कार्यहरु			१६२.००	१६२.००	
i)	जई	के.जी.	९०.००	९०.००	९०.००	
ii)	बर्सिम	"	२२०.००	२२०.००	२२०.००	
iii)	भेच	"	१७०.००	१७०.००	१७०.००	
iv)	बोडी,केराउ र भटमास	"	१७०.००	१७०.००	१७०.००	
v)	स्टाइलो कृक	"	६००.००	६००.००	६००.००	
vi)	स्टाइलो हमटा	"	३५०.००	३५०.००	३५०.००	
vii)	ज्वाइन्टभेच	"	२३५.००	२३५.००	२३५.००	
viii)	मोलासेस	"	२८५.००	२८५.००	२८५.००	
ix)	ट्वाइटक्लोभर	"	९३०.००	९३०.००	९३०.००	
x)	राइग्रास	"	४७५.००	४७५.००	४७५.००	
xi)	पास्पलनबीव	"	३१०.००	३१०.००	३१०.००	
xii)	कस्सफुट	"	६२५.००	६२५.००	६२५.००	
xiii)	टियोसेन्टी	"	१९०.००	१९०.००	१९०.००	
xiv)	सेटेरिया	"	३६०.००	३६०.००	३६०.००	
xv)	कुड्जु	"	३१०.००	३१०.००	३१०.००	
xvi)	ग्लाइसिन	"	२१०.००	२१०.००	२१०.००	
xvii)	डिस्मोडियम	"	२८५.००	२८५.००	२८५.००	
xviii)	लुर्सन	"	४७५.००	४७५.००	४७५.००	
xix)	डाले घासको बिरुवा वडहर,राइखन्यु, निमारो	गोटा	२२.००	२२.००	२२.००	
xx)	अन्य डाले घासको बिरुवा	गोटा	१६.००	१६.००	१६.००	
xxi)	ग्वाटेमाला प्रति गानो प्रतिसेट	गानो	५.००	५.००	५.००	
xxii)	मेन्डुला / भटमासे	के.जी.	३४०.००	३४०.००	३४०.००	
xxiii)	प्रजनन योग्य बोका स्थानीय जात	के.जी.	६००.००	६००.००	६००.००	
	प्रजनन योग्य बोका ५०% बोरर कस	के.जी.	१५००.००	१५००.००	१५००.००	
	प्रजनन योग्य बोका ७५% बोरर कस	के.जी.	२०००.००	२०००.००	२०००.००	
	प्रजनन योग्य बोका ७५% भन्दा माथि बोरर कस	के.जी.	२५००.००	२५००.००	२५००.००	
	प्रजनन योग्य स्थानीय खरी बाख्रा	के.जी.	५००.००	५००.००	५००.००	
xxiv)	चौरी	गोटा	६५०००.००	६५०००.००	६५०००.००	
xxv)	प्रजनन योग्य याक	गोटा	१०००००.००	१०००००.००	१०००००.००	
xxvi)	धुमा	गोटा	१४०००.००	१४०००.००	१४०००.००	
xxvii)	बंगुरको पाठा/पाठी, ४० दिनको	गोटा	५५००.००	५५००.००	५५००.००	
xxviii)	प्रजनन योग्य बंगुर माउ	के.जी.	३००.००	३००.००	३००.००	
xxix)	प्रजनन योग्य बंगुर बिर	के.जी.	३५०.००	३५०.००	३५०.००	
xxx)	मुर्दा क्रस लैनो भैसी	गोटा	१३००००.००	१३००००.००	१३००००.००	
xxxi)	जर्सी गाई लैनो	गोटा	९००००.००	९००००.००	९००००.००	
xxxii)	होलिषटिन गाई लैनो	गोटा	१०००००.००	१०००००.००	१०००००.००	

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right.